

# **Effects of Operational Brushing on Conifers and Plant Communities in the Southern Interior of British Columbia**

---

Results from PROBE 1991–2000  
PRotocol for Operational Brushing  
Evaluations

Suzanne W. Simard, Jean L. Heineman,  
W. Jean Mather, Donald L. Sachs, and  
Alan Vyse

---

## **Section Thirteen**



**BRITISH  
COLUMBIA**

Ministry of Forests  
Research Program

SECTION 13 .....	341
References .....	341

SECTION 14 .....	359
APPENDIX 1 Trends in Conifer and Vegetation Response in the <i>Willow</i> and <i>Pinegrass</i> Complexes.....	359
APPENDIX 2 Summary Statistics for Conifer and Vegetation Responses to Brushing Treatments on Single Replicate Sites .....	379

TABLES

1 Average brushing costs per hectare in 1997–1998 .....	2
2 Treatment matrix used to guide selection of PROBE sites.....	4
3 Comparison of programs used to monitor brushing efficacy.....	7
4 Analysis of variance table for individual PROBE treatment cells.....	16
5 Common brushing treatments applied to the <i>Fireweed</i> Complex in the southern interior of B.C. ....	22
6 Characteristics and history of the four replicate study sites where the ESSF/ICH <i>Fireweed</i> Complex was manually cut in Engelmann spruce plantations prior to treatment.....	24
7 A description of manual cutting treatments applied to the four replicate study sites to release Engelmann spruce seedlings growing in the ESSF/ICH <i>Fireweed</i> Complex .....	25
8 Survival and growth responses of Engelmann spruce seedlings to manual cutting in the ESSF/ICH <i>Fireweed</i> Complex .....	25
9 Cover and height of vegetation in the ESSF/ICH <i>Fireweed</i> Complex before and after manual cutting in Engelmann spruce plantations.....	29
10 Richness and diversity of vascular plant species in the ESSF/ICH <i>Fireweed</i> Complex before and after manual cutting in Engelmann spruce plantations.....	30
11 Richness and diversity of structural vegetation groups in the ESSF/ICH <i>Fireweed</i> Complex before and after manual cutting in Engelmann spruce plantations .....	30
12 Vascular plant species that exhibited trends of increasing cover, decreasing cover, or no change in cover following manual cutting of the ESSF/ICH <i>Fireweed</i> Complex in Engelmann spruce plantations.....	31
13 Competition thresholds, regression equation parameter estimates, p-values, and adjusted $r^2$ values for predicting Engelmann spruce stem diameter from the competition indices, fireweed cover, and CRH, in the <i>Fireweed</i> Complex in the ICH zone.....	33
14 Competition thresholds, regression equation parameter estimates, p-values, and adjusted $r^2$ values for predicting Engelmann spruce stem diameter from the competition indices, fireweed cover, and CRH, in the <i>Fireweed</i> Complex in the ESSF zone.....	36
15 Characteristics and history of the three replicate study sites where the ICH/ESSF <i>Fireweed</i> Complex was manually cut in lodgepole pine plantations .....	38
16 A description of manual cutting treatments applied to the three replicate study sites to release lodgepole pine seedlings growing in the ICH/ESSF <i>Fireweed</i> Complex.....	39
17 Survival and growth responses of lodgepole pine seedlings to manual cutting in the ICH/ESSF <i>Fireweed</i> Complex .....	39
18 Cover and height of vegetation in the ICH/ESSF <i>Fireweed</i> Complex before and after manual cutting in lodgepole pine plantations .....	40
19 Richness and diversity of vascular plant species in the ICH/ESSF <i>Fireweed</i> Complex before and after manual cutting in lodgepole pine plantations .....	43
20 Richness and diversity of structural vegetation groups in the ICH/ESSF <i>Fireweed</i> Complex before and after manual cutting in lodgepole pine plantations.....	44
21 Vascular plant species that exhibited trends of increasing cover, decreasing cover, or no change in cover following manual cutting of the ICH/ESSF <i>Fireweed</i> Complex in lodgepole pine plantations.....	44

## REFERENCES

---

- Amaranthus, M.P., and D.A. Perry. 1987. Effect of soil transfer on ectomycorrhizae formation and the survival and growth of conifer seedlings in disturbed forest sites. *Can. J. For. Res.* 17: 944–950.
- Andersson, S. 1985. Treatment of young mixed stands with birch and conifers. *In* Broadleaves in boreal silviculture—an obstacle or an asset? B. Hagglund and G. Peterson (editors), Swedish Univ. Agr. Sci. Dept. Silv. Umeå, Sweden. pp. 127–162.
- Angove, K. and B. Bancroft. 1983. A guide to some common plants of the southern interior of British Columbia. B.C. Min. For., Victoria, B.C. Land Manage. Handb. No. 7.
- Arnebrant, K., H. Ek, R.D. Finlay, and B. Söderström. 1993. Nitrogen translocation between *Alnus glutinosa* (L.) Gaertn. seedlings inoculated with *Frankia* sp. and *Pinus contorta* Dougl. ex Loud seedlings connected by a common ectomycorrhizal mycelium. *New Phytologist* 130: 231–242.
- Bailey, A.W. and H.G. Anderson. 1979. Brush control on sandy rangelands in central Alberta. *J. Range Manage.* 32: 29–32.
- Balisky, A.C. and P.J. Burton. 1993. Distinction of soil thermal regimes under various experimental vegetation covers. *Can. J. Soil Sci.* 73: 411–420.
- . 1995. Root-zone soil temperature variation associated with microsite characteristics in high-elevation forest openings in the interior of British Columbia. *Agric. For. Meteorology* 77: 31–54.
- Banfield, A.W.F. 1974. *The mammals of Canada*. Univ. Toronto Press, Toronto, Ont.
- Bedford, L. and R.F. Sutton. 2000. Site preparation for establishing lodgepole pine in the sub-boreal spruce zone of interior British Columbia: the Bednesti trial, 10-year results. *For. Ecol. and Manage.* 126: 227–238.
- Bella, I.E. 1986. Logging practices and subsequent development of aspen stands in east-central Saskatchewan. *For. Chron.* 2: 81–83.
- Bergerud, W. 1996. When are blocks pseudo-replicates? B.C. Min. For., Res. Br., Victoria, B.C. Biometrics information pamphlet No. 34.
- Binder, W.D., D.L. Spittlehouse, and D.A. Draper. 1987. Post-planting studies of the physiology of white spruce 1984–1985. EP 966. B.C. Min. For., Victoria, B.C. Prog. Rep. No. 5 (unpublished).
- Binkley, D. 1981. Nodule biomass and acetylene reduction rates of red alder and Sitka alder on Vancouver Island, B.C. *Can. J. For. Res.* 11: 281–286.
- . 1982. Nitrogen fixation and net primary production in a young Sitka alder stand. *Can. J. Bot.* 60: 281–284.
- Biring, B.S., P.G. Comeau, and J.O. Boateng. 1996. Effectiveness of forest vegetation control methods in British Columbia. *Can. For. Serv. and B.C. Min. For., Victoria, B.C. FRDA Handb. No. 011.*
- Biring, B.S., P.G. Comeau, J.O. Boateng, and S.W. Simard. 1998. Experimental design Protocol for Long-Term Operational Response Evaluations (EXPLORE). B.C. Min. For., Res. Br., Victoria, B.C. Work. Pap. 31/1998.
- Black, T.A., R. Adams, and R. Mitchell. 1991. Reducing summer frost injury to seedlings in the southern interior. Project 3.02. B.C. Min. For. and For. Can., Victoria, B.C. FRDA Memo No. 181.
- Blower, D. 1982. Key winter forage plants for B.C. ungulates. *Terr. Studies Br., B.C. Min. Env., Victoria, B.C.* (unpublished mimeo).

- Boateng, J.O. and P.G. Comeau. 1997a. Operational summary for vegetation management: Erica-ceous Shrub Complex. Forest Practices Br., B.C. Min. For., Victoria, B.C.
- . 1997b. Operational summary for vegetation management: Fireweed Complex. Forest Practices Br., B.C. Min. For., Victoria, B.C.
- . 1997c. Operational summary for vegetation management: Wet Alder Complex. Forest Practices Br., B.C. Min. For., Victoria, B.C.
- . 1997d. Operational summary for vegetation management: Willow Complex. Forest Practices Br., B.C. Min. For., Victoria, B.C.
- . 1997e. Operational summary for vegetation management: Pinegrass Complex. Forest Practices Br., B.C. Min. For., Victoria, B.C.
- . 1997f. Operational summary for vegetation management—Dry Alder complex. Forest Practices Br., B.C. Min. For., Victoria, B.C.
- . 1997g. Operational summary for vegetation management—Mixed-Shrub Complex. Forest Practices Br., B.C. Min. For., Victoria, B.C.
- Boateng, J.O., S. Haeussler, and L. Bedford. 2000. Boreal plant community diversity 10 years after glyphosate treatment. *West. J. Appl. For.* 15(1): 15–26.
- Boyd, R.J., D.L. Miller, F.A. Kidd, and C.P. Ritter. 1985. Herbicides for forest weed control in the Inland Northwest: a summary of effects on weeds and conifers. USDA For. Serv., Gen. Tech. Rep. INT-195.
- Bradley, R.L. and J.W. Fyles. 1995. Growth of paper birch (*Betula papyrifera*) seedlings increases soil available C and microbial acquisition of soil nutrients. *Soil Biol. Biochem.* 27: 1565–1571.
- Brand, D.G. 1986. A competition index for predicting the vigour of planted Douglas-fir in southwestern British Columbia. *Can. J. For. Res.* 16: 23–29.
- Brand, D.G. and P.S. Janas. 1988. Growth and acclimation of planted white pine and white spruce seedlings in response to environmental conditions. *Can. J. For. Res.* 18: 320–329.
- Brinkman, K.A. 1974. Willow. *In* Seeds of woody plants of the United States. USDA. For. Serv., Agric. Handb. 450.
- British Columbia Office of the Auditor General. 1999. Forest Renewal B.C.: Planning and Accountability in the Corporation. The Silviculture Programs. Report: 1999/2000; 6.
- British Columbia Ministry of Forests. 1989. Silviculture manual, Vol. 1. Silv. Br., Victoria, B.C.
- . 1995a. Establishment to free growing guidebook, Kamloops Forest Region (Forest Practices Code of British Columbia). Province of British Columbia and B.C. Environment, Victoria, B.C.
- . 1995b. Ministry of Forests 1994/95 Annual Report. Victoria, B.C.
- . 1995c. Root disease management guidebook (Forest Practices Code of British Columbia). Province of British Columbia and B.C. Environment, Victoria, B.C.
- . 1996. Ministry of Forests 1995/96 Annual Report. Victoria, B.C.
- . 1997. Ministry of Forests 1996/97 Annual Report. Victoria, B.C.
- . 1998. Ministry of Forests 1997/98 Annual Report. Victoria, B.C.
- . 2000. Free Growing Guidelines—Draft. Forest Practices Br., Victoria, B.C.
- Burns, R.M. and B.H. Honkala (technical coordinators). 1990. Silvics of North America. Vol. 2, Hardwoods. USDA For. Serv., Agric. Handb. 654.
- Burton, P.J. 1993. Some limitations inherent to static indices of plant competition. *Can. J. For. Res.* 23: 2141–2152.

- . 1996. Differences in early conifer performance in young seral vegetation of the CWHcm subzone. B.C. Min. For. Research Program, Ext. Note 06.
- Burton, P.J., A.C. Balisky, L.P. Coward, S.G. Cumming, and D.D. Kneeshaw. 1992. The value of managing for biodiversity. *For. Chron.* 68: 225–237.
- Burton, P.J., L. Bedford, M. Goldstein, and M. Osberg. 2000. Effects of disk trench orientation and planting spot position on the ten-year performance of lodgepole pine. *New Forests* 20: 23–44.
- Butt, G. 1988. Backlog forest land rehabilitation in the SBS and BWBS zones in the northern interior of British Columbia. *For. Can. and B.C. Min. For., Victoria, B.C. FRDA Rep.* 023.
- Callan, B. 1996. Aspen and poplar diseases. *In Ecology and Management of B.C. Hardwoods*, P.G. Comeau, G.J. Harper, M.E. Blache, J.O. Boateng, and K.D. Thomas (editors.), Workshop Proc., Dec. 1–2, 1993, Richmond, B.C., pp. 75–81.
- Cameron, I.R. 1996. Vertical stratification in some 50-year-old mixed-species stands in the Interior Cedar-Hemlock zone. *In Silviculture of Temperate and Boreal Broadleaf-conifer Mixtures*, P.G. Comeau and K.D. Thomas (editors), Workshop Proc., 28 Feb. and 1 March 1995, Richmond, B.C., B.C. Min. For., Victoria, B.C., Land Manage. Handb. No. 36, pp. 122–125.
- Cannings, R.A., R.J. Cannings, and S.G. Cannings. 1987. Birds of the Okanagan Valley, British Columbia. Royal B.C. Museum, Victoria, B.C.
- Carter, G.A., W.K. Smith, and J.L. Hadley. 1988. Stomatal conductance in three conifer species at different elevations during summer in Wyoming. *Can. J. For. Res.* 18: 242–246.
- Caza, C.L. and J.P. Kimmins. 1987. Composition and structure of plant communities on NSR cutovers in the ESSF, Clearwater Forest District. FRDA 3.32, B.C. Ministry of Forests and Lands, Kamloops Region.
- Chen, H.Y.H. 1997. Interspecific responses of planted seedlings to light availability in interior British Columbia: survival, growth, allometric patterns, and specific leaf area. *Can. J. For. Res.* 27: 1383–1393.
- Clement, C. and B. Keeping. 1996. Evaluation of forest vegetation community dynamics on the Bush River brushing trial site. *Can. For. Serv. and B.C. Min. For., Victoria, B.C. FRDA Rep.* 241.
- Coates, K.D. 1987. Effects of shrubs and herbs on conifer regeneration and microclimate in the *Rhododendron-Vaccinium-Menziesia* community in south-central British Columbia. M.Sc. thesis. Oreg. State. Univ., Corvallis, Oreg.
- Coates, K.D. and P.J. Burton. 1999. Growth of planted tree seedlings in response to ambient light levels in northwestern interior cedar-hemlock forests of British Columbia. *Can. J. For. Res.* 29: 1374–1382.
- Coates, K.D., W.H. Emmingham, and S.R. Radosevich. 1991. Conifer-seedling success and microclimate at different levels of herb and shrub cover in a *Rhododendron-Vaccinium-Menziesia* community of south central British Columbia. *Can. J. For. Res.* 21: 858–866.
- Coates, K.D., S. Haeussler, S. Lindeburgh, R. Pojar, and A.J. Stock. 1994. Ecology and silviculture of Interior spruce in British Columbia. B.C. Min. For. and For. Can., Victoria, B.C. FRDA Rep. No. 220.
- Cody, W.J. and C.W. Crompton. 1975. The biology of Canadian weeds 15: *Pteridium aquilinum* (L) Kuhn. *Can. J. Plant Sci.* 55: 1059–1072.
- Cole, D.W., S.P. Gessel, and J. Turner. 1978. Comparative mineral cycling in red alder and Douglas-fir. *In Utilization and management of alder*. D.G. Briggs, D.S. DeBell, and W.A. Atkinson (compilers). Proc. symp. April 25–27, 1977, Ocean Shores, Wash., USDA For. Serv., Gen. Tech. Rep. PNW-70, pp. 327–336.
- Cole, E.C. and M. Newton. 1987. Fifth-year responses of Douglas-fir to crowding and non-coniferous competition. *Can. J. For. Res.* 17: 181–186.

- Comeau, P.G. 1988. Light attenuation by thimbleberry-fireweed communities in the ICH zone and its potential effects on conifer growth. *In* Vegetation competition and responses: Proc. 3rd annual vegetation management workshop, Feb. 15–17. E. Hamilton and S. Watts (editors). B.C. Min. For. and For. Can., Victoria, B.C. FRDA Rep. No. 026, pp. 5–6.
- . 1992a. Effectiveness of repeated manual cutting treatments in a mixed shrub/herb community: Sullivan Site 1. Expert Committee on Weeds, Research Report, Western Canada Section Meeting, Dec. 1–3, 1992, Winnipeg, Man., Vol. 2: 1081.
- . 1992b. Effectiveness of repeated manual cutting treatments in a mixed shrub/herb community: Sullivan Site 2. Expert Committee on Weeds, Research Report, Western Canada Section Meeting, Dec. 1–3, 1992, Winnipeg, Man., Vol. 2: 1082.
- Comeau, P.G., B.S. Biring, and G.J. Harper. 2000a. Effectiveness of repeated manual cutting for release of Engelmann spruce from mixed-shrub herb vegetation. *W. J. Appl. For.* 15(3): 154–162.
- . 2000b. Conifer responses to brushing treatments: a summary of British Columbia data. B.C. Min. For., Victoria, B.C. Extension Note 41.
- Comeau, P.G., T.F. Braumandl, and C.-Y. Xie. 1993. Effects of overtopping vegetation on light availability and growth of Engelmann spruce (*Picea engelmannii*) seedlings. *Can. J. For. Res.* 23: 2044–2048.
- Comeau, P.G., T. Letchford, and J.R. Wang. 1998. Third international Conference of Forest Vegetation Management: Popular Summaries. An evaluation of indexes for estimating competition for light by paper birch. *In* R.G. Wagner and D.G. Thompson (compilers). *Ont. Min. Nat. Resour., Ont. For. Inst., For. Res. Info. Pap. No. 141*, pp. 408–410.
- Comeau, P.G., J. Wang, and T. Letchford. 1999. Effects of spacing paper birch-mixedwood stands in central British Columbia, FRBC Project HQ96423-RE (MOF EP 1193). B.C. Min. For. Research Program, Extension Note 29, 7 p.
- Comeau, P.G., S.B. Watts, C.L. Caza, J. Karakatsoulis, S.M. Thompson, and A.B. McGee. 1989. Autecology, biology, competitive status and response to treatment of seven southern interior weed species. B.C. Min. For. and For. Can., Victoria, B.C. FRDA Rep. No. 93.
- Conard, S.G. and W.H. Emmingham. 1983. Herbicides for shrub control on forest sites in northeastern Oregon and northern Idaho. *Oreg. State Univ., For. Res. Lab., Corvallis, Oreg. Special Publ.* 5.
- . 1984. Herbicides for grass and herbaceous weed control in Oregon and Washington. *Oreg. State Univ., For. Res. Lab., Corvallis, Oreg. Special Publ.* 7.
- Cousens, R.D. 1987. Theory and reality of weed control thresholds. *Plant Protect. Quart.* 2: 13–20.
- Coutts, M.P. 1981. Effects of waterlogging on water relations of actively-growing and dormant Sitka spruce seedlings. *Ann. Bot.* 47: 747–753.
- Crocker, R.L. and J. Major. 1955. Soil development in relation to vegetation and surface age of Glacier Bay, Alaska. *J. Ecol.* 43: 427–448.
- Crouch, G.L. 1983. Aspen regeneration after commercial clearcutting in southwestern Colorado. *J. For.* 81: 316–319.
- DeByle, N.V. and R.P. Winokur (editors). 1985. *Aspen: Ecology and management in the western United States*. USDA. For. Serv. Rocky Mtn. For. and Range Expt. Stn., Fort Collins, Colo. Gen. Tech. Rep. RM-119.
- Del Moral, R. and R.G. Cates. 1971. Allelopathic potential of the dominant vegetation of western Washington. *Ecology* 52(6): 1030–1037.
- DeLong, C. and D. Tanner. 1996. Ecology and Management of B.C. Hardwoods. *In* Effect of aspen competition on survival and growth of lodgepole pine and white spruce. P.G. Comeau,

- G.J. Harper, M.E. Blache, J.O. Boateng, K.D. Thomas, (editors.), Workshop Proc., Dec. 1–2, 1993, Richmond, B.C., pp. 203–204.
- DeLong, R. 1999. The role of fluorescent pseudomonad bacteria in the resistance of paper birch (*Betula papyrifera* March.) to *Armillaria ostoyae* in the southern interior of British Columbia. M.S. thesis, Univ. North. British Columbia, Prince George, B.C.
- DeLong, S.C. 1991. The light interception index: a potential tool for assisting in vegetation management decisions. *Can. J. For. Res.* 21: 1037–1042.
- DeLong, S.C., R.M. Sagar, D. Tanner, V. Sit, and A. Eastham. [2000]. Performance of white spruce seedlings in relation to microclimate under 40- to 80-year-old aspen canopies and in clearcuts (in review).
- Dierschke, H. 1972. On the recording and presentation of phenological phenomena in plant communities. *In* 1970 International Symp. for Vegetation Science. Dr. W. Junk (editor). N.V. The Hague, Netherlands.
- Dimock, E.J.II, T.F. Beebe, and E.B. Collard. 1983. Planting-site preparation with herbicides to aid conifer reforestation. *Weed Sci.* 31: 215–221.
- Dobbs, R.C. and R.G. McMinn. 1977. Effects of scalping on soil temperature and growth of white spruce seedlings. *In* B.C. Soil Science Workshop Report 1997: Meeting No. 6. B.C. Min. Agric., Victoria, B.C. pp. 66–73.
- Doucet, R. 1979. Méthodes de coupe et de préparation de terrain pour favoriser la régénération naturelle de quelques tremlaies de l'Est-du-Québec. *For. Chron.* 55: 133–136.
- . 1989. Regeneration silviculture of aspen. *For. Chron.* 65:23–27.
- Doucet, R. and J.M. Veilleux. 1982. Résultats quinquennaux de traitements d'éclaircie et de fertilisation dans des peupleraies naturelles de diverses classes d'âge. Gouv. du Québec, Min. de l'Énergie et des Ress., Serv. de la Rech. (Terres et Forêts), Mémoire n° 76.
- Dykstra, G.F. 1974. Photosynthesis and carbon dioxide transfer resistance of lodgepole pine seedlings in relation to irradiance, temperature, and water potential. *Can. J. For. Res.* 4: 201–206.
- Edwards, R.Y. and R.W. Ritcey. 1960. Foods of caribou in Wells Gray Park, British Columbia. *Can. Field Nat.* 74:3–7.
- Eis, S. 1981. Effect of vegetative competition on regeneration of white spruce. *Can. J. For. Res.* 11: 1–8.
- Enns, K.A., E.B. Peterson, and D. McLennan. 1993. Impacts of hardwood management of British Columbia wildlife: problem analysis. *For. Can. and B.C. Min. For.* FRDA Rep. No. 208.
- Evans, C.A., E.K. Miller, and A.J. Friedland. 1998. Nitrogen mineralization associated with birch and fir under different soil moisture regimes. *Can. J. For. Res.* 28: 1890–1898.
- Expert Committee on Weeds. 1983. Instructions for the preparation of research abstracts. Misc. Mimeo. (unpublished, as cited by Herring and Pollack 1985).
- . 1987. Research Report. Western Canada Section Meeting, Dec. 1–3, 1987, Victoria, B.C.
- Fall, A. and J. Fall. 1999. Beauty and the beast: separating specification from implementation for models of landscape dynamics. Simon Fraser University Technical Report SFU CS TR 99-05, Burnaby, B.C.
- Farnden, C. 1994. Forest regeneration in the ESSF zone of north-central British Columbia. *Can. For. Serv., Pacific and Yukon Reg., Pacific For. Centre, Inf. Rep.* BC-X-351.
- Ferguson, D.E. and R.J. Boyd. 1988. Bracken fern inhibition of conifer regeneration in northern Idaho. *USDA For. Serv., Intermountain Res. Sta., Res. Pap.* INT-388.
- Fleming, R.L., T.A. Black, and R.S. Adams. 1996. Site preparation effects on Douglas-fir and lodgepole pine water relations following

- planting in a pinegrass-dominated clearcut. *For. Ecol. Manage.* 83: 47–60.
- Fletcher, W.W. and R.C. Kirkwood. 1979. The bracken fern (*Pteridium aquilinum* L. Kuhn): its biology and control. *In* The experimental biology of ferns. A.F. Dyer (editor). Academic Press, London, U.K. pp. 591–636.
- Forest Productivity Council of British Columbia. 1990. Minimum standards for the establishment and remeasurement of Permanent Sample Plots in British Columbia (unpublished report).
- Fowells, H.A. 1965. Silvics of forest trees of the United States. USDA, For. Serv., Agric. Handb. No. 271.
- Frivold L.H. 1985. Broadleaves in Boreal Silviculture—An Obstacle or an Asset? *In* Mixed broadleaved—coniferous stands—some silvicultural considerations. B. Hahhlund and G. Peterson (editors). Swed. Univ. of Agric. Sci., Dept. of Silv. Umeå, Sweden, pp. 207–222.
- Gara, R.I., R.L. Carlson, and B.F. Hrutfiord. 1971. Influence of some physical and host factors on the behaviour of the Sitka spruce weevil, *Pissodes sitchensis*, in southwestern Washington. *Annals of the Entomological Soc. of Amer.* 62: 467–471.
- Gerlach, J.P., P.B. Reich, K. Puettmann, and T. Baker. 1997. Species, diversity, and density affect tree seedling mortality from *Armillaria* root rot. *Can. J. For. Res.* 27: 1509–1512.
- Gleissman, S.R. 1976. Allelopathy of a broad spectrum of environments as illustrated by bracken. *Bot. J. Linn. Soc.* 73:95–104.
- Goldberg, D.E. and P.A. Werner. 1983. Equivalence of competitors in plant communities: a null hypothesis and a field experimental approach. *Amer. J. Bot.* 70: 1098–1104.
- Goldstein, G.H., L.B. Brubaker, and T.M. Hinckley. 1985. Water relations of white spruce (*Picea glauca* (Moench) Voss) at tree line in north central Alaska. *Can. J. For. Res.* 15: 1080–1087.
- Greenough, J.A., D.C.E. Robinson, W.A. Kurz, S.J. Beukema, N. Densmore, R. Winter, and B. Snowdon. 1999. Use of the Prognosis EI model in balancing timber and environmental values at the watershed-level. ESSA Technologies Ltd., Vancouver, B.C.
- Gregory, R.A. 1966. The effect of leaf litter upon establishment of white spruce beneath paper birch. *For. Chron.* 42: 251–255.
- Grime, J.P. 1979. Plant strategies and vegetation processes. John Wiley and Sons, Chichester, U.K.
- Grossnickle, S.C. 1987. Influence of flooding and soil temperature on the water relations and morphological development of cold-stored black and white spruce seedlings. *Can. J. For. Res.* 17: 821–828.
- . S.C. 1988. Planting stress in newly planted jack pine and white spruce. 1 Factors influencing water uptake. *Tree Physiology* 4: 71–83.
- Habitat Monitoring Committee. 1990. Procedures for environmental monitoring in range and wildlife habitat management. Draft edition version 4.1. B.C. Min. Environ. and B.C. Min. For., Victoria, B.C. 196 p.
- Haeussler, S. 1999. Effects of forest vegetation management practices on community and landscape diversity. *In* Proc. workshop on brushing and free-growing in British Columbia. A. Vyse, and S. Simard (editors). July 19–21, 1999, in Kamloops, B.C. Unpublished.
- Haeussler, S. and D. Coates. 1986. Autecological characteristics of selected species that compete with conifers in British Columbia: A literature review. B.C. Min. For., Victoria, B.C. Land Manage. Rep. 33.
- Haeussler, S., D. Coates, and J. Mather. 1990. Autecology of common plants in British Columbia: a literature review. B.C. Min. For. and For. Can., Victoria, B.C. FRDA Rep. No. 158.
- Haeussler, S., Bedford, L., Boateng, J.O., and MacKinnon, A. 1999. Plant community

- responses to mechanical site preparation in northern interior British Columbia. *Can. J. For. Res.* 29: 1084–1100.
- Hansen, R.M. and J.T. Flinders. 1969. Food habits of North American hares. Range Sci. Dep., Colo. State Univ., Fort Collins, Colo. Science Series No. 1.
- Harestad, A. 1983. Natural history of vertebrate pests in forests of British Columbia. B.C. Min. For., Res. Branch, Victoria, B.C. WHR-4.
- Harper, G., R. Whitehead, and C.F. Thompson. 1998. A comparison of manual brushing treatments in the ICHdw at Redfish Creek: 10-year results from Blocks 10–13. B.C. Min. For., Res. Program, Victoria, B.C. Extension Note 20.
- Harper, G.J., B.S. Biring, and J. Heineman. 1997. Mackay River herbicide trial: conifer response 9 years post-treatment. B.C. Min. For., Res. Br., Victoria, B.C. Res. Rep. No. 11
- Harper, J.L. 1977. Population biology of plants. Academic Press Inc., New York, N.Y.
- Harrington, C.A. and R.L. Deal. 1982. Sitka alder, a candidate for mixed stands. *Can. J. For. Res.* 12: 108–111.
- Hart, D. and P.G. Comeau. 1992. Manual brushing for forest vegetation management in British Columbia: a review of current knowledge and information needs. B.C. Min. For., Victoria, B.C. Land Manage. Rep. No. 77.
- Harvey, D.A. 1981. A literature review of deer damage and controls in the Pacific Northwest with special reference to British Columbia. M.Sc. thesis. Simon Fraser Univ., Burnaby, B.C.
- Hays, W. 1990. Operational monitoring in the Prince George Forest Region. B.C. Min. For., Prince George Region, Prince George, B.C.
- Healy, W.M. and J.D. Gill. 1974. Alders. *In* Shrubs and vines for northeastern wildlife. J.D. Gill and W.M. Healy (compilers). USDA. For. Serv., Gen. Tech. Rep. NE-9, pp. 6–9.
- Heilman, P. and G. Ekuan. 1982. Nodulation and nitrogen fixation by red alder and Sitka alder on coal mine spoils. *Can. J. For. Res.* 12: 992–997.
- Hellum, A.K. and R. Zahner. 1966. The frond size of bracken fern on forested outwash sand in northern lower Michigan. *Soil Sci. Soc. Am. Proc.* 30: 520–524.
- Herring, L.J. and J.C. Pollack. 1985. Experimental design protocol for forest vegetation management research: Level B trials (first approximation). B.C. Min. For. Internal rep. (unpublished).
- Holmsen, S.D. and R.J. Whitehead. 1998. Comparison of clearing-saw attachments for weeding young plantations. B.C. For. Can. and Min. For. FRDA Rep. No. 028.
- Hope, G. 1991. Effects of mechanical site preparation on soil and foliar nutrients in the drier subzones of the IDF, MS, and ESSF zones—Project 3.50. For. Com. and B.C. Min. For. FRDA Memo. No. 193.
- Hosie, R.C. 1969. Native trees of Canada. 7th ed. Fitzhenry and Whiteside Ltd. in co-operation with Can. For. Serv. and the Can. Govt. Publ. Cent., Don Mills, Ont.
- Hurlbert, S.H. 1971. The nonconcept of species diversity: a critique and alternative parameters. *Ecology* 52: 577–586.
- Jobidon, R. and L. Charette. 1997. Effets, après 10 ans, du dégagement manuel simple ou répété et de la période de coupe de la végétation de compétition sur la croissance de l'épinette noire en plantation. *Can. J. For. Res.* 27: 1979–1991.
- Johansson, T. 1985. Treatment of broadleaved trees in stands. *In* Broadleaves in boreal silviculture: an obstacle or an asset? B. Hagglund and G. Peterson (editors), Swedish Univ. Agr. Sci., Dept. Silv., Umeå, Sweden, pp. 99–110.
- Jones, J.R. 1976. Aspen harvesting and reproduction. *In* Proc. symp. on utilization and marketing as tools for aspen management in the Rocky

- Mountains. USDA For. Serv. Rocky Mountain For. and Range Exp. Sta., Fort Collins, Colo. Gen. Tech. Rep. RM-29.
- Jones, M.D., D.M. Durall, S.M.K. Harniman, D.C. Classen, and S.W. Simard. 1997. Ectomycorrhizal diversity on *Betula papyrifera* and *Pseudotsuga menziesii* seedlings grown in the greenhouse or outplanted in single-species and mixed plots in southern British Columbia. *Can. J. For. Res.* 27: 1872–1889.
- J.S. Thrower & Associates, Ltd. 1999. Monitoring growth and yield of treated stands. Prepared for B.C. Min. For., Resources Inv. Br. (unpublished report).
- Kabzems, R.D. 1996. Where have all the big pores gone? Impacts of concentrated heavy equipment traffic on aeration porosity and bulk density in an aspen ecosystem. *In Proc. workshop on Ecology and Management of B.C. Hardwoods*, P.G. Comeau, G.J. Harper, M.E. Blache, J.O. Boateng, K.D. Thomas (editors.), Dec. 1–2, 1993, Richmond, B.C., pp. 209–210.
- Kabzems, R.D. and D. Lousier. 1992. Regeneration, growth and development of *Picea glauca* under *Populus* spp. canopy in the boreal white and black spruce zone. *For. Can. and B.C. Min. For. FRDA Rep. No. 176*.
- Kaufmann, M.R. 1975. Leaf water stress in Engelmann spruce: influence of the root and shoot environments. *Plant Physiol.* 56(6): 841–844.
- Kimmins, J.P. 1987. *Forest ecology*. Macmillan Publishing Co., New York, NY.
- . 1997. *Balancing act: environmental issues in forestry*. University of B.C. Press, Vancouver, B.C. pp. 255–270.
- Kimmins, J.P. and P.G. Comeau. 1990. Forest vegetation management research strategy for the southern interior, British Columbia. *For. Can. and B.C. Min. For., Victoria, B.C. FRDA Rep. No. 132*.
- Klinka, K., V.J. Krajina, A. Ceska, and A.M. Scagel. 1989. Indicator plants of coastal British Columbia. Univ. of B.C. Press, Vancouver, B.C.
- Klinka, K. and A.M. Scagel. 1984. Selected ecological characteristics of some tree and shrub species in British Columbia: genera *Juniperus*, *Taxus*, *Populus*, *Alnus*, *Betula*, *Quercus*, *Prunus*, *Rhamnus*, *Acer*, *Cornus*, and *Arbutus*. Can. Cartographics Ltd., Coquitlam, B.C.
- Kobe, R.K. and K.D. Coates. 1997. Models of sapling mortality as a function of growth to characterize interspecific variation in shade tolerance of eight tree species of northwestern British Columbia. *Can. J. For. Res.* 27: 227–236.
- Kozlowski, T.T. and S.G. Pallardy. 1997. *Physiology of woody plants* (2nd ed.). Academic Press, San Diego, Calif.
- Krajina, V.L., K. Klinka, and J. Worrall. 1982. Distribution and ecological characteristics of trees and shrubs of British Columbia. Faculty of Forestry, Univ. B.C., Vancouver, B.C.
- Kufeld, R. 1973. Foods eaten by Rocky Mountain elk. *J. Range Manage.* 26: 106–112.
- Kurz, W.A., S.J. Beukema, W. Klenner, J.A. Greenough, D.C.E. Robinson, A.D. Sharpe, and T.M. Webb. 2000. TELSA: The tool for exploratory landscape scenario analyses. *Computers and Electronics in Agriculture* 27(1-3): 227–242.
- Lanini, R.L. and S.R. Radosevich. 1986. Response of three conifer species to site preparation and shrub control. *For. Sci.* 32: 61–77.
- Lanner, R.L. 1985. On the sensitivity of height growth to spacing. *For. Ecol. Manage.* 13: 143–148.
- Lautenschlager, R.A. 1999. Environmental resource interactions affect red raspberry growth and its competition with white spruce. *Can. J. For. Res.* 29: 906–916.
- Lees, J.C. 1966. Release of white spruce from aspen competition in Alberta's spruce-aspen forest. *Can. Dep. For., Publ. No. 1163*.

- LePage, P. and K.D. Coates. 1994. Growth of planted lodgepole pine and hybrid spruce following chemical and manual vegetation control on a frost-prone site. *Can. J. For. Res.* 24: 208–216.
- LePage, P. and J. Pollack. 1988. Chemical and manual control of thimbleberry (*Rubus parviflorus*): a rate and timing trial. *In* Vegetation competition and responses: Proc. third annual vegetation management workshop. E. Hamilton, and S. Watts (compilers), Feb. 15–17, 1988, Vancouver, B.C.
- LePage, P., J.C. Pollack, and K.D. Coates. 1991. Chemical and manual control of thimbleberry (*Rubus parviflorus*) in northwestern B.C.: rate and timing trial. *West. J. Appl. For.* 6(4): 99–102.
- Lieffers, V.J. and K.J. Stadt. 1994. Growth of understorey *Picea glauca*, *Calamagrostis canadensis*, and *Epilobium angustifolium* in relation to overstorey light transmission. *Can. J. For. Res.* 24: 1193–1198.
- Lindeburgh, S. 1995. Effects of fireweed and associated vegetation on conifer survival and growth in the southern interior—fifth year results. *For. Can. and B.C. Min. For., Victoria, B.C.* FRDA Memo No. 226.
- Lindeburgh, S., T. Fleming, and A. Nicholson. 1994. Assessing the effects of fireweed (*Epilobium angustifolium* L.) and associated vegetation on planted conifer survival and growth in the southern interior—fifth year results. *B.C. Min. For., Victoria, B.C.* (unpublished).
- Lloyd, D., K. Angove, G. Hope, and C. Thompson. 1990. A guide to site identification and interpretation for the Kamloops Forest Region. *B.C. Min. For., Victoria, B.C. Land Manage. Handb. No. 23.*
- Lloyd, D. and J. Heineman. 1994a. The use of 3 rates of glyphosate to treat fireweed (*Epilobium angustifolium* L.) on various growing season dates. (FRDA 3.41, unpublished).
- . 1994b. Treatment of Sitka alder (*Alnus viridis* ssp. *sinuata*) in the southern interior of British Columbia by 3 methods: 1) aerial glyphosate, 2) manual cutting, and 3) glyphosate applied to cut stumps. (FRDA 3.41, unpublished).
- . 1994c. The use of glyphosate to treat white-flowered rhododendron (*Rhododendron albiflorum*) on various growing season dates. (FRDA 3.41, unpublished).
- . 1994d. The use of glyphosate to treat the Sitka valerian (*Valeriana sitchensis*) dominated high-elevation herbaceous vegetation complex on various growing season dates. (FRDA 3.41, unpublished).
- . 1994e. Control of pinegrass (*Calamagrostis rubescens* Buckl.) with glyphosate applied at various rates and on different growing season dates. (FRDA 3.41, unpublished).
- Lopushinsky, W. and M.R. Kaufmann. 1984. Effects of cold soil on water relations and spring growth of Douglas-fir seedlings. *For. Sci.* 30(3): 628–634.
- Machmer, M.M. and C. Steeger. 1995. The ecological roles of wildlife tree users in forest ecosystems. *B.C. Min. For., Victoria, B.C., Land Manage. Handb. No. 35.*
- McLean, A. 1979. Range plant communities. *In* Range management handbook for British Columbia. A. McLean (editor). *Agric. Can. Res. Stn., Kamloops, B.C.*, pp. 37–53.
- . 1983. Classification and management of the Douglas-fir-pinegrass region. *In* Forestland grazing, B.F. Roché, Jr. and D.M. Baumgartner (editors), *Symp. proc.*, Feb. 23–25, 1983, Wash. State. Univ., Spokane, Wash.
- McLean, A. and E.W. Tisdale. 1960. Chemical compositions of native forage plants in British Columbia in relation to grazing practices. *Can. J. Plant Sci.* 40: 405–423.
- Marquis, D.A. 1966. Germination and growth of paper birch and yellow birch in simulated strip cuttings. *USDA For. Serv. Res. Pap. NE-54.*
- Marquis, D.A., J.C. Bjorkbom, and G. Yelenosky.

1964. Effect of seedbed condition and light exposure on paper birch regeneration. *J. For.* 62: 876–881.
- Mason, E.G., A.G.D. Shyte, R.C. Woolons, and B. Richardson. 1997. A model of the growth of juvenile radiata pine in the Central North Island of New Zealand: links with older models and rotation-length analyses of the effects of site preparation. *Forest Ecol. Manage.* 97: 187–195.
- Mather, J. 1988. Assessment of silvicultural practices used in the Interior Cedar Hemlock zone of the southern interior: ICHm2, b, and v subzones: Salmon Arm, Vernon, and Revelstoke districts. B.C. Min. For., Kamloops, B.C. FRDA Project 3.47 (unpublished).
- Mather, J. and S. Simard. 1997a. First year response of planted Douglas-fir and *Aspen* Complex to manual cutting in the ICHmw3 subzone. PROBE memo 52-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1997b. First year response of planted lodgepole pine and *Fireweed* Complex to backpack foliar glyphosate spray in the ICHmw2 subzone. Probe memo No. 35-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1997c. Third year response of planted Douglas-fir and *Mixed Shrub* Complex to manual cutting in the ICHmw3 subzone. PROBE memo No. 16-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1997d. Third year response of planted Engelmann spruce and *Subalpine Herb* Complex to sheep grazing in the ESSFmw2 subzone. Probe memo No. 14-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1997e. Third year response of planted spruce and *Dry Alder* Complex to manual cutting in the IDFDk2 subzone. PROBE memo no. 18-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1997f. Third year response of planted spruce and *Fern* Complex to manual cutting in the ICHwk1 subzone. PROBE memo 19-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1998a. Fifth year response of planted Douglas-fir, natural cedar, and *Mixed Hardwood-Shrub* Complex to cut stump glyphosate treatment in the ICHmw2 subzone. PROBE memo No. 7-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1998b. Fifth year response of planted Engelmann spruce, lodgepole pine and *Fireweed* Complex to backpack foliar glyphosate application in the ESSFwk2 subzone. Probe memo No. 11-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1998c. Fifth year response of planted lodgepole pine and *Aspen* Complex to cut-glyphosate spray treatment in the ICHmw3 subzone. PROBE memo 40-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1998d. Fifth year response of planted lodgepole pine and *Dry Alder* Complex to manual cutting in the MSdm2 subzone. PROBE memo No. 8-1, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1998e. Fifth year response of planted lodgepole pine and *Dry Alder* Complex to manual cutting in the ESSFdc1 subzone. PROBE memo No. 10-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1998f. Fifth year response of planted spruce and *Mixed Hardwood-Shrub* Complex to manual cutting in the ICHmw3 subzone. PROBE memo No. 5-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1998g. First year response of *Fireweed* Complex and planted Douglas-fir to manual

- cutting in the ICHmw2 subzone. Probe memo No. 59-1, Kamloops Forest Region, B.C. Min. For., Kamloops B.C. (unpublished).
- . 1998h. First year response of planted cedar and *Mixed Shrub* Complex to manual cutting in the ICHvk1 subzone. PROBE memo No. 61-1, Kamloops Forest Region, B.C. Min. For., Kamloops B.C. (unpublished).
- . 1998i. First year response of planted Douglas-fir and *Fireweed* Complex to foliar glyphosate spray in the ICHmw2 subzone. Probe memo No. 63-1, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1998j. First year response of planted Douglas-fir and *Mixed Hardwood-Shrub* Complex to cut-glyphosate spray treatment in the ICHmw2 subzone. PROBE memo No. 62-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1998k. First year response of planted lodgepole pine and *Mixed Hardwood-Shrub* Complex to backpack foliar glyphosate spray in the ICHmw2 subzone. PROBE memo No. 46-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1998l. Fourth year response of planted Douglas-fir and *Aspen* Complex to girdling in the ICHmw3 subzone. PROBE memo 28-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1998m. Third year response of natural lodgepole pine and *Dry Alder* Complex to ground foliar glyphosate application in the MSxk subzone. PROBE memo no. 31-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1998n. Third year response of planted Douglas-fir and *Mixed Hardwood-Shrub* Complex to injection of hardwoods with glyphosate capsules (E-Z-JECT) in the ICHmw3 subzone. PROBE memo No. 21-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1998o. Third year response of planted Engelmann spruce and *Ericaceous Shrub* Complex to aerial glyphosate spray in the ESSFwc2 subzone. Probe memo No. 43-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- . 1998p. Third year response of planted spruce and *Mixed Hardwood-Shrub* Complex to manual cutting in the ICHmw3 subzone. B.C. Min. For. PROBE memo No. 39-2, B.C. Min. For., Kamloops Forest Region, Kamloops B.C. (unpublished).
- Mead, D.J. and C.M. Preston. 1992. Nitrogen fixation in Sitka alder by <sup>15</sup>N isotope dilution after eight growing seasons in a lodgepole pine stand. *Can. J. For. Res.* 22: 1192–1194.
- Miller, M. 1977. Response of blue huckleberry to prescribed fires in a western Montana larch-fir forest. *USDA For. Serv., Res. Pap.* INT-188.
- Minore, D. 1975. Observations on the rhizomes and roots of *Vaccinium membranaceum*. *USDA For. Serv. Gen. Tech. Rep.* PNW-87.
- Mitchell, K.J. 1975. Dynamics and simulated yield of Douglas-fir. *For. Sci. Monogr.* 17: p 39.
- Morfitt, 1999. Forest Renewal B.C.: Planning and accountability in the corporation. The Silviculture Programs. 1999/2000 Report 6. Office of the Auditor General of British Columbia, Victoria, B.C.
- Morris, D.M. and G.B. MacDonald. 1991. Development of a competition index for young conifer plantations established on boreal mixedwood sites. *For. Chron.* 67: 403–410.
- Morrison, D., H. Merler, and D. Norris. 1991. Detection, recognition and management of *Armillaria* and *Phellinus* root diseases in the southern interior of British Columbia. *For. Can. and B.C. Min. For., Victoria, B.C. FRDA Rep. No.* 179.
- Mosquin, T. 1966. A new taxonomy for *Epilobium angustifolium* L. (Onagraceae). *Brittonia* 18: 167–168.

- Myerscough, P.J. 1980. Biological flora of the British Isles: *Epilobium angustifolium* L. J. Ecol. 68: 1047–1074.
- National Wildlife Federation. 1987. Grizzly bear compendium. U.S. Fish Wildl. Serv. and U.S. Dep. Interior, Washington, D.C.
- Navratil, S. and D.A. MacIsaac. 1993. Competition index for juvenile mixed stands of lodgepole pine and aspen in west-central Alberta. Northwest For. Region, For. Can. Forest Management Note No. 57.
- . 1996. Juvenile growth of white spruce and deciduous competition on mixedwood sites in Alberta. Can. For. Serv., Nor. For. Cent., Edmonton, Alta. and Land and For. Services, Edmonton, Alta. Canada-Alberta PAIF Report No. A-8028.
- Nelson, E.E., E.M. Hansen, C.Y. Li, and J.M. Trappe. Utilization and management of alder. In Proc. symp. April 25–27, 1977, Ocean Shores, Wash., 1978. The role of red alder in reducing losses from laminated root rot. D.G. Briggs, D.S. DeBell, and W.A. Atkinson (compilers). USDA For. Serv. Gen. Tech. Rep. PNW-70, pp. 273–282.
- Newsome, G. 1988. MacKay herbicide trial: first year assessment. B.C. Min. For., Silv. Br., Victoria, B.C. SX85702C.
- Newsome, T. 1992. Herbicide rate and timing trial in the ICHe3—Trial summary. (FRDA 3.41, unpublished).
- . 1996. The use of sheep in forest vegetation management. In Integrated forest vegetation management: options and applications. P.G. Comeau, G.J. Harper, M.E. Blache, J.O. Boateng, L.A. Gilkeson (editors). Proc. 5th B.C. Forest Vegetation Management Workshop, Nov. 29–30, 1993, Richmond, B.C.
- . 1997. Assessing the effects of aspen competition on lodgepole pine growth. Cariboo Forest Region, Williams Lake, B.C. Extension Note No. 20.
- . 1999. Assessing aspen-pine competition in young stands in the Cariboo Forest Region EP 1152: Phase 2, SBSdw site, Fifth Year Draft Summary (draft).
- Newsome, T., C. Sutherland, A. Macadam, and L. Bedford. [2001]. A trial of site preparation, stock types, and weeding treatments for the rehabilitation of brush-prone sites at high elevations in central British Columbia. (Submitted to North. J. For.)
- Newsome, T., B. Wikeem, and D.C. Sutherland. 1995. Sheep grazing guidelines for managing vegetation on forest plantations in British Columbia. B.C. Min. For., Victoria, B.C. Land Manage. Handb. No. 034.
- Newton, P.F. and P.A. Jolliffe. 1998. Assessing processes of intraspecific competition within spatially heterogenous black spruce stands. Can. J. For. Res. 28: 259–275.
- Nicholson, A. 1989. Water relations, survival and growth of Douglas-fir seedlings at a pinegrass dominated site in south-central British Columbia. B.C. Min. For., Victoria, B.C. FRDA Memo (FRDA 3.1).
- Nilsen, E.T. 1986. Quantitative phenology and leaf survivorship of *Rhododendron maximum* in contrasting irradiances environments of the Southern Appalachian Mountains. Am. J. Bot. 73: 822–831.
- [NIVMA] Northern Interior Vegetation Management Association. 1990. Unified system of silviculture monitoring. Prince George, B.C.
- . TRENDS: Treatment regime evaluation—numerical decision support field manual. Prince George, B.C.
- Omule, S.A.Y. 1988. Growth and yield 35 years after commercially thinning 50-year old Douglas-fir. For. Can. and B.C. Min. For. Victoria, B.C. FRDA Rep. No. 021.
- Örlander, G., P. Gemmel, and J. Hunt. 1990. Site preparation: a Swedish overview. For. Can. and

- B.C. Min. For., Victoria, B.C. FRDA Handb. No. 105.
- Pacala, S.W., C.D. Canham, J. Saponara, J.A. Silander, Jr., R.K. Kobe, and E. Ribbens. 1996. Forest models defined by field measurements: II. Estimation, error analysis and dynamics. *Ecol. Monogr.* 66: 1–43.
- Pacala, S.W., C.D. Canham, and J.A. Silander, Jr. 1993. Forest models defined by field measurements: I. The design of a northeastern forest simulator. *Can. J. For. Res.* 23: 1980–1988.
- Page, C.N. 1979. Experimental aspects of fern ecology. *In* The experimental biology of ferns. A.F. Dyer (editor). Academic Press, London, U.K., Chap. 15.
- . 1982. The ferns of Britain and Ireland. Cambridge Univ. Press, Cambridge, U.K.
- Paré, D. and K. Van Cleve. 1993. Soil nutrient availability and relationships with aboveground biomass production on postharvested upland white spruce sites in interior Alaska. *Can. J. For. Res.* 23: 1223–1232.
- Parish, R., R. Coupé, and D. Lloyd. 1996. Plants of southern interior British Columbia. Lone Pine Publ., Vancouver, B.C.
- Pastor, J. 1990. Nutrient cycling in aspen ecosystems. *In* Aspen Symposium '89, proceedings. USDA For. Serv. N. Central For. Exp. Sta. Gen. Tech. Rep. NC-140.
- Pearson, L.C. and D.B. Lawrence. 1958. Photosynthesis in aspen bark. *Am. J. Bot.* 45: 383–387.
- Perala, D.A. 1987. Effect of soil and vegetation on growth of planted white spruce. USDA For. Serv. N. Central For. Exp. Sta. Res. Pap. NC-281.
- Perala, D.A. and A.A. Alm. 1990. Regeneration silviculture of birch: a review. *For. Ecol. Manage.* 32: 39–77.
- Peterson, E.B. and N.M. Peterson. 1995. Aspen managers' handbook for British Columbia. For. Can. and B.C. Min. For. Victoria, B.C. FRDA Rep. No. 230.
- Peterson, E.B., N.M. Peterson, S.W. Simard, and J.R. Wang. 1997. Paper birch managers' handbook for British Columbia. For. Can. and B.C. Min. For., Victoria, B.C. FRDA Rep., Ministry Ref. No. FRR 271.
- Petersen, T.D. and B.D. Maxwell. 1987. Water stress of *Pinus ponderosa* in relation to foliage density of neighbouring plants. *Can. J. For. Res.* 17: 1620–1622.
- Peterson, R.G. 1985. Design and analysis of experiments. Marcel Dekker, Inc., New York.
- Pojar, J., R. Love, D. Meidinger, and R. Scagel. 1982. Some common plants of the sub-boreal spruce zone. B.C. Min. For., Victoria, B.C. Land Manage. Handb. No. 6.
- Pollack, J.C., P. LePage, and F. van Thienen. 1990. Some effects of different forest herbicides on upland *Salix* spp. *Can. J. For. Res.* 20: 1271–1276.
- Porter, G.L. 1990. Willow species of disturbed sites in the Sub-Boreal Spruce zone in north-central British Columbia. B.C. For. Can. and Min. For., Victoria, B.C. FRDA Handb. No. 004.
- Prescott, C.E., L.L. Blevins, and C.L. Staley. 2000. Effects of clearcutting on decomposition rates of litter and humus in forests of British Columbia. *Can. J. For. Res.* 30: 1751–1757.
- Quinton, D.A. 1984. Cattle diets on seeded clearcut areas in central interior British Columbia. *J. Range Manage.* 37(4): 349–352.
- Radosevich, S.R. and J.S. Holt. 1984. Weed ecology. John Wiley & Sons, New York, N.Y.
- Ranney, T.G., R.E. Bir, and W.A. Skrotch. 1991. Comparative drought resistance among six species of birch (*Betula*): influence of mild water stress on water relations and leaf gas exchange. *Tree Phys.* 8: 351–360.

- Rawson, J.W. 1974. Willows. *In* Shrubs and vines for northeastern wildlife. J.D. Gill and W.M. Healy (compilers), USDA For. Serv. Gen. Tech. Rep. NE-9.
- Ritchie, M.W. and R.F. Powers. 1993. A user's guide to SYSTM-1 (Version 2.0): simulating trends in young stands under management in California and Oregon. USDA For. Serv. Pac. SW Res. Sta., Albany, Calif. Gen Tech. Rep. PSW-GTR-147.
- Rogers, R. 1974. Blueberries. *In* Shrubs and vines for northeastern wildlife. J.D. Gill and W.M. Healy (compilers), USDA For. Serv., Gen. Tech. Rep. NE-9.
- Ronco, F. 1970. Influence of high light intensity on survival of planted Engelmann spruce. *For. Sci.* 16: 331–339.
- Runciman, J.B. and T.P. Sullivan. 1996. Influence of alternative conifer release treatments on habitat structure and small mammal populations in south central British Columbia. *Can. J. For. Res.* 26: 2023–2034.
- Running, S.W. 1980. Environmental and physiological control of water flux through *Pinus contorta*. *Can. J. For. Res.* 10: 82–91.
- Sachs, D.L. 1992. Simulation of the growth of mixed stands of Douglas-fir and paper birch using the FORECAST model (unpublished).
- . 1996. Simulations of the growth of mixed stands of Douglas-fir and paper birch using the FORECAST model. *In* Workshop proc., silviculture of temperate and boreal broadleaf-conifer mixtures, P.G. Comeau and K.D. Thomas (editors.), 28 Feb. and 1 March, 1995, Richmond, B.C., B.C. Min. For., Victoria, B.C., Land Manage. Handb. No. 36, pp. 152–158.
- Sachs, D.L. and P.G. Comeau. 1991. Determination of nitrogen fixation by Sitka alder at two sites in the southern interior of British Columbia. B.C. Min. For., Res. Br., Victoria, B.C. Final contract rep., Project CO<sub>3</sub> (unpublished).
- . 1992. Calibration and initial testing of FORECAST for stands of lodgepole pine and Sitka alder in the interior of British Columbia. B.C. Min. For., Res. Br., Victoria, B.C. Final contract rep. (unpublished).
- Sachs, D.L., P. Sollins, and W.B. Cohen. 1998. Detecting landscape changes in the interior of British Columbia from 1975 to 1992 using satellite imagery. *Can. J. For. Res.* 28: 23–36.
- SAS Institute, Inc. 1996. SAS/STAT software: changes and enhancements through release 6.11. Cary, N.C.
- Scagel, R., B. Green, H. von Hahn, and R. Evans. 1989. Exploratory high elevation regeneration trials in the Vancouver Forest Region: 10-year species performance of planted stock. *For. Can. and B.C. Min. For., Victoria, B.C. FRDA Rep. No. 098.*
- Schneller, J.J. 1979. Biosystematic investigations on the lady fern (*Athyrium filix-femina*). *Plant Systematics and Evolution* 132: 255–277.
- Shainsky, L.J. and S.R. Radosevich. 1992. Mechanisms of competition between Douglas-fir and red alder seedlings. *Ecology* 73(1): 30–45.
- Shannon, C. and W. Weaver. 1949. The mathematical theory of communication. Univ. of Ill. Press, Urbana, Ill.
- Shinozaki, K. and Kira, T. 1956. Intraspecific competition among higher plants. VII. Logistic theory of the C-D effect. *J. Inst. Polytech, Osaka Cy. Univ.* 12: 69–82.
- Shula, B. and D. Marshall. 1998. The Regional Vegetation management model (RVMM). *Oreg. State Univ., Corvallis, Oreg.*
- Shula, R.G. and S.A. Knowe. 1991. Regional vegetation management model: Recommended dataset matrix, and sampling and data collection protocols. *Dept. For. Sci, Oreg. State Univ., Corvallis, Oreg.*
- Silviculture Working Group. 1997. Growth and yield silviculture monitoring. Recommendations for sampling methods and a summary of main

- issues. Rep. to the Growth and Yield Monitoring Task Force Mesachie Lake meeting. June 17–19, 1997. B.C. Min. For., Victoria, B.C. (unpublished).
- Simard, S.W. 1989a. Competition among lodgepole pine seedlings and plant species in a Sitka alder-dominated shrub community in the southern interior of British Columbia. M.S. thesis. Oreg. State Univ., Corvallis, Oreg.
- . 1989b. Small scale rate trials using glyphosate and triclopyr in the Clearwater Forest District. B.C. Min. For. SX 867K01-08, Final rep. (unpublished).
- . 1990a. A retrospective study of competition between paper birch and planted Douglas-fir. For. Can. and B.C. Min. For., Victoria, B.C. FRDA Rep. No. 147.
- . 1990b. Competition between Sitka alder and lodgepole pine in the Montane Spruce zone in the southern interior of British Columbia. For. Can. and B.C. Min. For., Victoria, B.C. FRDA Rep. No. 150.
- . 1993. PROBE: Protocol for Operational Brushing Evaluations (first approximation). B.C. Min. For., Victoria, B.C. Land Manage. Rep. No. 86.
- . 1995. Interspecific carbon transfer in ectomycorrhizal tree species mixtures. Ph.D. thesis, Oreg. State Univ., Corvallis, Oreg.
- . 1997. Managing for balance in young ICH mixtures. *In* New directions in silviculture systems. Symp. Proc. Southern Interior Silviculture Committee summer tour Aug. 19–20, 1997, Salmon Arm, B.C.
- . 1998. Intensive management of young mixed forests: effects on forest health. *In* Proc. 45th Annual Western International Forest Disease Work Conference, Sept. 15–19, 1997, Prince George, B.C. R. Sturrock, and J. Lewis, (editors). Can. For. Serv. and Univ. Northern B.C.
- . [2001]. Effects of tree species and stand age on interspecific competition and competition thresholds in seral cedar-hemlock forests of southern interior British Columbia (in review).
- Simard, S.W. and K.D. Hannam. 2000. Effects of thinning overstorey paper birch on survival and growth of interior spruce in British Columbia: implications for reforestation policy and biodiversity. For. Ecol. and Manage. 129: 237–251.
- Simard, S.W. and J. Heineman. 1996a. Nine-year response of Douglas-fir and the *Mixed Hardwood-Shrub* complex to chemical and manual release treatments on an ICHmw2 site near Salmon Arm. For. Can. and B.C. Min. For., Victoria, B.C. FRDA Rep. No. 257.
- . 1996b. Nine-year response of Engelmann spruce and the *Willow* complex to chemical and manual release treatments on an ICHmw2 site near Vernon. For. Can. and B.C. Min. For., Victoria, B.C. FRDA Rep. No. 258.
- . 1996c. Nine-year response of lodgepole pine and the *Dry Alder* complex to chemical and manual release treatments on an ICHmk1 site near Kelowna. For. Can. and B.C. Min. For., Victoria, B.C. FRDA Rep. No. 259.
- Simard, S.W., J. Heineman, and P. Youwe. 1998. Brushing and grazing effects on lodgepole pine, vascular plants, and range forage in three plant communities in the southern interior of British Columbia: Nine-year results. B.C. Min. For., Victoria, B.C. Land Manage. Handb. No. 45.
- Simard, S.W., M.D. Jones, D.M. Durall, D.A. Perry, D.D. Myrold, and R. Molina. 1997a. Reciprocal transfer of carbon isotopes between ectomycorrhizal *Betula papyrifera* and *Pseudotsuga menziesii*. New Phytol. 137: 529–542.
- Simard, S.W., M.D. Jones, D.M. Durall, and N.S. Sorensen. 1998. Regeneration on a dry, grassy site in the Interior Douglas-fir zone. *In* Managing the dry Douglas-fir forests of the southern interior: workshop proc. A. Vyse, C. Hollstedt, and D. Huggard (editors). April 29–30, 1997, Kamloops, British Columbia. Res. Br., B.C. Min. For., Victoria, B.C. Work Pap. 34/1998, pp. 62–76.

- Simard, S.W., D.A. Perry, J.E. Smith, and R. Molina. 1997b. Effects of soil trenching on occurrence of ectomycorrhizae on *Pseudotsuga menziesii* seedlings grown in mature forests of *Betula papyrifera* and *Pseudotsuga menziesii*. *New Phytol.* 136: 327–340.
- Simard, S.W. and D.L. Sachs. [2001]. Changes in interspecific competition processes with stand age in seral cedar-hemlock forests of southern interior British Columbia (in review).
- Simard, S.W. and A. Vyse. 1992. Ecology and management of paper birch and black cottonwood in southern British Columbia. *For. Can. and B.C. Min. For. Land Manage. Rep. No. 75.*
- . 1994. Paper birch: weed or crop tree in the Interior Cedar-Hemlock forests of south British Columbia. *In* 1994 Symp. proc. Interior Cedar-Hemlock-White Pine Forests: Ecology and Management, Mar. 2–4, 1993, Spokane, Washington. Department of Natural Resource Sciences, Wash. State Univ., Pullman, Wash.
- Simpson, E.H. 1949. Measurement of diversity. *Nature* 163: 688.
- Singleton, J. 1976. Food habits of wild ungulates in British Columbia: bibliography and plant synopsis. B.C. Min. Environ., Terrestrial Studies Br., Victoria, B.C.
- Smith, J.E., K.A. Johnson, and E. Cazares. 1998. Vesicular mycorrhizal colonization of seedlings of *Pinaceae* and *Betulaceae* after spore inoculation with *Glomus intraradices*. *Mycorrhiza* 7: 279–285.
- Solbreck C. and D. Andersson. 1987. Vertical distribution of fireweed, *Epilobium angustifolium*, seeds in the air. *Can. J. Bot.* 65: 2177–2178.
- Spittlehouse, D.L. and M.J. Goldstein. 1989. Modeling soil water availability for seedling establishment. *In* Climate applications in forest renewal and forest production. D.C. MacIver, R.B. Street, and A.N. Auclair (editors). *Proc. Forest Climate '86*, Nov. 17–20, 1986, Orillia, Ont.
- Spittlehouse, D.L. and R.J. Stathers. 1990. Seedling microclimate. B.C. Min. For., Victoria, B.C. Land Manage. Rep. No. 65.
- Stathers, R.J. 1989. Summer frost in young forest plantations. *For. Can. and B.C. Min. For., Victoria, B.C. FRDA Rep. No. 73.*
- . 1994. 1993 microclimate data analysis for the Cahilty vegetation competition study. B.C. Min. For., Kamloops Region (unpublished).
- Stathers, R.J., D.A. Lloyd, and S.B. Lindeburgh. 1994. High elevation regeneration research in the Kamloops Forest Region: rehabilitation of backlog alder and mixed shrub-herb brushfields in the ICH-ESSF zone transition, 3rd year establishment results from the Graffunder Lakes site. B.C. Min. For., Kamloops Region (unpublished).
- Steen, O.A. and R.A. Coupé. 1997. A field guide to forest site identification and interpretation for the Cariboo Forest Region. B.C. Min. For., Victoria, B.C., Land Manage. Handb. No. 39.
- Steneker, G.A. 1976. Guide to the silvicultural management of trembling aspen in the prairie provinces. *Can. For. Serv., Inf. Rep. NOR-R-164.*
- Stickney, P.F. 1986. First decade plant succession following the Sundance forest fire, Northern Idaho. *USDA For. Serv., Gen. Tech. Rep. INT-197.*
- Stiell, W.M. and A.B. Berry. 1985. Limiting white pine weevil attacks by side shade. *For. Chron.* 61: 5–9.
- Strong, W.L. and G.H. La Roi. 1983. Root-system morphology of common boreal forest trees in Alberta, Canada. *Can. J. For. Res.* 13: 1164–1173.
- Sullivan, T.P. 1985. Small mammal damage agents which affect the intensive silviculture of lodgepole pine. *In* Lodgepole pine: the species and its management. *Proc. symp.*, May 14–16, 1984. D.M. Baumgartner, R.G. Krebill, J.T. Arnott, and G.F. Weetman (editors) Vancouver, B.C.

- Sullivan, T.P., R.G. Wagner, D.G. Pitt, R.A. Lautenschlager, and D.G. Chen. 1998. Changes in diversity of plant and small mammal communities after herbicide application in sub-boreal spruce forest. *Can. J. For. Res.* 28: 168–177.
- Sutton, R.F. 1995. White spruce establishment: initial fertilization, weed control, and irrigation evaluated after three decades. *New Forests* 9: 123–133.
- Taylor, S.P., R. Alfaro, C. Delong, and L. Rankin. 1994. Effects of overstorey shading on white pine weevil damage to interior white spruce. *In* The white pine weevil: biology, damage and management. R.I. Alfaro, G. Kiss, and R.G. Fraser (editors). *Proc. symp.*, January 19–21, 1994, Richmond, B.C. *For. Can.*, Victoria, B.C. pp. 254–261.
- Thomas, K.D. 1997. Nitrogen mineralization in forest floors under different tree species and the influence of litter quality. M.Sc. thesis, Faculty of Forestry, Univ. B.C., Vancouver, B.C.
- Thompson, C.F. 1989. Developing herbicide efficacy tables for the southern interior. *For. Can. and B.C. Min. For. Can.*, Victoria, B.C. FRDA Rep. No. 96.
- Thompson, C.F., P. Bauer, and G.J. Harper. 1998. Ten-year results from a motor-manual brushing trial for conifer release in the ICHdw. EP1195 (draft).
- Thorpe, S. 1996. Chemical and manual treatment in the northern interior. *In* Integrated forest vegetation management: options and applications. P.G. Comeau, G.J. Harper, M.E. Blache, J.O. Boateng, and L.A. Gilkeson (editors.) *Proc. 5th B.C. Forest Vegetation Management Workshop*, Nov. 29–30, 1993, Richmond, B.C., pp. 61–66.
- Titus, S.J. 1999. Mixedwood Growth Model (MGM) version 98E. Univ. Alta., Edmonton, Alta.
- Turner, M.G., R.H. Gardner, V.H. Dale, and R.V. O'Neill. 1989. Predicting the spread of disturbance across heterogenous landscapes. *Oikos* 55: 121–129.
- Upton, C. and S. Bass. 1996. *The Forest Certification Handbook*. St. Lucie Press, Delray Beach, Fla.
- Vyse, A. 1981. Growth of young spruce plantations in interior British Columbia. *For. Chron.* 57: 174–180.
- Vyse, A. and S. Navratil. 1985. Advances in lodgepole pine regeneration. *In* Lodgepole pine: the species and its management. *Proc. symp.*, May 14–16, 1984. D.M. Baumgartner, R.G. Krebill, J.T. Arnott, and G.F. Weetman (editors). Vancouver, B.C.
- Wagner, R.G., G.H. Mohammed, and T.L. Noland. 1999. Critical-period of interspecific competition for northern conifers associated with herbaceous vegetation. *Can. J. For. Res.* 29: 890–897.
- Wagner, R.G., T.D. Petersen, D.W. Ross, and S.R. Radosevich. 1989. Competition thresholds for the survival and growth of ponderosa pine seedlings associated with woody and herbaceous vegetation. *New Forests* 3: 151–170.
- Wagner, R.G. and S.R. Radosevich. 1991. Neighborhood predictors of interspecific competition in young Douglas-fir plantations. *Can. J. For. Res.* 21: 821–828.
- . 1998. Neighborhood approach for quantifying interspecific competition in coastal Oregon forests. *Ecological Applications* 8: 779–794.
- Walstad, J.D. and R.G. Wagner. 1982. CRAFTS experimental design manual for B-level studies: release of young conifers from uniformly distributed brush competition. Dept. For. Sci., School Forestry. *Oreg. State Univ.* (unpublished) (as cited by Herring and Pollack 1985).
- Wang, J.R. 1997. Competition between paper birch and Douglas-fir in two different biogeoclimatic zones of British Columbia. Ph.D. Dissertation, Univ. British Columbia. 157 pp.
- Wang, J.R., P. Comeau, and J.P. Kimmins. 1995. Simulation of mixedwood management of aspen and white spruce in northeastern British Columbia. *Water, Air and Soil Pollution* 82: 171–178.

- Wang, J.R., S.W. Simard, and J.P. Kimmins. 1995. Physiological responses of paper birch to thinning in British Columbia. *Forest Ecology and Management* 73: 177–184.
- Wang, J.R., A.L. Zhong, S.W. Simard, J.P. Kimmins. 1996. Aboveground biomass and nutrient accumulation in an age sequence of paper birch (*Betula papyrifera*) in the Interior Cedar Hemlock Zone, British Columbia. *For. Ecol. Manage.* 83: 27–38.
- Watson, L.E., R.W. Parker, and D.F. Polster. 1980. Manual of species suitability for reclamation in Alberta. Alta. Land Conserv. Reclamation Council Rep. No. RRTAC 80-5, 2 vols.
- Watt, A.S. 1976. The ecological status of bracken. *Bot. J. Linn. Soc.* 73: 217–239.
- Weinberg, E.S. and B.R. Voeller. 1969. External factors inducing germination of fern spores. *Am. Fern J.* 59: 153–167.
- Weiner, J. 1982. A neighbourhood model of annual-plant interference. *Ecology* 63: 1237–1241.
- . 1984. Neighbourhood interference amongst *Pinus rigida* individuals. *J. Ecol.* 72: 183–195.
- Weldon, C.W. and W.L. Slauson. 1986. The intensity of competition versus its importance: an overlooked distinction and some implications. *Q. Rev. Biol.* 61: 23–44.
- Whitehead, R. 1989. Comparison of 4 treatment options for weeding shrub dominated spruce plantations. Expert Committee on Weeds (ECW) Res. Rep. Western Canada Section Meeting, Nov. 28–30, 1989, Banff, Alberta. Vol. 3: 222.
- Whitehead, R. and G.J. Harper. 1998. A comparison of four treatments for weeding Engelmann spruce plantations in the Interior Cedar Hemlock zone of British Columbia: ten years after treatment. *Can. For. Serv., Pac. For. Centre, Victoria, B.C. Inf. Rep. BC-X-379.*
- Willms, W., A. McLean, R. Tucker, and R. Ritcey. 1980. Deer and cattle diets on summer range in British Columbia. *J. Range Manage.* 33: 55–59.
- Wolff, J.O. 1978. Food habits of snowshoe hares in Interior Alaska. *J. Wildl. Manage.* 42: 148–153.
- Woods, A.J. 1994. The behaviour and impact of *Armillaria ostoyae* in mature stands and plantations in the Shuswap region of British Columbia. M.Sc. thesis. Fac. Graduate Studies, Dept. For. Sci. Univ. of B.C.
- Wright, E.F., K.D. Coates, C.D. Canham, and P. Bartemucci. 1998. Species variability in growth response to light across climatic regions in northwestern British Columbia. *Can. J. For. Res.* 28: 871–886.
- Yang, R.C. 1989. Growth response of white spruce to release from trembling aspen. *For. Can., Northern Forestry Centre. Inf. Rep. NOR-X-302.*
- Zieroth, E. 1984. Burning to improve aspen suckering. *Proc. symp. on aspen. May 22–24, 1984. Colorado Springs, Colo.*