

Oracle Designer

Report : ENTITIES AND THEIR ATTRIBUTES

Filename : h:\AAC_Attr.pdf

Run by : IRLAI

Report Date : 08 September 2005

Total Pages : 13

Parameter values

Workarea : GLOBAL SHARED WORKAREA
Container : AAC
Container Version :
Recurse Sub-Containers : N
Entity Name : %
Diagram :

Entities Created

On/After :
On/Before : 08 September 2005
and

Entities Changed

On/After :
On/Before : 08 September 2005

Container : AAC Version :

<u>Entity Name</u>	<u>Attribute Name</u>	<u>Seq.</u>	<u>Opt.</u>	<u>Format</u>	<u>Length</u>	<u>Dec Pl</u>	<u>Attribute Description</u>	<u>Attribute Notes</u>
CFA_NUMBER_CODE	CFA_NUMBER_CODE	5	N	VARCHAR2	3		Community Forest Agreement - Management Code ie: K1A	
DETERMINATION_MANAGEMENT_UNIT	DETERMINATION_MGMT_ID	1	N	NUMBER	5		A unique key identifying each management unit	
	MGMT_UNIT_TYPE	2	N	VARCHAR2	1		The administrative management unit as defined by the ministry for managing the forest land, eg. TSA.	
	MGMT_UNIT_ID	3	Y	VARCHAR2	4		The number that is assigned to a specific administrative management unit. For Management Unit Type 'F' Woodlots, there are no mgmt_unit_ids as the data provided is a roll-up value by region.	

Container : AAC Version :

<u>Entity Name</u>	<u>Attribute Name</u>	<u>Seq.</u>	<u>Opt.</u>	<u>Format</u>	<u>Length</u>	<u>Dec Pl</u>	<u>Attribute Description</u>	<u>Attribute Notes</u>
DETERMINATION_PARTI TION_EVENT	EVENT_ID	2	N	NUMBER	6		Unique identifier for an entry in the table.	
	ENTRY_DATE	4	N	DATE			Date the entry was made in the table.	
	ENTRY_USERID	6	N	VARCHAR2	40		Userid of the person entering the data.	
	DETERMINED_DATE	14	N	DATE			Date the rationale was signed by the Chief Forester, or if not recorded, the date the letter to licensee (TFLs) was signed or if neither available set to equal determination date and note in comments.	
	EFFECTIVE_DATE	16	N	DATE			Date the determination comes into effect, may be after or before the determination date.	
	COMMENTS	20	Y	VARCHAR2	1000		Optional information which may assist understanding the reason for the determination.	

Container : AAC Version :

<u>Entity Name</u>	<u>Attribute Name</u>	<u>Seq.</u>	<u>Opt.</u>	<u>Format</u>	<u>Length</u>	<u>Dec Pl</u>	<u>Attribute Description</u>	<u>Attribute Notes</u>
DETERMINATION_PARTITION_TYPE	DETERMINATION_PARTITION_TYPE_ID	1	N	NUMBER	2		Unique identifier assigned to a partition type & short name	
	DETERMINATION_PARTITION_TYPE	6	N	VARCHAR2	40		AAC Partitions The volume of timber which makes up the AAC for a managed unit may come from several sources, called AAC Partitions (sometimes referred to as Partitioned Components). Partitions are used by Timber Supply Branch in AAC determination, to identify sources of timber where they have reduced confidence that the contribution to the total AAC will occur. Partitions are defined by geographic area, operability, or leading species. The name of a particular partition may denote different problems in different management units. For instance, Forest Health/salvage may apply to beetle killed timber in one management unit, and root rot in another. The Chief Forester sets the AAC for the managed unit (and each partitioned component within it), based on a	

Container : AAC Version :

<u>Entity Name</u>	<u>Attribute Name</u>	<u>Seq.</u>	<u>Opt.</u>	<u>Format</u>	<u>Length</u>	<u>Dec</u>	<u>Pl</u>	<u>Attribute Description</u>	<u>Attribute Notes</u>
DETERMINATION_PARTITION_TYPE								TSA Rationale, a document produced by Timber Supply Branch which details the volume of timber available, social, economic, and other factors which affect the decision on the rate of harvest. The determination date (when the chief forester signs the rationale), and AAC effective date are used for reporting AACs. TFLs are also apportioned, by: - Licensee Schedule A AAC - Licensee Schedule B AAC - SBFEP Schedule B Apportionments by the minister have an approved date, when the apportionment was determined, and an effective date.	
	DESCRIPTION	7	N	VARCHAR2	120			A description for the affiliated aac partition type	
	SHORT_NAME	10	N	VARCHAR2				Short version for the determination partition type to be used in pull-downs and or report column names	
	UPDATE_TIMESTAMP	10	N	DATE				date the partition type was entered or last updated.	

Container : AAC Version :

<u>Entity Name</u>	<u>Attribute Name</u>	<u>Seq.</u>	<u>Opt.</u>	<u>Format</u>	<u>Length</u>	<u>Dec Pl</u>	<u>Attribute Description</u>	<u>Attribute Notes</u>
DETERMINATION_PARTI TION_VALUE	VOLUME	1	Y	NUMBER	12	1	The volume (cubic meters) associated with an Event_Variable	
	AREA	2	Y	NUMBER	12		The area value (hectares) of an Event_Variable.	

Container : AAC Version :

<u>Entity Name</u>	<u>Attribute Name</u>	<u>Seq.</u>	<u>Opt.</u>	<u>Format</u>	<u>Length</u>	<u>Dec Pl</u>	<u>Attribute Description</u>	<u>Attribute Notes</u>
DETERMINATION_TYPE_CODE	DETERMINATION_TYPE_CODE	1	N	VARCHAR2	20		Type of determination event being recorded.	<p>Determination - a decision affecting the allowable annual cut of the management unit has taken place.</p> <p>Postponement - the chief forester or deputy chief forester has decided that a determination of AAC is not warranted at this time.</p> <p>Tenure Expired - the management unit has been retired - should really be called management unit retired - and its AAC has thus been reduced to 0.</p> <p>Woodlot Update - we have received an updated AAC for woodlots</p>
	DESCRIPTION	2	N	VARCHAR2	120		A description for the affiliated code.	
	EFFECTIVE_DATE	3	N	DATE			The effective date the code is in effect.	
	EXPIRY_DATE	4	N	DATE			The date the code expires on.	

Container : AAC Version :

<u>Entity Name</u>	<u>Attribute Name</u>	<u>Seq.</u>	<u>Opt.</u>	<u>Format</u>	<u>Length</u>	<u>Dec Pl</u>	<u>Attribute Description</u>	<u>Attribute Notes</u>
DETERMINATION_TYPE_CODE	UPDATE_TIMESTAMP	10	N	DATE			date code was last updated	
DETERMINER	DETERMINER_ID	1	N	NUMBER			unique id assigned to a determiner	
	DETERMINER_SHORT_NAME	6	N	NUMBER	4		Initials of the authority making the determination.	
	DETERMINER_FULL_NAME	8	N	VARCHAR2	50		Full name of the authority making the determination.	

Container : AAC Version :

<u>Entity Name</u>	<u>Attribute Name</u>	<u>Seq.</u>	<u>Opt.</u>	<u>Format</u>	<u>Length</u>	<u>Dec Pl</u>	<u>Attribute Description</u>	<u>Attribute Notes</u>
ORG_UNIT	ORG_UNIT_NO	4	N	INTEGER	10		Unique physical identifier for the storage of organizational unit codes for the Ministry of Forests' offices. Values stored here are for the computer's use only, and are not to be used by people as "ministry codes".	
	ORG_UNIT_CODE	6	N	CHAR	6		Identifies any office within the ministry. First character identifies Exec, HQ Branch, Region, or District; next two chars identify the office name; next two the section (HQ Branch) or program (Region or District); last char identifies the subsection.	
	ORG_UNIT_NAME	8	N	VARCHAR2	100		The name or title of a ministry office or section; for example Kamloops Forest Region; Silviculture Branch; Kispiox Forest District Protection program.	
	LOCATION_CODE	10	N	CHAR	3		Unique identifier for one of the office locations within the Ministry of Forests.	

Container : AAC Version :

<u>Entity Name</u>	<u>Attribute Name</u>	<u>Seq.</u>	<u>Opt.</u>	<u>Format</u>	<u>Length</u>	<u>Dec Pl</u>	<u>Attribute Description</u>	<u>Attribute Notes</u>
ORG_UNIT	AREA_CODE	12	N	CHAR	3		A 3-digit number that identifies each telephone service area in a country.	
	TELEPHONE_NO	14	N	CHAR	7		The general office telephone number (excluding the area code) for a Ministry of Forests office.	
	ORG_LEVEL_CODE	16	N	CHAR	1		Represents the organizational level of the Ministry, and is one of D District Forestry Office, E Executive, H Headquarters Branch, and R Regional Forestry Office.	
	ROLLUP_REGION_NO	18	N	INTEGER			Identifier designating the region to which the org unit is rolled into for reporting purposes. Values stored here are for the computer's use only, and are not to be used by people as "Ministry codes".	

Container : AAC Version :

<u>Entity Name</u>	<u>Attribute Name</u>	<u>Seq.</u>	<u>Opt.</u>	<u>Format</u>	<u>Length</u>	<u>Dec Pl</u>	<u>Attribute Description</u>	<u>Attribute Notes</u>
ORG_UNIT	ROLLUP_REGION_CODE	20	N	CHAR	6		Identifier designating the region to which the org unit is rolled into for reporting purposes.	
	ROLLUP_DIST_NO	22	N	INTEGER			Identifier designating the district to which the org unit is rolled into for reporting purposes. Values stored here are for the computer's use only and are not to be used by people as "Ministry codes".	
	ROLLUP_DIST_CODE	24	N	CHAR	6		Identifier designating the district to which the org unit is rolled into for reporting purposes.	
	EFFECTIVE_DATE	26	Y	DATE			The date the Organizational Unit became effective as a valid Org Unit within the ministry's organizational structure.	
	UPDATE_TIMESTAMP	28	Y	TIMESTAMP			The date and time of the last update.	

Container : AAC Version :

<u>Entity Name</u>	<u>Attribute Name</u>	<u>Seq.</u>	<u>Opt.</u>	<u>Format</u>	<u>Length</u>	<u>Dec Pl</u>	<u>Attribute Description</u>	<u>Attribute Notes</u>
ORG_UNIT	EXPIRY_DATE	30	Y	DATE			The date the Organizational Unit is Obsoleted and is no longer an active Org Unit within the ministry's organizational structure. At the determination of Human Resources Branch, an expired Org Unit may be retained for historical purposed, or may be dele	
	OFFICE_NAME_CODE	32	N	CHAR	2		Represents an office within a specific organizational level.	
PSYU_NUMBER_CODE	PSYU_NUMBER_CODE	5	N	VARCHAR2	3		Public Sustained Yield Unit (management unit code). This is for historical purposes as PSYU's are no longer used.	
TFL_NUMBER_CODE	TFL_NUMBER_CODE	5	N	VARCHAR2	3			
TSA_NUMBER_CODE	TSA_NUMBER_CODE	5	N	VARCHAR2	3			

Oracle Designer

ENTITIES AND THEIR ATTRIBUTES

End of Report