

## CWD and Wildlife Tree Bibliography

- Abbott, D.T. and D.A. Crossley, Jr. 1982. Woody litter decomposition following clear-cutting. *Ecology* 63(1):35-42.
- Aber, J.D., J.D. Melillo, K.J. Nadelhoffer, J. Pastor and D. Booner. 1991. Factors controlling nitrogen cycling and nitrogen saturation in northern temperate forest ecosystems. *Ecological Applications* 1:303-315.
- Adams, T.C. and R.C. Smith. 1976. Review of the logging residue problem and its reduction through marketing practices. USDA Forest Service General Technical Report PNW-48. Pacific Northwest Research Station, Portland, Oregon. 22 p.
- Addison, J.A., V.G. Marshall and J.A. Trofymow. 1998. Soil microarthropod abundance and species richness in successional Douglas-fir forests. *In* J.A. Trofymow and A. MacKinnon (editors). Proceedings of a workshop on structure, process, and diversity in successional forests of coastal British Columbia. February 17-19, 1998, Victoria, B.C. Northwest Science Vol. 72, Special Issue No. 2. pp. 96-97.  
<http://www.pfc.cfs.nrcan.gc.ca/workshops/sfrwpapers/29addis.pdf>
- Agee, J.K. and M. Huff. 1987. Fuel succession in a western hemlock/Douglas-fir forest. *Canadian Journal of Forest Research* 17:697-704.
- Ahlgren, C.E. 1966. Small mammals and reforestation following prescribed burning. *Journal of Forestry* 64: 614-618.
- Alaback, P.B. 1989. Logging of temperate rainforests and the greenhouse effect: ecological factors to consider. *In* E.B. Alexander (editor). Proceedings of Watershed '89: conference on the stewardship of soil, air, and water resources. March 21-23, 1989, Juneau, Alaska. USDA Forest Service Alaska Region. RIO-MB-77. pp. 195-202.
- Alban, D.H. and J. Pastor. 1993. Decomposition of aspen, spruce, and pine boles on two sites in Minnesota. *Canadian Journal of Forest Research* 23:1744-1749.
- Amaranthus, M.P., D.S. Parrish and D.A. Perry. 1989. Decaying logs as moisture reservoirs after drought and wildfire. *In* E.B. Alexander (editor). Proceedings of Watershed '89: conference on the stewardship of soil, air and water resources. March 21-23, 1989, Juneau, Alaska. USDA Forest Service Alaska Region. RIO-MB-77. pp. 191-194.
- Amaranthus, M.P., J.M. Trappe, L. Bednar and D. Arthur. 1994. Hypogeous fungal production in mature Douglas-fir forest fragments and surrounding

- plantations and its relation to coarse woody debris and animal mycophagy. *Canadian Journal of Forest Research* 24:2157-2165.
- Anderson, J.J., J.R. Sedell, L.M. Roberts and F.J. Triska. 1978. The role of aquatic invertebrates in processing wood debris in coniferous forest streams. *American Midland Naturalist* 100:64-82.
- Andersson, L.I. and H. Hytteborn. 1991. Bryophytes and decaying wood - a comparison between managed and natural forest. *Holarctic Ecology* 14:121-130.
- Angelstam, P. and G. Mikusinski. 1994. Woodpecker assemblages in natural and managed boreal and hemiboreal forest - a review. *Annales Zoologici Fennici* 31:157-172.
- Anthony, R.G., R.L. Knight, G.T. Allen and others. 1992. Habitat use in the Pacific Northwest. *Proceeding of the North American Wildlife and Natural Resources Conferences* 47:332-342.
- Arp, P.A. and T.P. McGrath. 1987. A parameter-based method for modelling biomass accumulations in forest stands: theory. *Ecological Modelling* 36:29-48.
- Arp, P.A., T.P. McGrath and J.A. Beck. 1987. A parameter-based method for modelling biomass accumulations in forest stands: an application. *Ecological Modelling* 36:49-64.
- Arthur, M.A. and T.J. Fahey. 1990. Mass and nutrient content of decaying boles in an Engelmann spruce - subalpine fir forest, Rocky Mountain National Park, Colorado. *Canadian Journal of Forest Research* 20:730-737.
- Arthur, M.A. and T.J. Fahey. 1992. Biomass and nutrients in an Engelmann spruce - subalpine fir forest in north central Colorado: pools, annual production, and internal cycling. *Canadian Journal of Forest Research* 22:315-325.
- Aubry, K.B. and P.A. Hall. 1991. Terrestrial amphibian communities in the southern Washington Cascade Range. *In* L.F. Ruggiero, K.B. Aubry, A.B. Carey and M.F. Huff (technical coordinators). *Wildlife and vegetation of unmanaged Douglas-fir forests*. USDA Forest Service General Technical Report PNW-285. Pacific Northwest Research Station, Portland, Oregon. pp. 327-338.
- Aubry, K.B., L.L.C. Jones and P.A. Hall. 1988. Use of woody debris by plethodontid salamanders in Douglas-fir forests in Washington. *In* R.C. Szaro, K.E. Severson and D.R. Patton (technical coordinators). *Management of*

- amphibians, reptiles, and small mammals in North America - proceedings of the symposium. July 19-21, 1988, Flagstaff, Arizona. USDA Forest Service General Technical Report RM-166. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. pp. 32-37.
- Auclair, A.N.D. 1985. Postfire regeneration of plant and soil organic pools in a *Picea mariana* - *Cladonia stellaris* ecosystem. Canadian Journal of Forest Research 15:279-291.
- Aumen, N.G., P.J. Bottomley and G.M. Ward. 1983. Microbial decomposition of wood in streams: distribution of microflora and factors affecting {<sup>14</sup>X} lignocellulose mineralization. Applied and Environmental Microbiology 46:1409-16.
- Aumen, N.G., P.J. Bottomley and S.V. Gregory. 1985a. Impact of nitrogen and phosphorus on [<sup>14</sup>C] lignocellulose decomposition by stream wood microflora. Applied and Environmental Microbiology 49:1113-1118.
- Aumen, N.G., P.J. Bottomley and S.V. Gregory. 1985b. Nitrogen dynamics in stream wood samples incubated with [<sup>14</sup>C] lignocellulose and potassium [<sup>15</sup>N] nitrate. Applied and Environmental Microbiology 49:1119-1123.
- Backhouse, F. 1993. Wildlife tree management in British Columbia. Co-publication of B.C. Environment, Workers Compensation Board, B.C. Forest Service and FRDA. Victoria, B.C. 32 p.
- Backhouse, F. and J.D. Lousier. 1991. Silviculture systems research: wildlife tree problem analysis. B.C. Ministry of Forests, B.C. Ministry of Environment and B.C. Wildlife Tree Committee, Victoria, B.C. 205 p.
- Backhouse, F. and T. Manning. 1996. Predator habitat enhancement as a strategy for managing small mammal damage in B.C. forests: a problem analysis. B.C. Ministry of Forests, Victoria, B.C.
- Bailey, G.R. 1969. An evaluation of the line-intersect method of assessing logging residue. Canadian Forestry Service Information Report VP-X-23. Forest Products Laboratory, Vancouver, B.C. 41 p.
- Bailey, G.R. 1970. A simplified method of sampling logging residue. The Forestry Chronicle 46(4):288-294.
- Baker, J.H. 1983. Bacterial activity associated with the decomposition of woody substrates in a stream sediment. Applied and Environmental Microbiology 45:516-521.

- Baker, J.M. 1992. Habitat use and spatial organization of pine marten on southern Vancouver Island, British Columbia. M.Sc. thesis, Simon Fraser University, Burnaby, B.C. 119 p.
- Balda, R. 1975. The relationships of secondary cavity nesters to snag densities in western coniferous forests. Forest Service Wildlife Habitat Technical Bulletin No. 1, Southwest Region, Albuquerque, New Mexico.
- Balgoolyen, T.G. 1976. Behavior and ecology of the American Kestrel (*Falco sparverius* L.) in the Sierra Nevada of California. University of California Publications in Zoology 103:1-83.
- Banci, V. 1994. Wolverine. In L.F. Ruggiero, K.B. Aubry, S.W. Buskirk, L.J. Lyon and W.J. Zielinski (technical editors). The scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine in the western United States. USDA Forest Service General Technical Report RM-254. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. pp. 99-127.
- Barber, B.L. and D.H. Van Lear. 1984. Weight loss and nutrient dynamics in decomposing woody loblolly pine logging slash. Soil Science Society of America Journal 48:906-910.
- Barry, P. 1983. Snags in the biomass revolution. Environment 25:2-4.
- Bartels, R., J.D. Bell, R.L. Knight and G. Schaefer. 1985. Management of wildlife and fish habitats in forests of western Oregon and Washington, Part 1- chapter narratives, dead and down woody material. USDA Forest Service, Pacific Northwest Region. Publication No. R6-F&WL-192-1985. pp. 171-186.
- Bekunda, M.A., P.J. Smethurst, P.K. Khana and I.R. Willet. 1990. Effects of post-harvest residue management on labile soil phosphorus in a *Pinus radiata* plantation. Forest Ecology and Management 38(1-2):13-25.
- Bengtsson, J., T. Persson and H. Lundkvist. 1997. Long-term effects of logging residue addition and removal on macroarthropods and enchytraeids. Journal of Applied Ecology 34:1014-1022.
- Benke, A.C. and D.I. Jacobi. 1994. Production dynamics and resource utilization of snag-dwelling mayflies in a blackwater river. Ecology 75:1219-1232.
- Benke, A.C. and J.B. Wallace. 1990. Wood dynamics in coastal plain blackwater streams. Canadian Journal of Fisheries and Aquatic Sciences 47:92-99.
- Benson, R.E. 1982. Management consequences of alternative harvesting and residue treatment practices – lodgepole pine. USDA Forest Service General

Technical Report INT-132. Intermountain Forest and Range Experiment Station, Ogden, Utah. 58 p.

Benson, R.E. and J.A. Schlieter. 1980. Woody material in northern Rocky Mountain forests: volume, characteristics, and changes with harvesting. *In* Environmental consequences of timber harvesting in Rocky Mountain coniferous forests, symposium proceedings. September 11-13, 1979, Missoula, Montana. USDA Forest Service General Technical Report INT-90. Intermountain Forest and Range Experiment Station, Ogden, Utah. pp. 27-36.

Benson, R.E. and J.A. Schlieter. 1981. Residue characteristics in the northern Rocky Mountains. *In* Harvesting and utilization opportunities for forest residues in the northern Rocky Mountains: symposium proceedings. November 28-30 1979, Missoula, Montana. USDA Forest Service General Technical Report INT-110. Intermountain Forest and Range Experiment Station, Ogden, Utah. pp. 33-43.

Betts, B.J. 1996. Roosting behaviour of silver-haired bats (*Lasionycteris noctivagans*) and big brown bats (*Eptesicus fuscus*) in northeast Oregon. *In* R.M.R. Barclay and R.M. Brigham (editors). Bats and forests symposium, October 19-21, 1995, Victoria, B.C. Working Paper 23/1996. Research Branch, B.C. Ministry of Forests, Victoria, B.C. pp. 55-61.

<http://www.for.gov.bc.ca/hfd/pubs/Docs/Wp/Wp23-1.pdf>

Bevis, K.R. 1996. Primary excavators in grand fir forests of Washington's east Cascades and forestry on the Yakima Indian Nation, Washington. *In* P. Bradford, T. Manning, and B. l'Anson (editors). Proceedings of the workshop on wildlife tree/stand-level biodiversity. B.C. Ministries of Environment and Forests, Victoria, B.C. pp. 77-86.

See also

<http://www.tws-west.org/deadwoodabstracts.html>

Bieber, W.P. 1990. The application of "new forestry" in British Columbia and a method of determining coarse woody debris requirements. B.S.F. thesis. UBC Faculty of Forestry, Vancouver, B.C.

Bilby, R.E. 1981. Role of organic debris dams in regulating the export of dissolved and particulate matter from a forested watershed. *Ecology* 62(5):1234-1243.

Bilby, R.E. 1984. Removal of woody debris may affect stream channel stability. *Journal of Forestry* 82(10):609-613.

Bilby, R.E. and G.E. Likens. 1980. Importance of organic debris dams in the structure and function of stream ecosystems. *Ecology* 61(5):1107-1113.

- Bingham, B.B. and J.O. Sawyer, Jr. 1988. Volume and mass of decaying logs in an upland old-growth redwood forest. *Canadian Journal of Forest Research* 18:1649-1651.
- Bisson, P.A., R.E. Bilby, M.D. Bryand, C.A. Dolloff, G.B. Grette, R.A. House, M.L. Murphy, K.V. Koski and J.R. Sedell. 1987. Large woody debris in forested streams in the Pacific Northwest: past, present and future. *In* E.O. Salo and T.W. Cundy (editors). *Streamside management: forestry and fishery interactions*. Contribution No. 57. University of Washington Institute of Forestry Resources, Seattle, Washington. pp. 143-189.
- Blackwell, B.A. and J.A. Trofymow. 1998. Changes in ecosystem nutrient concentrations and content in coastal forest chronosequences. *In* J.A. Trofymow and A. MacKinnon (editors). *Proceedings of a workshop on structure, process, and diversity in successional forests of coastal British Columbia*. February 17-19, 1998, Victoria, B.C. *Northwest Science* Vol. 72, Special Issue No. 2. pp. 43-45.  
<http://www.pfc.cfs.nrcan.gc.ca/workshops/sfrwpapers/12blackw.pdf>
- Blair, J.M., D.A. Crossley and L.C. Callaham. 1991. A litterbasket technique for measurement of nutrient dynamics in forest floors. *Agriculture, Ecosystems & Environment* 34:465-71.
- Block, W.M. and D.M. Finch. 1997. Songbird ecology in southwest ponderosa pine forests: a review. USDA Forest Service General Technical Report RM-292. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. iv + 152 p.
- Bock, C.E. 1970. Ecology and behaviour of the Lewis Woodpecker. University of California Publications in Zoology 92:1-100.
- Boddy, L. 1983a. Microclimate and moisture dynamics of wood decomposing in terrestrial ecosystems. *Soil Biology and Biochemistry* 15:149-157.
- Boddy, L. 1983b. Carbon dioxide release from decomposing wood: effect of water content and temperature. *Soil Biology and Biochemistry* 15:501-510.
- Boddy, L. and M.J. Swift. 1983. Wood decomposition in an abandoned beech and oak coppiced woodland in SE England, I: patterns of wood-litter fall. *Holarctic Ecology* 6:320-332.
- Boddy, L. and M.J. Swift. 1984. Wood decomposition in an abandoned beech and oak coppiced woodland in SE England, III: decomposition and turnover of twigs and branches. *Holarctic Ecology* 7:229-238.

Boddy, L. and S.C. Watkinson. 1995. Wood decomposition, higher fungi, and their role in nutrient redistribution. *Canadian Journal of Botany* 73 (Supplement 1):S1377-S1383.

Boone, R.D., P. Sollins and K. Cromack, Jr. 1988. Stand and soil changes along a mountain hemlock death and regrowth sequence. *Ecology* 69(3):714-722.

Booth, B.P. 1994. The effects of thinning on forest bird communities in dry interior Douglas-fir forests. M.Sc. thesis, Faculty of Forestry, University of British Columbia, Vancouver, B.C. ix + 103 p.

Bosakowski, T. 1997. Breeding bird abundance and habitat relationships on private industrial forest in the western Washington Cascades. *Northwest Science* 71:87-96.

Bosatta, E. and G.I. Agren. 1996. Theoretical analyses of carbon and nutrient dynamics in soil profiles. *Soil Biology and Biochemistry* 28:1523-1531.

Brawn, J.D., W.H. Elder and K.E. Evans. 1982. Winter foraging by cavity-nesting birds in an oak hickory forest. *Wildlife Society Bulletin* 10:271-275.

Brewer, R.G.W. 1993. Characterization and orientation of coarse woody debris in some old sub-boreal spruce stands. B.S.F. thesis, Faculty of Forestry, University of British Columbia, Vancouver, B.C. x + 91 p.

Brigham, R.M. 1991. Flexibility in foraging and roosting behaviour by the big brown bat (*Eptesicus fuscus*). *Canadian Journal of Zoology* 69:117-121.

Brigham, R.M., M.J. Vonhof, R.M.R. Barclay and J. Gwilliam. 1997. Roosting behavior and roost-site preferences of forest-dwelling California bats (*Myotis californicus*). *Journal of Mammalogy* 78:1231-1239.

See also

[http://www.uregina.ca/biology/faculty/brigham/refereed\\_pubs.htm](http://www.uregina.ca/biology/faculty/brigham/refereed_pubs.htm)

B.C. Ministry of Environment, Lands and Parks and B.C. Ministry of Forests. 1998. Field manual for describing terrestrial ecosystems. Land Management Handbook 25. Co-published by B.C. Ministry of Environment, Lands and Parks and B.C. Ministry of Forests. Victoria, B.C. unpagged.

<http://www.for.gov.bc.ca/RIC/Pubs/teEcolo/fmdte/deif.htm>

B.C. Ministry of Forests. 1990. Old-growth forests: problem analysis. Research Branch, Victoria, B.C. Draft Report. 118 p.

- Brown, J.K. 1974. Handbook for inventorying downed woody material. USDA Forest Service General Technical Report INT-16. Intermountain Forest and Range Experiment Station, Ogden, Utah. 24 p.
- Brown, J.K. and P.J. Roussopoulos. 1974. Eliminating biases in the planar intersect method for estimating volumes of small fuels. *Forest Science* 20:350-356.
- Brown, J.K. and T.E. See. 1981. Downed dead woody fuel and biomass in the Northern Rocky Mountains. USDA Forest Service General Technical Report INT-117. Intermountain Forest and Range Experiment Station, Ogden, Utah. 48 p.
- Brown, J.K., R.D. Oberheu and C.M. Johnson. 1982. Handbook for inventorying surface fuels and biomass in the interior west. USDA Forest Service General Technical Report INT-129. Intermountain Forest and Range Experiment Station, Ogden, Utah. 48 p.
- Brown, P.M., W.D. Shepperd, S.A. Mata and D.L. McClain. 1998. Longevity of windthrown logs in a subalpine forest of central Colorado. *Canadian Journal of Forest Research* 28:932-936.
- Brush, T., B.W. Anderson and R.D. Ohmart. 1983. Habitat selection related to resource availability among cavity-nesting birds. *In* J.W. Davis, G.A. Goodwin and R.A. Ockenfels (technical coordinators). Proceedings of the symposium on snag habitat management. USDA Forest Service General Technical Report RM-99. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. pp. 88-98.
- Buchanan, T.S. and G.H. Englerth. 1940. Decay and other losses in windthrown timber on the Olympic Peninsula, Washington. USDA Forest Service Technical Bulletin 733. Washington, D.C. 30 p.
- Bull, E.L. 1975. Habitat utilization of the Pileated Woodpecker, Blue Mountains, Oregon. M.S. thesis, Oregon State University, Corvallis, Oregon. 58 p.
- Bull, E.L. 1987. Ecology of the Pileated Woodpecker in northeastern Oregon. *Journal of Wildlife Management* 51:472-481.
- Bull, E.L. and C.T. Collins. 1993. Vaux's Swift (*Chaetura vauxi*) *In* A. Poole and F. Gill (editors). The birds of North America, No. 77. The Academy of Natural Sciences, Washington, D.C.
- Bull, E.L. and T.W. Heater. 1996. Progress report, 1994-96. The effect of management on the American marten in northeastern Oregon. USDA Forest Service, La Grande, Oregon.

- Bull, E.L. and R.S. Holthausen. 1993. Habitat use and management of Pileated Woodpeckers in northeastern Oregon. *Journal of Wildlife Management* 57(2):335-345.
- Bull, E.L. and E.C. Meslow. 1977. Habitat requirements of the Pileated Woodpecker in northeastern Oregon. *Journal of Forestry* 75:335-337.
- Bull, E.L., M.G. Henjum and R.S. Rohweder. 1988. Nesting and foraging habitat of Great Gray Owls. *Journal of Raptor Research* 22:107-115.
- Bull, E.L., R.S. Holthausen and M.G. Henjum. 1992. Roost trees used by Pileated Woodpeckers in northeastern Oregon. *Journal of Wildlife Management* 56(4):786-793.
- Bull, E.L., T.R. Torgersen, A.K. Blumton, C.M. McKenzie and D.S. Wyland. 1995. Treatment of an old-growth stand and its effects on birds, ants, and large woody debris: a case study. USDA Forest Service General Technical Report PNW-353. Pacific Northwest Research Station, Portland, Oregon. 12 p.
- Bull, E.L., J.J. Akenson, B.J. Betts and T.R. Torgersen. 1996. The interdependence of wildlife and old-growth forests. *In* P. Bradford, T. Manning and B. l'Anson (editors). *Proceedings of the workshop on wildlife tree/stand-level biodiversity*. B.C. Ministries of Environment and Forests, Victoria, B.C. pp. 71-75.
- Bunnell, F.L. and A. Allaye-Chan. 1984. Potential of winter range reserves for ungulates as habitat for cavity-nesting birds. *In* W.R. Meehan, T.R. Merrell, Jr. and T.A. Handley (editors). *Fish and wildlife relationships in old-growth forests, proceedings of a symposium*. April 12-15, 1982, Juneau, Alaska. American Institute of Fishery Research Biologists, Morehead City, North Carolina. pp. 357-365.
- Bunnell, F.L. and L.A. Dupuis. 1995. Riparian habitats in British Columbia: their nature and role. *In* K.H. Morgan and M.A. Lashmar (editors). *Riparian habitat management and research*. Special Publication of the Fraser River Action Plan, Canadian Wildlife Service, Delta, B.C. pp. 7-21.
- Bunnell, F.L. and L.L. Kremsater. 1990. Sustaining wildlife in managed forests. *Northwest Environmental Journal* 6:243-269.
- Bunnell, F.L., D.L. Daust, W. Klenner, L.L. Kremsater and R. McCann. 1991. Managing for biodiversity in forested ecosystems. Report to the forest sector of the old-growth strategy. Centre for Applied Conservation Biology, University of British Columbia, Vancouver, B.C. 56 p.

- Bunnell, F.L., L.L. Kremsater and R.W. Wells. 1997. Likely consequences of forest management on terrestrial, forest-dwelling vertebrates in Oregon. Oregon Forest Resources Institute. Portland, Oregon. iv + 130 p.
- Bunnell, F.L., L.L. Kremsater and M. Boyland. 1998. An ecological rationale for changing forest management on MacMillan Bloedel's forest tenure. Centre for Applied Conservation Biology, University of British Columbia, Vancouver, B.C. 281 p.
- Bury, R.B. 1983. Differences in amphibian populations in logged and old-growth redwood forest. *Northwest Science* 57:167-168.
- Bury, R.B. and P.S. Corn. 1988a. Douglas-fir forests in the Oregon and Washington Cascades: relation of the herpetofauna to stand age and moisture. *In* R.C. Szaro, K.E. Severson and D.R. Patton (technical coordinators). Management of amphibians, reptiles, and small mammals in North America - proceedings of the symposium. July 19-21, 1988, Flagstaff, Arizona. USDA Forest Service General Technical Report RM-166. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. pp. 11-22.
- Bury, R.B. and P.S. Corn. 1988b. Responses of aquatic and streamside amphibians to timber harvest: a review. *In* K.J. Raedeke (editor). Proceedings of a symposium. February 11-13, 1987, University of Washington, Seattle. Institute of Forest Resources Contribution No. 59. University of Washington, Seattle, Washington. pp. 165-181.
- Buskirk, S.W. and R.A. Powell. 1994. Habitat ecology of fishers and American martens. *In* S.W. Buskirk, A.S. Harestad and M.G. Raphael (editors). Martens, sables, and fishers: biology and conservation. Cornell University Press, Ithaca, New York. pp. 283-296.
- Buskirk, S.W. and L.F. Ruggiero. 1994. American marten. *In* L.F. Ruggiero, K.B. Aubry, S.W. Buskirk, L.J. Lyon and W.J. Zielinski (technical editors). The scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine in the western United States. USDA Forest Service General Technical Report RM-254. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. pp. 7-37.
- Buskirk, S.W., S.C. Forrest, M.C. Raphael and H.J. Harlow. 1989. Winter resting site ecology of marten in the central Rocky Mountains. *Journal of Wildlife Management* 53:191-196.
- Busse, M.D. 1994. Downed bole-wood decomposition in lodgepole pine forests of central Oregon. *Soil Science Society of America Journal* 58:221-227.

- Bustard, D.R., and D.W. Narver. 1975a. Aspects of the winter ecology of juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*). Journal of the Fisheries Research Board of Canada 32:667-680.
- Bustard, D.R. and D.W. Narver. 1975b. Preferences of juvenile coho salmon (*Oncorhynchus kisutch*) and cutthroat trout (*Salmo clarki*) relative to simulated alteration of winter habitat. Journal of the Fisheries Research Board of Canada 32:681-687.
- Butts, S.R. 1997. Associations of forest floor vertebrates with coarse woody debris in managed forests, western Oregon Cascades. M.S. thesis, Oregon State University, Corvallis, Oregon. 60 p.
- Byrnes, P. 1988. Fire sales. Wilderness 51:30-32.
- Caceres, C. 1997. Northern long-eared bat: progress report. Unpublished report, Columbia Basin Fish and Wildlife Compensation Program, Nelson, BC.
- Cadrin, C., E.M. Campbell and A. Nicholson. 1991. A bibliography on old-growth forests in British Columbia. Land Management Report No. 72. B.C. Ministry of Forests, Victoria, B.C. 261 p.
- Campbell, L.A., J.G. Hallett and M.A. O'Connell. 1996. Conservation of bats in managed forests: use of roosts by *Lasiurus noctivagans*. Journal of Mammalogy 7:976-984.
- Carey, A.B. 1983. Cavities in trees in hardwood forests. In J.W. Davis, G.A. Goodwin and R.A. Ockenfels (technical coordinators). Proceedings of the symposium on snag habitat management. USDA Forest Service General Technical Report RM-99. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. pp. 167-184.
- Carey, A.B. 1995. Sciurids in Pacific Northwest managed and old-growth forests. Ecological Applications 5:648-661.
- Carey, A.B. and M.L. Johnson. 1995. Small mammals in managed, naturally young, and old-growth forests. Ecological Applications 5:336-352.
- Carey, A.B., M.M. Hardt, S.P. Horton and B.L. Biswell. 1991. Spring bird communities in the Oregon Coast Range. In L.F. Ruggiero, K.B. Aubry, A.B. Carey and M.F. Huff (technical coordinators). Wildlife and vegetation of unmanaged Douglas-fir forests. USDA Forest Service General Technical Report PNW-285. Pacific Northwest Research Station, Portland, Oregon. pp. 123-142.

- Carey, A.B., T.M. Wilson, C.C. MacGuire and B.L. Biswell. 1997. Dens of northern flying squirrels in the Pacific Northwest. *Journal of Wildlife Management* 61:684-699.
- Carpenter, S.E., M.E. Harmon, E.R. Ingham, R.G. Kelsey, J.D. Latin and T.D. Schowalter. 1988. Early patterns of heterotroph activity in conifer logs. *Proceedings of the Royal Society of Edinburgh* 94B: 33-43.
- Carter, D.W. 1993. The importance of seral stage and coarse woody debris to the abundance and distribution of deer mice on Vancouver Island, British Columbia. M.Sc. thesis, Simon Fraser University, Burnaby, B.C. 105 p.
- Caza, C.L. 1993. Woody debris in the forests of British Columbia: a review of the literature and current research. B.C. Ministry of Forests Land Management Report No. 78. Victoria, B.C. 99 p.
- Chambers, C.L. and W.C. McComb. 1997. Effects of silvicultural treatments on wintering bird communities in the Oregon Coast Range. *Northwest Science* 71:298-304.
- Chang, S.X., C.M. Preston and K. McCullough. 1997. Transformations of residual 15N in a coniferous forest soil humus layer in northern Vancouver Island, British Columbia. *Plant and Soil* 192(2):295-305.
- Christensen, O. 1975. Wood litter fall in relation to abscission, environmental factors, and the decomposition cycle in a Danish oak forest. *Oikos* 26:187-195.
- Christensen, O. 1977. Estimation of standing crop and turnover of dead wood in a Danish oak forest. *Oikos* 28:177-186.
- Christensen, O. 1978. The dynamics of wood litter fall in a Danish oak forest. *Natura Jutlandica* 20:155-162.
- Christensen, O. 1984. The states of decay of woody litter determined by relative density. *Oikos* 42:211-219.
- Christy, E.J. and R.N. Mack. 1984. Variation in demography of juvenile *Tsuga heterophylla* across the substratum mosaic. *Journal of Ecology* 72:75-91.
- Christy, R.E. and S.D. West. 1993. Biology of bats in Douglas-fir forests. USDA Forest Service General Technical Report PNW-308. Pacific Northwest Research Station, Portland, Oregon. 28 p.
- Chung-MacCoubrey, A.L. 1996. Bat species composition and roost use in pinyon-juniper woodlands of New Mexico. *In* R.M.R. Barclay and R.M. Brigham

(editors). Bats and forests symposium, October 19-21, 1995, Victoria, B.C. Working Paper 23/1996. Research Branch, B.C. Ministry of Forests, Victoria, B.C. pp. 118-123.

<http://www.for.gov.bc.ca/hfd/pubs/Docs/Wp/Wp23-2.pdf>

Clark, D.F., D.D. Kneeshaw, P.J. Burton and J.A. Antos. 1998. Coarse woody debris in sub-boreal spruce forests of west-central British Columbia. *Canadian Journal of Forest Research* 28:284-290.

Clayton, J.L and D.A. Kennedy. 1985. Nutrient losses from timber harvest in the Idaho Batholith. *Soil Science Society of America Journal* 49:1041-1049.

Cline, S.P. 1977. The characteristics and dynamics of snags in Douglas-fir forests of the Oregon Coast Range. M.S. thesis, Oregon State University, Corvallis, Oregon. 116 p.

Cline, S. P. and C.A. Phillips. 1983. Coarse woody debris and debris-dependent wildlife in logged and natural riparian zone forests - a western Oregon example. *In* J.W. Davis, G.A. Goodwin and R.A. Ockenfels (technical coordinators). Proceedings of the symposium on snag habitat management. June 7-9 1983, Northern Arizona University, Flagstaff. USDA Forest Service General Technical Report RM-99. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. pp.33-39.

Cline, S.P., A.B. Berg and H.M. Wight. 1980. Snag characteristics and dynamics in Douglas-fir forests, western Oregon. *Journal of Wildlife Management* 44(4):773-786.

Clinton, B.D., J.M. Vose and W.T. Swank. 1996. Shifts in aboveground and forest floor carbon and nitrogen pools after felling and burning in the southern Appalachians. *Forest Science* 42:431-441.

Conner, R.N. 1973. Woodpecker utilization of cut and uncut woodlands. M.Sc. thesis, Virginia Polytechnical Institute and State University, Blacksburg, Virginia. 82 p.

Conner, R.N. 1976. Nesting habitat for Red-headed Woodpeckers in southwestern Virginia. *Bird-Banding* 47:40-43.

Conner, R.N. 1979. Minimum standards and forest wildlife management. *Wildlife Society Bulletin* 7:293-296.

Conner, R.N. and C.S. Adkisson. 1975. Effects of clearcutting on the diversity of breeding birds. *Journal of Forestry* 73:781-785.

- Conner, R.N., R.G. Hooper, H.S. Crawford and H.S. Mosby. 1975. Woodpecker nesting habitat in cut and uncut woodlands in Virginia. *Journal of Wildlife Management* 39:144-150.
- Conner, R.N., O.K. Miller and C.S. Adkisson. 1976. Woodpecker dependence on trees infected by fungal heart rots. *Wilson Bulletin* 88:575-581.
- Conner, R.N., S.D. Jones and G.D. Jones. 1994. Snag condition and woodpecker foraging ecology in a bottomland hardwood forest. *Wilson Bulletin* 106:242-57.
- Corn, J.G. and M.G. Raphael. 1992. Habitat characteristics at marten subnivean access sites. *Journal of Wildlife Management* 56(3):442-448.
- Corn, P.S. and R.B. Bury. 1991a. Small mammal communities in the Oregon Coast Range. *In* L.F. Ruggiero, K.B. Aubry, A.B. Carey and M.F. Huff (technical coordinators). *Wildlife and vegetation of unmanaged Douglas-fir forests*. USDA Forest Service General Technical Report PNW-285. Pacific Northwest Research Station, Portland, Oregon. pp. 241-254.
- Corn, P.S. and R.B. Bury. 1991b. Terrestrial amphibian communities in the Oregon Coast Range. *In* L.F. Ruggiero, K.B. Aubry, A.B. Carey, and M.F. Huff (technical coordinators). *Wildlife and vegetation of unmanaged Douglas-fir forests*. USDA Forest Service General Technical Report PNW-285. Pacific Northwest Research Station, Portland, Oregon. pp. 305-317.
- Corn, P.S., R.B. Bury and T.A. Spies. 1988. Douglas-fir forests in the Cascade Mountains of Oregon and Washington: is the abundance of small mammals related to stand age and moisture? *In* R.C. Szaro, K.E. Severson and D.R. Patton (technical coordinators). *Management of amphibians, reptiles, and small mammals in North America - proceedings of the symposium*. July 19-21, 1988, Flagstaff, Arizona. USDA Forest Service General Technical Report RM-166. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. pp. 340-352.
- Covington, W.W. and S.S. Sackett. 1984. The effect of a prescribed burn in southwestern Ponderosa pine on organic matter and nutrients in woody debris and forest floor. *Forest Science* 30(1):183-192.
- Craig, V.J. 1995. Relationships between shrews (*Sorex* spp. and downed wood in the Vancouver watersheds, B.C. M.Sc. thesis, University of British Columbia, Vancouver, B.C. x + 88 p.
- Crampton, L.H. and R.M.R. Barclay. 1995. Relationships between bats and stand age and structure in aspen mixedwood forests in Alberta. *In* J.B. Stelfox (editor). *Relationships between stand age, stand structure and biodiversity in aspen mixedwood forests in Alberta*. Alberta Environmental Centre (AECV95-

- R1) and Canadian Forest Service (Project No. 0001A). Edmonton, Alberta. pp. 211-225.
- Crampton, L.H. and R.M.R. Barclay. 1996. Habitat selection by bats in fragmented and unfragmented aspen mixedwood stands of different ages. *In* R.M.R. Barclay and R.M. Brigham (editors). Bats and forests symposium, October 19-21, 1995, Victoria, B.C. Working Paper 23/1996. Research Branch, B.C. Ministry of Forests, Victoria, B.C. pp. 238-259.  
<http://www.for.gov.bc.ca/hfd/pubs/Docs/Wp/Wp23-3.pdf>
- Crampton, L.H. and R.M.R. Barclay. 1998. Selection of roosting and foraging habitat by bats in different-aged aspen mixed-wood stands. *Conservation Biology* 12:1347-1358.
- Crawford, R.H., S.E. Carpenter and M.E. Harmon. 1990. Communities of filamentous fungi and yeast in decomposing logs of *Pseudotsuga menziesii*. *Mycologia* 82:759-765.
- Crawford, R.H., C.Y. Li and M. Floyd. 1997. Nitrogen fixation in root-colonized large woody residue of Oregon coastal forests. *Forest Ecology and Management* 92:229-234.
- Crites, S. and M. Dale. 1995. Relationships between nonvascular species and stand age and stand structure in aspen mixedwood forests in Alberta. *In* J.B. Stelfox (editor). Relationships between stand age, stand structure and biodiversity in aspen mixedwood forests in Alberta. Alberta Environmental Centre (AECV95-R1) and Canadian Forest Service (Project No. 0001A). Edmonton, Alberta. pp. 91-114.
- Crockett, A.B. and H.H. Hadow. 1975. Nest site selection by Williamson and Red-naped Sapsuckers. *Condor* 77:365-368.
- Cunningham, J.B., R.P. Balda and W.S. Gaud. 1980. Selection and use of snags by secondary cavity-nesting birds of the ponderosa pine forest. USDA Forest Service Research Paper RM-RP-222. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. 15 p.
- Darling, L.M. and C.A. Bryden. 1993. Monitoring changes in wildlife diversity during silvicultural systems trials and operational hardwood harvesting. Unpublished draft report, B.C. Ministry of Environment, Lands and Parks, Victoria, B.C.
- Davis, H. 1996. Characteristics and selection of winter dens by black bears in coastal British Columbia. M.Sc. thesis, Department of Biological Science, Simon Fraser University, Burnaby, B.C. xiii + 147 p.

- Davis, J.W., G.A. Goodwin and R.A. Ockenfels (technical coordinators). 1983. Snag habitat management: proceedings of the symposium. USDA Forest Service General Technical Report RM-99. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. 226 p.
- Davis, T.M. 1998. Terrestrial salamander abundance in successional forests of coastal British Columbia. *In* J.A. Trofymow and A. MacKinnon (editors). Proceedings of a workshop on structure, process, and diversity in successional forests of coastal British Columbia. February 17-19, 1998, Victoria, B.C. Northwest Science Vol. 72, Special Issue No. 2. pp. 89-90.  
<http://www.pfc.cfs.nrcan.gc.ca/workshops/sfrwpapers/26davis.pdf>
- Davis, T.M. and P.T. Gregory. 1993. Status of the clouded salamander in British Columbia. B.C. Environment Wildlife Working Report No. WR-53. Victoria, B.C. 13 p.
- DeBell, D.S. and J.F. Franklin. 1987. Old-growth Douglas-fir and western hemlock: a 36-year record of growth and mortality. *Western Journal of Applied Forestry* 2(4):111-114.
- DeGraaf, R.M. 1985. Managing cavity trees for wildlife in the northeast. USDA Forest Service General Technical Report NE-101. Northeastern Forest Experiment Station, Broomall, Pennsylvania. 21 p.
- Delisle, G.P., P.M. Woodard, S.J. Titus and A.F. Johnson. 1988. Sample size and variability of fuel weight estimates in natural stands of lodgepole pine. *Canadian Journal of Forest Research* 18:649-652.
- Dell, J.K. and F.R. Ward. 1971. Logging residues on Douglas-fir region clearcuts: weights and volumes. USDA Forest Service Research Paper PNW-115. Pacific Northwest Research Station, Portland, Oregon. 10 p.
- Dellasalla, D.A., J.C. Hagar, K. Engel and others. 1996. Effects of silvicultural modifications of temperate rainforest on breeding and wintering bird communities, Prince of Wales Island, southeast Alaska. *Condor* 98:706-721.
- DeLong, M.D., J.H. Thorp and K.H. Haag. 1993. A new device for sampling macroinvertebrates from woody debris (snags) in nearshore areas of aquatic systems. *American Midland Naturalist* 130:413-417.
- DeMaynadier, P.G. and M.L. Hunter, Jr. 1995. The relationship between forest management and amphibian ecology: a review of the North American literature. *Environmental Reviews* 3:230-261
- DeMontigny, L.E., C.M. Preston and P.G. Hatcher. 1993. Comparisons of humus horizons from two ecosystem phases on northern Vancouver Island using 13C

- CPMAS NMR spectroscopy and CuO oxidation. *Canadian Journal of Soil Science* 73:9-25.
- Dendron Resource Surveys, Inc. 1997. Survey of dead wood using large scale sampling photos. Canadian Forest Service NODA Note No. 27. Great Lakes Forestry Centre, Sault Ste. Marie, Ontario. 6 p.
- de Vries, P.G. 1986. Sampling theory for forest inventory: a teach-yourself course, chapter 13: line intersect sampling. Springer-Verlag, New York. x + 399 p.
- Dickson, J.G., R.N. Conner and J. H. Williamson. 1983. Snag retention increases bird use of a clear-cut. *Journal of Wildlife Management* 47:799-804.
- Dighton, J. 1995. Nutrient cycling in different terrestrial ecosystems in relation to fungi. *Canadian Journal of Botany* 73(Supplement 1):S1349-S1360.
- Donnelly, P.K., J.A. Entry, D.L. Crawford and K. Cromack. 1990. Cellulose and lignin degradation in forest soils: response to moisture, temperature and acidity. *Microbial Ecology* 20(3):289-295.
- Dudley, T. and N.H. Anderson. 1982. A survey of invertebrates associated with wood debris in aquatic habitats. Technical Paper 6419. Oregon Agricultural Experiment Station, Corvallis, Oregon.
- Dueser, R.D. and H.H. Shugart, Jr. 1978. Microhabitats in a forest floor small mammal fauna. *Ecology* 59:89-98.
- Dunn, E. 1977. Predation by weasels (*Mustela nivalis*) on breeding tits (*Parus* spp.) in relation to the density of tits and rodents. *Journal of Animal Ecology* 46:633-652.
- Dupuis, L.A. 1993. The status and distribution of terrestrial amphibians in old-growth forests and managed stands. M.Sc. thesis, Department of Zoology, University of British Columbia, Vancouver, B.C. vii + 66 p.
- Dupuis, L.A., J.N.M. Smith and F.L. Bunnell. 1995. Relation of terrestrial-breeding amphibian abundance to tree-stand age. *Conservation Biology* 9:645-653.
- Edmonds, R.L. 1987. Decomposition rates and nutrient dynamics in small-diameter woody litter in four forest ecosystems in Washington, USA. *Canadian Journal of Forest Research* 17:499-509.

- Edmonds, R.L. and A. Eglitis. 1989. The role of the Douglas-fir beetle and wood borers in the decomposition of and nutrient release from Douglas-fir logs. *Canadian Journal of Forest Research* 19:853-859.
- Edmonds, R.L. and D.S. Lebo. 1998. Diversity, production, and nutrient dynamics of fungal sporocarps on logs in an old-growth temperate rain forest, Olympic National Park, Washington. *Canadian Journal of Forest Research* 28:665-673.
- Edmonds, R.L., D.J. Vogt, D.H. Sandberg and C.H. Driver. 1986. Decomposition of Douglas-fir and red alder wood in clear-cuttings. *Canadian Journal of Forest Research* 16:822-831.
- Edwards, N.T and B.M. Ross-Todd. 1983. Soil carbon dynamics in a mixed deciduous forest following clear-cutting with and without residue removal. *Soil Science Society of America Journal* 47:1014-1021.
- Engelhardt, N.T. 1957. Pathological deterioration of looper-killed western hemlock on southern Vancouver Island. *Forest Science* 3:125-136.
- Environment Canada. n.d. Rotten luck - the role of downed wood in ecosystems. (brochure). Environment Canada, Ministry of Forests and The Centre for Applied Conservation Biology, University of British Columbia.  
<http://www.for.gov.bc.ca/hfd/pubs/docs/Bro/bro24.pdf>
- Erickson, H.E. 1984. Logging residue decomposition: decay rates of woody debris in four Pacific Northwest ecosystems after harvesting. M.S. thesis, University of Washington, Seattle, Washington. iv + 79 p.
- Erickson, H.E., R.L. Edmonds and C.E. Peterson. 1985. Decomposition of logging residues in Douglas-fir, western hemlock, Pacific silver fir, and ponderosa pine ecosystems. *Canadian Journal of Forest Research* 15:914-921.
- Erickson, J.L. and S.D. West. 1996. Managed forests in the western Cascades: the effects of seral stage on bat habitat use patterns. *In* R.M.R. Barclay and R.M. Brigham (editors). *Bats and forests symposium*, October 19-21, 1995, Victoria, B.C. Working Paper 23/1996. Research Branch, B.C. Ministry of Forests, Victoria, B.C. pp. 215-227.  
<http://www.for.gov.bc.ca/hfd/pubs/Docs/Wp/Wp23-3.pdf>
- Erskine, A.J. 1977. Birds in boreal Canada: communities, densities and adaptation. *Canadian Wildlife Service Report Series* 41, Ottawa, Ontario. 73 p.
- Erskine, A.J. and W.D. McClaren. 1972. Sapsucker nest holes and their use by other species. *Canadian Field-Naturalist* 86:357-361.

- Eslyn, W.E. and T.L. Highles. 1976. Decay resistance and susceptibility of sapwood of fifteen tree species. *Phytopathology* 66:1010-1017.
- Eubanks, S. 1989. Applied concepts of ecosystem management: developing guidelines for coarse woody debris. *In* Perry, D.A., R. Meurisse, B. Thomas, R. Miller, J. Boyle, J. Means, C.R. Perry and R.F Powers (editors). *Maintaining the long-term productivity of Pacific Northwest forest ecosystems*. Timber Press, Portland, Oregon. pp. 230-236.
- Evans, K.E. and R.N. Conner. 1979. Snag management. *In* R.M. DeGraaf and K.E. Evans (compilers). *Workshop proceedings: management of north central and northeastern forests for nongame birds*. January 23-25, 1979, Minneapolis, Minnesota. USDA Forest Service General Technical Report NC-51. pp. 214-225.
- Fahey, T.J. 1983. Nutrient dynamics of aboveground detritus in lodgepole pine (*Pinus contorta* ssp. *Latifolia*) ecosystems, southeastern Wyoming. *Ecological Monographs* 53(1):51-72.
- Fahey, T.J., J.B. Yavitt, J.A. Pearson and D.H. Knight. 1985. The nitrogen cycle in lodgepole pine forests, southeastern Wyoming. *Biogeochemistry* 1:257-275.
- Fahey, T.J., J.W. Hughes, M. Pu and M.A. Arthur. 1988. Root decomposition and nutrient flux following whole-tree harvest of northern hardwood forest. *Forest Science* 34(3):744-768.
- Falinski, J.B. 1978. Uprooted trees - their distribution and influence in the primeval forest biotope. *Vegetation* 38(3):175-183.
- Feller, M.C. 1997. Coarse woody debris in forests - an overview of the coarse woody debris study and coarse woody debris in the Sicamous Creek study forests. *In* C. Hollstedt and A. Vyse (editors). *Sicamous Creek Silvicultural Systems Project: workshop proceedings*. B.C. Ministry of Forests Working Paper 24/1997. pp. 134-143.  
<http://www.for.gov.bc.ca/hfd/pubs/Docs/Wp/Wp24.pdf>
- Fischer, W.C. 1981. Photo guide for appraising downed woody fuels in Montana forests: lodgepole pine and Engelmann spruce-subalpine fir cover types. USDA Forest Service General Technical Report INT-98. Intermountain Forest and Range Experiment Station, Ogden, Utah. 143 p.
- Fischer, W.C. and B.R. McClelland. 1983. A cavity-nesting bird bibliography, including related titles on forest snags, fire, insects, disease, and decay. USDA Forest Service General Technical Report INT-140. Intermountain Forest and Range Experiment Station, Ogden, Utah. 79 p.

- Flack, J.A.D. 1976. Bird populations of aspen forests in western North America. American Ornithological Union, Ornithological Monographs No. 19.
- Fleming, T.L. 1996. Conversion of mixed-species, natural forests to conifer plantations: implications for carbon storage and diversity of woody plant species in the Greater Fundy Ecosystem, New Brunswick, Canada. M.Sc. thesis, Dalhousie University, Halifax, Nova Scotia.
- Fogel, R. and K. Cromack, Jr. 1977. Effect of habitat and substrate quality on Douglas-fir litter decomposition in western Oregon. *Canadian Journal of Botany* 55:1632-1640.
- Fogel, R. and G. Hunt. 1979. Fungal and arboreal biomass in a western Oregon Douglas-fir ecosystem: distribution patterns and turnover. *Canadian Journal of Forest Research* 9:245-256.
- Forest Ecosystem Management Assessment Team (FEMAT). 1993. Forest ecosystem management: an ecological, economic and social assessment. USDA Forest Service (and other agencies), Portland, Oregon.
- Forest Ecosystem Management Assessment Team (FEMAT). 1994. Final supplemental environmental impact statement: on management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl, Vol. 1. Pages S-19-S-20.
- Foster, J.R. and G.E. Lang. 1982. Decomposition of red spruce and balsam fir boles in the White Mountains of New Hampshire. *Canadian Journal of Forest Research* 12:617-626.
- Frankland, J.C., J.N. Hedger and M.J. Swift. 1982. Decomposer basidiomycetes - their biology and ecology. Cambridge University Press, Cambridge, United Kingdom. 355 p.
- Franklin, J.F. and D.S. DeBell. 1988. Thirty-six years of tree population change in an old-growth *Pseudotsuga-tsuga* forest. *Canadian Journal of Forest Research* 18:633-639.
- Franklin, J.F. and M.A. Hemstrom. 1981. Aspects of succession in the coniferous forests of the Pacific Northwest. In D.C. West, H.H. Shugart and D.B. Botkin (editors). *Forest succession: concepts and application*. Springer-Verlag, New York, NY. pp. 212-229.
- Franklin, J.F. and C. Maser. 1988. Looking ahead: some options for public lands. In C. Maser, R.F. Tarrant, J.M. Trappe and J.F. Franklin (technical editors). *From the forest to the sea: a story of fallen trees*. USDA Forest Service

- General Technical Report PNW-GTR-229. Pacific Northwest Research Station, Portland, Oregon. pp. 113-122.  
<http://www.fs.fed.us/pnw/pubs/229chpt5.pdf>
- Franklin, J.F. and R.H. Waring. 1979. Distinctive features of the northwestern coniferous forest: development, structure and function. *In* R. Waring (editor). Forests: fresh perspectives from ecosystem analysis, proceedings of the 40th Annual Biology Colloquium. Oregon State University Press, Corvallis, Oregon. pp. 59-86.
- Franklin, J.F., K. Cromack, Jr., W. Denison, A. McKee C. Maser, J. Sedell, F. Swanson and G. Juday. 1981. Ecological characteristics of old-growth Douglas-fir forests. USDA Forest Service General Technical Report PNW-118. Pacific Northwest Research Station, Portland, Oregon. 48 p.  
<http://www.fs.fed.us/pnw/pubs/118part1.pdf>  
<http://www.fs.fed.us/pnw/pubs/118part2.pdf>
- Franklin, J.F., H.H. Shugart and M.E. Harmon. 1987. Tree death as an ecological process: the causes, consequences, and variability of tree mortality. *BioScience* 37(8):550-556.
- See also  
<http://depts.washington.edu/wrcrf/Franklin/published.html>
- Freedman, B., V. Zelazny, D. Beaudette, T. Fleming, S. Flemming, G. Forbes, J.S. Gerrow, G. Johnson and S. Woodley. 1996. Biodiversity implications of changes in the quantity of dead organic matter in managed forests. *Environmental Review* 4:238-265.
- Gashwiler, J.R. 1970. Plant and mammal changes on a clearcut in west-central Oregon. *Ecology* 51(6):1018-1026.
- Gellman, S.T. and W.J. Zielinski. 1996. Use by bats of old-growth redwood hollows on the north coast of California. *Journal of Mammology* 77:255-265.
- Getty, G.M. and M.I. Haverty. 1998. Consumption of sound and decayed ponderosa pine and Douglas-fir by *Reticulitermes* spp. (*Isoptera: Rhinotermitidae*) from northern California. *Journal of Economic Entomology* 91(3):650-654.
- Gholz, H.L., G.M. Hawk, A. Campbell, K. Cromack, Jr. and A.T. Brown. 1985. Early vegetation recovery and element cycles on a clear-cut watershed in western Oregon. *Canadian Journal of Forest Research* 15:400-409.

- Gholz, H.L., L.M. Krazynski and B.G. Volk. 1991. Disappearance and compressibility of buried pine wood in a warm temperate soil environment. *Ecological Applications* 1:85-88.
- Gilbert, F.F. and R. Allwine. 1991. Terrestrial amphibian communities in the Oregon Cascade range. *In* L.F. Ruggiero, K.B. Aubry, A.B. Carey and M.F. Huff (technical coordinators). *Wildlife and vegetation of unmanaged Douglas-fir forests*. USDA Forest Service General Technical Report PNW-285. Pacific Northwest Research Station, Portland, Oregon. pp. 319-324.
- Gillesberg, A. and A.B. Carey. 1991. Arboreal nests of *Phenacomys longicaudus* in Oregon. *Journal of Mammology* 72:784-787.
- Gomez, D.M. 1992. Small-mammal herpetofauna abundance in riparian and upslope areas of five forest conditions. M.S. thesis, Oregon State University, Corvallis, Oregon. 118 p.
- Gonor, J.J., J.R. Sedell and P.A. Benner. 1988. What we know about large trees in estuaries, in the sea, and on coastal beaches. *In* C. Maser, R.F. Tarrant, J.M. Trappe and J.F. Franklin (technical editors). *From the forest to the sea: a story of fallen trees*. USDA Forest Service General Technical Report PNW-GTR-229. Pacific Northwest Research Station, Portland, Oregon. pp. 83-112.  
<http://www.fs.fed.us/pnw/pubs/229chpt4.pdf>
- Goodman, D.M and J.A. Trofymow. 1998. Comparison of communities of ectomycorrhizal fungi in old-growth and mature stands of Douglas-fir on southern Vancouver Island. *In* J.A. Trofymow and A. MacKinnon (editors). *Proceedings of a workshop on structure, process, and diversity in successional forests of coastal British Columbia*. February 17-19, 1998, Victoria, B.C. *Northwest Science* Vol. 72, Special Issue No. 2. pp. 91-93.  
<http://www.pfc.cfs.nrcan.gc.ca/workshops/sfrwpapers/27goodm.pdf>
- Goodwin, J.G., Jr. and C.R. Hungerford. 1979. Rodent population densities and food habits in Arizona ponderosa pine forests. USDA Forest Service Research Paper RM-214. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. 12 p.
- Gook, D. 1984. Nest tree selection by primary cavity-nesting birds in selectively logged forests of south central British Columbia. Unpublished report, B.C. Ministry of Environment, Kamloops, B.C.
- Gore, J.A. and W.A. Patterson III. 1986. Mass of downed wood in northern hardwood forests in New Hampshire: potential effects of forest management. *Canadian Journal of Forest Research* 16:335-339.

- Gove, J.F., A. Ringvall, G. Stahl and M.J. Ducey. 1999. Point relascope sampling of downed coarse woody debris. *Canadian Journal of Forest Research* 29:1718-1726.
- Graham, F. 1991. Recycling wood. *Audubon* 93:18.
- Graham, R.L.L. 1998. Biomass dynamics of dead Douglas-fir and western hemlock boles in mid-elevation forests of the Cascade Range. Ph.D. thesis, Oregon State University, Corvallis, Oregon. x + 152 p.
- Graham, R.L. and K. Cromack, Jr. 1982. Mass, nutrient content, and decay rate of dead boles in rain forests of Olympic National Park. *Canadian Journal of Forest Research* 12:511-521.
- Graham, R.T., A.E. Harvey, M.F. Jurgensen, T.B. Jain, J.R. Tonn and D.S. Page-Dumroese. 1994. Managing coarse woody debris in forests of the Rocky Mountains. USDA Forest Service Research Paper INT-RP-477. Intermountain Research Station, Ogden, Utah. 13 p.
- Greenberg, C.H., L.D. Harris and D.G. Neary. 1995. A comparison of bird communities in burned and salvage-logged, clearcut, and forested Florida sand pine scrub. *Wilson Bulletin* 107:40-54.
- Gregory, S. and L. Ashkenas. 1990. Riparian management guide: Willamette National Forest. Department of Fisheries and Wildlife, Oregon State University, Corvallis, Oregon.
- Grier, C.C. 1978. A *Tsuga heterophylla* - *Picea sitchensis* ecosystem of coastal Oregon: decomposition and nutrient balances of fallen logs. *Canadian Journal of Forest Research* 8:198-206.
- Grier, C.C. and R.S. Logan. 1977. Old-growth *Pseudotsuga menziesii* communities of a western Oregon watershed: biomass distribution and production budgets. *Ecological Monographs* 47:373-400.
- Griffiths, R.P., M.E. Harmon, B.A. Caldwell and S.E. Carpenter. 1993. Acetylene reduction in conifer logs during early stages of decomposition. *Plant and Soil* 148:53-61.
- Gunther, P.M., B.S. Horn and G.D. Bab. 1983. Small mammal populations and food selection in relation to timber harvest practices in the western Cascade Mountains. *Northwest Science* 57(1):32-44.
- Guy, S.E. and E.T. Manning. 1995. Wildlife/danger tree assessor's course workbook, Fourth Edition. B.C. Ministry of Forests. Victoria, B.C.

- Gyug, L. 1993. Furbearer and prey use of logging debris piles: progress report, 1992/93. Prepared for the Ministry of Environment, Penticton, B.C. Habitat Silviculture Protection Committee Miscellaneous Report 52. 26 p.
- Gyug, L.W. 1996. Timber harvesting effects on riparian wildlife and vegetation in the Okanagan Highlands of B.C., Part 1: trees and coarse woody debris. Unpublished Report. Prepared for BC Environment, Penticton, B.C.
- Gyug, L.W. and S.P. Bennett. 1996. Bird use of wildlife tree patches 25 years after clearcutting. *In* P. Bradford, T. Manning and B. l'Anson (editors). Proceedings of the workshop on wildlife tree/stand-level biodiversity. BC Environment and B.C. Ministry of Forests, Victoria, B.C. pp. 15-33.
- Habeck, J.R. 1985. Impacts of fire suppression on forest succession and fuel accumulations in long-fire-interval wilderness habitat types. *In* Proceedings of a symposium and workshop on wilderness fire. November 15-18, 1983, Missoula, Montana. USDA Forest Service General Technical Report INT-182. Intermountain Forest and Range Experiment Station, Ogden, Utah. pp.110-118.
- Habitat Silviculture Protection Committee. 1993. Guidelines for maintaining biodiversity during juvenile spacing. B.C. Forest Service and B.C. Environment Miscellaneous Report MR-46. Canada-British Columbia Partnership Agreement on Forest Resource Development: FRDA II, Victoria, B.C. 25 p.
- Hacker, A.L. and B.E. Coblenz. 1993. Habitat selection by mountain beavers recolonizing Oregon Coast Range clearcuts. *Journal of Wildlife Management* 57:847-853.
- Hagan, J.M. and S.L. Grove. 1999. Coarse woody debris. *Journal of Forestry* 97(1):6-11.  
<http://www.safnet.org/pubs/jof/highlights-1h99.htm#jan>
- Hagar, J.C., W.D. McComb and C.C. Chambers. 1995. Effects of forest practice on wildlife. *In* R.L. Beschta, J.R. Boyle, C.C. Chambers and others. Cumulative effects of forest practices in Oregon: literature and synthesis. Oregon State University, Corvallis, Oregon.
- Hagar, J.C., W.C. McComb and W.H. Emmingham. 1996. Bird communities in commercially thinned and unthinned Douglas-fir stands of western Oregon. *Wildlife Society Bulletin* 24:353-366.
- Hale, C.M. and J. Pastor. 1998. Nitrogen content, decay rates, and decompositional dynamics of hollow versus solid hardwood logs in hardwood forests of Minnesota, U.S.A. *Canadian Journal of Forest Research* 28:1276-1285.

- Hamilton, S.R. 1991. Streamside management zones and fisheries protection. *In* Proceedings WildFor91. Wildlife and forestry: towards a working partnership. Canadian Society of Environmental Biologists and Canadian Pulp and Paper Association. pp. 45-49.
- Hammond, H. 1991. Seeing the forest among the trees: the case for wholistic forest use. Polestar Press, Vancouver, B.C. pp. 29-30.
- Hansen, A.J., T.A. Spies, F.J. Swanson and J.L. Ohmann. 1991. Conserving biodiversity in managed forests. *Bioscience* 41:382-392.
- Harcombe, P.A., M.E. Harmon and S.E. Greene. 1990. Changes in biomass and production over 53 years in a coastal *Picea sitchensis* - *tsuga heterophylla* forest approaching maturity. *Canadian Journal of Forest Research* 20:1602-1610.
- Harestad, A.S. and D.G. Keisker. 1989. Nest tree use by primary cavity-nesting birds in south central British Columbia. *Canadian Journal of Zoology* 67:1067-1073.
- Harmon, M.E. 1982. Decomposition of standing dead trees in the southern Appalachian mountains. *Oecologia* 52:214-215.
- Harmon, M.E. 1987. The influence of litter and humus accumulations and canopy openness on *Picea sitchensis* (Bong.) Carr. and *Tsuga heterophylla* (Raf.) Sarg. seedlings growing on logs. *Canadian Journal of Forest Research* 17:1475-1479.
- Harmon, M. 1992. Long-term experiments on log decomposition at the H.J. Andrews Experimental Forest. USDA Forest Service General Technical Report PNW-GTR-280. Pacific Northwest Research Station, Portland, Oregon. 28 p.
- Harmon, M. 1993. Woody debris budgets for selected forest types in the U.S. *In* Turner, D., J. Lee, G. Koerper and J. Barker (editors). The forest sector carbon budget of the United States: carbon pools and flux under alternative policy options. US Environmental Protection Agency, Environmental Research Laboratory, Corvallis, Oregon.
- Harmon, M.E. and J.F. Franklin. 1989. Tree seedlings on logs in *Picea-Tsuga* forests of Oregon and Washington. *Ecology* 70(1):48-59.
- Harmon, M.E. and C. Hua. 1991. Coarse woody debris dynamics in two old-growth ecosystems. *BioScience* 41(9):604-610.

- Harmon, M.E. and J. Sexton. 1995. Water balance of conifer logs in early stages of decomposition. *Plant and Soil* 172(1):141-52.
- Harmon, M.E. and J. Sexton. 1996. Guidelines for measurements of woody detritus in forest ecosystems. U.S. LTER Publication No. 20. College of Forest Resources, University of Washington, Seattle, Washington. ii + 72 p.  
<http://www.lternet.edu/documents/Publications/woodydetritus>
- Harmon, M.E., J.F. Franklin, F.J. Swanson, P. Sollins, S.V. Gregory, J.D. Lattin, N.H. Anderson, S.P. Cline, N.G. Aumen, J.R. Sedell, G.W. Lienkaemper, K. Cromack, Jr. and K.W. Cummins. 1986. Ecology of coarse woody debris in temperate ecosystems. *Advances in Ecological Research* 15:133-302.
- Harmon, M.E., K. Cromack, Jr. and B.G. Smith. 1987. Coarse woody debris in mixed-conifer forests, Sequoia National Park, California. *Canadian Journal of Forest Research* 17:1265-1272.
- Harmon, M.E., W.K. Ferrell and J.F. Franklin. 1990. Effects on carbon storage of conversion of old-growth forests to young forests. *Science* 247:699-702.
- Harmon, M., J. Sexton, B.A. Caldwell and S.E. Carpenter. 1994. Fungal sporocarp mediated losses of Ca, Fe, K, Mg, Mn, N, P, and Zn from conifer logs in the early stages of decomposition. *Canadian Journal of Forest Research* 24:1883-1893.
- Harmon, M.E., S.L. Garman and W.K. Ferrell. 1996. Modeling historical patterns of tree utilization in the Pacific Northwest: carbon sequestration implications. *Ecological Applications* 6:641-652.
- Harris, M.A. 1982. Habitat use among woodpeckers in forest burns. M.S. thesis, School of Forestry, University of Montana, Missoula, Montana. vii + 63 p.
- Hart, S.C. 1999. Nitrogen transformations in fallen tree boles and mineral soil of an old-growth forest. *Ecology* 80(4):1385-1394.
- Harvey, A.E. 1982. The importance of residual organic debris in site preparation and amelioration for reforestation. *In* D.M. Baumgartner (editor). Site preparation and fuels management on steep terrain. Washington State University Cooperative Extension, Pullman, Washington. pp. 75-85.
- Harvey, A.E., M.F. Jurgensen and M.J. Larsen. 1976. Intensive fiber utilization and prescribed fire: effects on the microbial ecology of forests. USDA Forest Service General Technical Report INT-28. Intermountain Forest and Range Experiment Station, Ogden, Utah. 46 p.

- Harvey, A.E., M.F. Jurgensen and M.J. Larsen. 1979. Role of forest fuels in the biology and management of soil. USDA Forest Service General Technical Report INT-65. Intermountain Forest and Range Experiment Station, Ogden, Utah. 8 p.
- Harvey, A.E., M.F. Jurgensen and M.J. Larsen. 1981a. Organic reserves: importance of ectomycorrhizae in forest soils of western Montana. *Forest Science* 27(3):442-445.
- Harvey, A.E., M.F. Jurgensen and M.J. Larsen. 1981b. Rate of woody residue incorporation into northern Rocky Mountain forest soils. USDA Forest Service Research Paper INT-282. Intermountain Forest and Range Experiment Station, Ogden, Utah. 5 p.
- Harvey, A.E., J.J. Larsen and M.F. Jurgensen. 1981. Forest management implications of improved residue utilization: biological implications in forest ecosystems. *In: Harvesting and utilization opportunities for forest residues in the Northern Rocky Mountains*. USDA Forest Service General Technical Report INT-110. Intermountain Forest and Range Experimental Station, Ogden, Utah. pp. 259-269.
- Harvey, A.E., M.F. Jurgensen, M.J. Larsen and J.A. Schlieter. 1986. Distribution of active ectomycorrhizal short roots in forest soils of the Inland Northwest: effects of site and disturbance. USDA Forest Service Research Paper INT-374. Intermountain Forest and Range Experiment Station, Ogden, Utah. 8 p.
- Harvey, A.E., M.F. Jurgensen, M.J. Larsen and R.T. Graham. 1987a. Relationships among soil microsite, ectomycorrhizae, and natural conifer regeneration of old-growth forests in western Montana. *Canadian Journal of Forest Research* 17:58-62.
- Harvey, A.E., M.F. Jurgensen, M.J. Larsen and R.T. Graham. 1987b. Decaying organic materials and soil quality in the inland northwest: a management opportunity. USDA Forest Service General Technical Report INT-225. Intermountain Forest and Range Experiment Station, Ogden, Utah. 15 p.
- Hayes, J.P. and S.P. Cross. 1987. Characteristics of logs used by western red-backed voles, *Clethrionomys californicus*, and deer mice, *Peromyscus maniculatus*. *Canadian Field-Naturalist* 101(4):543-546.
- Hazard, J.W. and S.G. Pickford. 1984. Cost functions for the line intersect method of sampling forest residue in the Pacific Northwest. *Canadian Journal of Forest Research* 14:57-62.
- Hazard, J.W. and S.G. Pickford. 1986. Simulation studies on line intersect sampling of forest residue, part II. *Forest Science* 32:447-470.

- Heatwole, H. 1962. Environmental factors influencing local distribution and activity of the salamander *Plethodon cinereus*. *Ecology* 43:460-472.
- Hecnar, S.J. 1994. Nest distribution, site selection, and brooding in the five-lined skink (*Eumeces fasciatus*). *Canadian Journal of Zoology* 72:1510-1516.
- Henjum, M. and J. Akenson. 1994. Northeast Oregon black bear study: ecology of black bears in the Blue Mountains. Unpublished progress report, Northeast Region, Oregon Department of Fish and Wildlife, La Grande, Oregon.
- Henly, R.K. 1988. Conflicts over fire-killed timber salvage continue: Oregon's Silver fire a hot spot. *Journal of Forestry* 86:5-9.
- Hillis, W.E. 1977. Secondary changes in wood. *Recent Advances in Phytochemistry* 11:247-309.
- Hirth, H.F. 1959. Small mammals in old field succession. *Ecology* 40:417-425.
- Hofgaard, A. 1993. 50 years of change in a Swedish boreal old-growth *Picea abies* forest. *Journal of Vegetation Science* 4:773-782.
- Holmes, R.T. 1990. Ecological and evolutionary impacts of bird predation on forest insects: an overview. *Studies in Avian Biology* 13:6-13.
- Hooven, E.F. and Black, H.C. 1976. Effects of some clearcutting practices on small mammal populations in western Oregon. *Northwest Science* 50:189-208.
- Hope, S.M. 1987. Classification of decayed *Abies amabilis* logs. *Canadian Journal of Forest Research* 17:559-564.
- Howard, J.O. and F.R. Ward. 1972. Measurement of logging residue – alternative applications of the line intersect method. USDA Forest Service Research Note PNW-183. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. 8 p.
- Hope, S.M. and C. Li. 1997. Respiration, nitrogen fixation, and mineralizable nitrogen spatial and temporal patterns within two Oregon Douglas-fir stands. *Canadian Journal of Forest Research* 27:501-509.
- Hungate, R.E. 1940. Nitrogen content of sound and decayed coniferous woods and its relation to loss in weight during decay. *Botanical Gazette* 102:382-392.
- Hunter, Malcolm L. 1990. *Wildlife, forests, and forestry - principles of managing forests for biological diversity*. Prentice Hall, Englewood Cliffs, New Jersey. pp. 157-180.

- Hytteborn, H. and J.R. Pakham. 1987. Decay rate of *Picea abies* logs and the storm gap theory: a re-examination of Sernander plot III, Fiby Urskog, central Sweden. *Arboricultural Journal* 11:299-311.
- Hytteborn, H., J.R.B. Packham and T. Verwijst. 1987. Tree population dynamics, stand structure and species composition in the montane virgin forest of Vallibacken, northern Sweden. *Vegetatio* 72:3-19.
- Immell, D. and M.C. Boulay. 1994. Black bear ecology research project progress report. Unpublished report, Oregon Department of Fish and Wildlife, Portland, Oregon.
- Jain, T.B., R.T. Graham and D.L. Adams. 1997. Carbon to organic matter ratios for soils in Rocky Mountain coniferous forests. *Soil Science Society of America Journal* 61:1190-1195.
- Johnson, L.G. and M.R. Pelton. 1981. Selection and availability of dens for black bears in Tennessee. *Journal of Wildlife Management* 45:111-119.
- Jones, L.L.C., M.G. Raphael, J.T. Forbes and L.A. Clark. 1997. Using remotely activated cameras to monitor maternal dens of martens. *In* G. Proulx, H.N. Bryant and P.M. Woodard (editors). *Martes: taxonomy, ecology, techniques, and management*. Provincial Museum of Alberta, Edmonton, Alberta. pp. 329-349.
- Jurgensen, M.F., M.J. Larsen, S.D. Spano, A.E. Harvey and M.R. Gale. 1984. Nitrogen fixation associated with increased wood decay in Douglas-fir residue. *Forest Science* 30(4):1038-1044.
- Jurgensen, M.F., M.J. Larsen, R.T. Graham and A.E. Harvey. 1987. Nitrogen fixation in woody residue of northern Rocky Mountain conifer forests. *Canadian Journal of Forest Research* 17:1293-1288.
- Jurgensen, M.F., A.E. Harvey, R.T. Graham, M.J. Larsen, J.R. Tonnand and D.S. Page-Dumroese. 1990. Soil organic matter, timber harvesting, and forest productivity in the Inland Northwest. *In* S.P. Gessel, D.S. Lacate, G.F. Weetman and R.F. Powers (editors). *Sustained productivity of forest soils*. Proceedings of the 7<sup>th</sup> North American Forest Soils Conference. Faculty of Forestry, University of British Columbia, Vancouver, B.C. pp. 392-415.
- Jurgensen, M.F., A.E. Harvey and R.T. Graham. 1997. Impacts of timber harvesting on soil organic matter, nitrogen, productivity, and health of inland Northwest forests. *Forest Science* 43:234-251.

- Kaarik, A.A. 1974. Decomposition of wood. *In* C. Dickinson and G.J.F. Pugh (editors). *Biology of plant litter decomposition*, Volume 1. Academic Press, New York. pp. 129-174.
- Kalcounis, M.C. 1994. Selection of tree roost sites by big brown (*Eptesicus fuscus*), little brown (*Myotis lucifugus*) and hoary (*Lasiurus cinereus*) bats in Cypress Hills, Saskatchewan. *Bat Research News* 35(4):103. (abstract only)  
Journal site: <http://thames.northnet.org/bats/>
- Kalcounis, M.C. and R.M. Brigham. 1998. Secondary use of aspen cavities by tree-roosting big brown bats. *Journal of Wildlife Management* 62:603-661.
- Kalcounis, M.C. and K.R. Hecker. 1996. Intraspecific variation in roost-site selection by little brown bats (*Myotis lucifugus*). *In* R.M.R. Barclay and R.M. Brigham (editors). *Bats and forests symposium*, October 19-21, 1995, Victoria, B.C. Working Paper 23/1996. Research Branch, B.C. Ministry of Forests, Victoria, B.C. pp. 81-90.  
<http://www.for.gov.bc.ca/hfd/pubs/Docs/Wp/Wp23-2.pdf>
- Keen, F.P. 1955. The rate of natural falling of beetle-killed ponderosa pine snags. *Journal of Forestry* 53:720-723.
- Keenan, R.J., C.E. Prescott and J.P. Kimmins. 1993. Mass and nutrient content of woody debris and forest floor in western redcedar and western hemlock forests on northern Vancouver Island. *Canadian Journal of Forest Research* 23:1052-1059.
- Keenan, R.J., C.E. Prescott and J.P. Kimmins. 1995. Litter production and nutrient resorption in western red cedar and western hemlock forests on northern Vancouver Island, British Columbia. *Canadian Journal of Forest Research* 25:1850-1857.
- Keisker, D.G. 1983. Nest tree selection by primary cavity-nesting birds in south-central British Columbia. M.Sc. thesis, Simon Fraser University, Burnaby, B.C. ix + 71 p.
- Keller, K.E. 1963. A study of hole-nesting avifauna of southwest British Columbia. M.Sc. thesis, University of British Columbia, Vancouver, B.C.
- Kelly, D. 1986. The decadent forest. *Audubon* 88(2):46-83.
- Kelsey, R.G. and M.E. Harmon. 1989. Distribution and variation of extractable total phenols and tannins in the logs of four conifers after 1 year on the ground. *Canadian Journal of Forest Research* 19:1030-1036.

- Kilham, L. 1971. Reproductive behavior of yellow-bellied sapsuckers: I, preference for nesting in *Fomes* infested aspens and nest hole interrelations with flying squirrels, raccoons, and other animals. *Wilson Bulletin* 83:159-171.
- Kimmins, J.P., D. Binkley, L. Chatarpaul and J. de Catanzaro. 1985. Biochemistry of temperate forest ecosystems: literature on inventories and dynamics of biomass and nutrients. Canadian Forestry Service Information Report PI-X-47E/F. Petawawa National Forestry Institute, Chalk River, Ontario. 227 p.
- King, J.S., H. L. Allen and P. Dougherty. 1997. Decomposition of roots in loblolly pine: effects of nutrient and water availability and root size class on mass loss and nutrient dynamics. *Plant and Soil* 195(1):171-184.
- Klinka, K., Q. Wang and R.E. Carter. 1990. Relationships among humus forms, forest floor nutrient properties, and understory vegetation. *Forest Science* 36:564-581.
- Kogel, I. 1986. Estimation and decomposition pattern of the lignin component in forest humus layers. *Soil Biology & Biochemistry* 18(6):589-594.
- Krankina, O.N. and M.E. Harmon. 1995. Dynamics of the dead wood carbon pool in Northwestern Russian boreal forests. *Water, Air, & Soil Pollution* 82:227-238.
- Krull, J.N. 1970. Small mammal populations in cut and uncut northern hardwood forests. *New York Fish and Game Journal* 17:128-130.
- Krusic, R.A., M. Yamasaki, C.D. Nefus and P.J. Pekins. 1996. Bat habitat use in White Mountain National Forest. *Journal of Wildlife Management* 60:625-631.
- Kruys, N. and B.G. Jonsson. 1999. Fine woody debris is important for species richness on logs in managed boreal spruce forests of northern Sweden. *Canadian Journal of Forest Research* 29:1295-1299.
- Kurka, A. and M. Starr. 1997. Relationship between decomposition of cellulose in the soil and tree stand characteristics in natural boreal forests. *Plant and Soil* 197(2):167-175.
- Kurta, A., D. King, J.A. Teramino, J.M. Stribley and K.J. Williams. 1993. Summer roost of the endangered Indiana bat (*Myotis sodalis*) on the northern edge of its range. *American Midland Naturalist* 129:132-138.
- Kurta, A., K.J. Williams and R. Mies. 1996. Ecological, behavioural, and thermal observations of a peripheral population of Indiana bats (*Myotis sodalis*). In R.M.R. Barclay and R.M. Brigham (editors). *Bats and forests symposium*,

- October 19-21, 1995, Victoria, B.C. Working Paper 23/1996. Research Branch, B.C. Ministry of Forests, Victoria, B.C. pp. 102-115.  
<http://www.for.gov.bc.ca/hfd/pubs/Docs/Wp/Wp23-2.pdf>
- Kurz, W.A., M.J. Apps, T.M. Webb and P.J. McNamee. 1992. The carbon budget of the Canadian forest sector: phase I. Information Report NOR-X-326. Forestry Canada, Northwest Region, Edmonton, Alberta. 93 p.
- Kurz, W.A., M.J. Apps, P.G. Comeau and J.A. Trofymow. 1996. The carbon budget of British Columbia's forests, 1920-1989: preliminary analysis and recommendations for refinements. FRDA Report 261. Canadian Forest Service, Pacific Forestry Centre, Victoria, B.C. viii + 62 p.
- Laiho, R. and C.E. Prescott. 1999. The contribution of coarse woody debris to carbon, nitrogen, and phosphorus cycles in three Rocky Mountain coniferous forests. *Canadian Journal of Forest Research* 29(10):1592-1603.
- Lambert, R.L., G.E. Lang and W.A. Reiners. 1980. Loss of mass and chemical change in decaying boles of a subalpine balsam fir forest. *Ecology* 61(6):1460-1473.
- Land, D.M., W.R. Marion and T.E. O'Meara. 1989. Snag availability and cavity nesting birds in slash pine plantations. *Journal of Wildlife Management* 53:1165-1171.
- Lang, G.E. 1985. Forest turnover and the dynamics of bole wood litter in subalpine balsam fir forest. *Canadian Journal of Forest Research* 15:262-268.
- Larsen, M.J., M.F. Jurgensen and A.E. Harvey. 1978. N<sub>2</sub> fixation associated with wood decayed by some common fungi in western Montana. *Canadian Journal of Forest Research* 8:341-345.
- Larson, F.R. 1984. Characterizing downed woody fuels by Alaska vegetation strata classes. *In* V.J. LaBau and C.L. Kerr (editors). *Inventorying forest and other vegetation of the high latitude and high altitude regions - proceedings of an international symposium*. Society of American Foresters, Bethesda, Maryland. pp. 220-224.
- Larson, F.R. 1992. Downed woody material in southeast Alaska forest stands. USDA Research Paper PNW-RP-452. Pacific Northwest Research Station, Portland, Oregon. 12 p.
- Leach, J.G., L.W. Orr and C. Christensen. 1934. The interrelationships of bark beetles and blue-staining fungi in the deterioration of felled Norway pine logs. *Journal of Agricultural Research* 49:315-341.

- Leach, J.G., L.W. Orr and C. Christensen. 1937. Further studies on the interrelationship of insects and fungi in the deterioration of felled Norway pine logs. *Journal of Agricultural Research* 55:129-140.
- Lee, P. 1998. Dynamics of snags in aspen-dominated midboreal forests. *Forest Ecology and Management* 105(1-3):263-272.
- Lee, P.C., S. Crites, M. Neitfeld, and J.B. Stelfox. 1995. Changes in forest structure and floral composition in a chronosequence of aspen mixedwood stands in Alberta. *In* J.B. Stelfox (editor). Relationships between stand age, stand structure and biodiversity in aspen mixedwood forests in Alberta. Alberta Environmental Centre (AECV95-R1) and Canadian Forest Service (Project No. 0001A). Edmonton, Alberta. pp. 29-48.
- Lee, P.C., S. Crites, M. Neitfeld, H.V. Nguyen and J.B. Stelfox. 1995. Changes in snags and down woody material characteristics in a chronosequence of aspen mixedwood forest in Alberta. *In* J.B. Stelfox (editor). Relationships between stand age, stand structure and biodiversity in aspen mixedwood forests in Alberta. Alberta Environmental Centre (AECV95-R1) and Canadian Forest Service (Project No. 0001A). Edmonton, Alberta. pp.49-61.
- Lee, S.D. 1995. Comparison of population characteristics of three species of shrews and the shrew-mole in habitats with different amounts of coarse woody debris. *Acta Theriologica* 40:415-424.
- Lertzman, K., G.D. Sutherland, A. Inselberg and S.C. Saunders. 1996. Canopy gaps in the landscape mosaic in a coastal temperate rainforest. *Ecology* 77(4):1254-1270.
- Levi, M.P. and E.B. Cowling. 1969. Role of nitrogen in wood deterioration, IV: physiological adaptation of wood-destroying and other fungi to substrates deficient in nitrogen. *Phytopathology* 59:460-468.
- Lieberman, D., M. Lieberman, R. Peralta and G.S. Hartshorn. 1985. Mortality patterns and stand turnover rates in a wet tropical forest in Costa Rica. *Journal of Ecology* 73:915-924.
- Lindzey, F.G. and E.C. Meslow. 1976. Characteristics of black bear dens on Long Island, Washington. *Northwest Science* 50:236-242.
- Littke, W.R. and R.I. Gara. 1986. Decay of fire-damaged lodgepole pine in south-central Oregon. *Forest Ecology and Management* 17:279-287.
- Loeb, G.R. 1993. Line intercept sampling for woody debris. Unpublished report, B.C. Ministry of Forests, Nelson, B.C.

- Lofroth, E.C. 1992. Measurement of habitat elements at the stand level. *In* L.R. Ramsay (editor). Methodology for monitoring wildlife diversity in B.C. forests, proceedings of a workshop. February 27, 1992. B.C. Ministry of Environment, Victoria, B.C. pp.25-29.
- Lofroth, E.C. 1993. Scale dependent analyses of habitat selection by marten in the Sub-Boreal Spruce Biogeoclimatic Zone, British Columbia. M.Sc. thesis, Simon Fraser University, Burnaby, B.C. 109 p.
- Lofroth, E. 1998. The dead wood cycle. *In* J. Voller and S. Harrison (editors). Conservation biology principles for forested landscapes. UBC Press, Vancouver, B.C. pp. 185-214.  
<http://www.for.gov.bc.ca/research/deadwood/DTint.htm#role>
- Lofroth, E.C. and J.D. Steventon. 1993. Scale dependent analyses of habitat selection by marten in the Sub-Boreal Spruce Biogeoclimatic Zone. B.C. Wildlife Habitat Branch, Ministry of Environment, Victoria, B.C. 109 p.
- Lowe, L.E. and K. Klinka. 1981. Forest humus in the Coastal Western Hemlock biogeoclimatic zone of British Columbia in relation to forest productivity and pedogenesis. Research Note No. 89. B.C. Research Branch, Ministry of Forests, Victoria B.C. 83 p.
- Lundquist, R.W. 1988. Habitat use by cavity-nesting birds in the southern Washington Cascades. M.S. thesis, University of Washington, Seattle, Washington. x + 168 p.
- Lundquist, R.W. and J.M. Mariani. 1991. Nesting habitat and abundance of snag-dependent birds in the southern Washington Cascade range. *In* L.F. Ruggiero, K.B. Aubry, A.B. Carey and M.F. Huff (technical coordinators). Wildlife and vegetation of unmanaged Douglas-fir forests. USDA Forest Service General Technical Report PNW-285. Pacific Northwest Research Station, Portland, Oregon. pp. 221-240.
- Lyon, L.J. 1977. Attrition of lodgepole pine snags on the Sleeping Child Burn, Montana. USDA Forest Service Research Note INT-219. Intermountain Forest and Range Experiment Station, Ogden, Utah. 4 p.
- Lyon, L.J, K.B. Aubry, W.J. Zielinski, S.W. Buskirk and L.F. Ruggiero. 1994. The scientific basis for conserving forest carnivores: considerations for management. *In* L.F. Ruggiero, K.B. Aubry, S.W. Buskirk, L.J. Lyon and W.J. Zielinski (technical editors). The scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine in the western United States. USDA Forest Service General Technical Report RM-254. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. pp.128-137.

Machmer, Marlene. 1998. The ecological role of fire for cavity-nesting birds in dry forest ecosystems. *In* Vyse, A., C. Hollstedt and D. Huggard (editors) *Managing the dry Douglas-fir forests of the southern interior: workshop proceedings*. April 29-30, 1997, Kamloops, B.C. Working Paper 34/1998. Research Branch, B.C. Ministry of Forests, Victoria, B.C. pp.113-116.  
<http://www.for.gov.bc.ca/hfd/pubs/Docs/Wp/Wp34-3.pdf>

Machmer, M.M., and C. Steeger. 1995. The ecological roles of wildlife tree users in forest ecosystems. *Land Management Handbook* 35. Research Branch, B.C. Ministry of Forests, Victoria, B.C. vi + 54 p.

Macilwain, C. 1995. Go-ahead for tree salvage angers US Greens. *Nature* 376:455.

MacKinnon, A. 1998. Biodiversity and old-growth forests. *In* J. Voller and S. Harrison (editors). *Conservation biology principles for forested landscapes*. UBC Press, Vancouver, B.C. pp. 146-184.

See also

<http://www.for.gov.bc.ca/research/pubs/amackinn.htm>

MacMillan, P.C. 1981. Log decomposition in Donaldson's Woods, Spring Mill State Park, Indiana. *American Midland Naturalist* 106:335-344.

MacMillan, P.C. 1988. Decomposition of coarse woody debris in an old-growth Indiana forest. *Canadian Journal of Forest Research* 18:1353-1362.

MacMillan, P.C., K. Cromack, Jr. and J.E. Means. 1977. Nutrient capital and substrate quality of logs in an old-growth Douglas-fir forest. *Proceedings of the Indiana Academy of Sciences* 87:101-102.

MacMillan, P.C., J.E. Means and K. Cromack, Jr. 1977. Log input and decomposition in an old-growth Douglas-fir forest. *Proceedings of the Indiana Academy of Sciences* 87:168.

Madsen, S.J. 1985. Habitat use by cavity-nesting birds in the Okanogan National Forest, Washington. M.S. thesis, University of Washington, Seattle, Washington. viii + 112 p.

Malanson, G.P. and D.R. Butler. 1990. Woody debris, sediment and riparian vegetation of a subalpine river, Montana, USA. *Arctic and Alpine Research* 22(2):183-194.

Mannan, R.W. 1977. Use of snags by birds, Douglas-fir region Western Oregon. M.S. thesis, Oregon State University, Corvallis, Oregon. 123 p.

- Mannan, R.W. and E.C. Meslow. 1984. Bird populations and vegetation characteristics in managed and old-growth forests, northeastern Oregon. *Journal of Wildlife Management* 48(4):1219-1238.
- Mannan, R.W., E.C. Meslow and H.M. Wight. 1980. Use of snags by birds in Douglas-fir forests, western Oregon. *Journal of Wildlife Management* 44(4):787-797.
- Manuwal, D.A. 1991. Spring bird communities in the southern Washington Cascade Range. *In* L.F. Ruggiero, K.B. Aubry, A.B. Carey and M.F. Huff (technical coordinators). *Wildlife and vegetation of unmanaged Douglas-fir forests*. USDA Forest Service General Technical Report PNW-285. Pacific Northwest Research Station, Portland, Oregon. pp.161-174.
- Manuwal, D.A. and J. Zarnowitz. 1981. Cavity nesting birds of the Olympic National Forest, Washington. Wildlife Science Group, College of Forest Resources, University of Washington, Seattle, Washington. 144 p.
- Marcot, B.G. 1984. Habitat relationships of birds in young-growth Douglas-fir in northwestern California. Ph.D. thesis, Oregon State University, Corvallis, Oregon. 282 p.
- Marcot, B.G. 1996. An ecosystem context for bat management: a case study of the Interior Columbia River Basin, USA. *In* R.M.R. Barclay and R.M. Brigham (editors). *Bats and forests symposium*, October 19-21, 1995, Victoria, B.C. Working Paper 23/1996. Research Branch, B.C. Ministry of Forests, Victoria, B.C. pp. 19-36.  
<http://www.for.gov.bc.ca/hfd/pubs/Docs/Wp/Wp23-1.pdf>
- Marra, J.L. and R.L. Edmonds. 1994. Coarse woody debris and forest floor respiration in an old-growth coniferous forest on the Olympic Peninsula, Washington, USA. *Canadian Journal of Forest Research* 24:1811-1817.
- Marshall, D.B., M.W. Chilcote and H. Weeks. 1996. *Species at risk: sensitive, threatened and endangered vertebrates of Oregon*, 2<sup>nd</sup> edition. Wildlife Diversity Program, Oregon Department of Fish and Wildlife, Portland, Oregon.
- Marshall, P.L. and V.M. LeMay. 1990. Review of line intersect sampling for post-cut logging residue. Unpublished report for Valuation Branch, Ministry of Forests, Victoria, B.C. 47 p.
- Marshall, P.L. and V.M. LeMay. 1996. A summary of line intersect sampling theory. Prepared for the CWD guidelines/CWD measurement workshop at Mesachie Lake, April 11, 1996. Faculty of Forestry, UBC, Vancouver, B.C. 13 p.

- Marshall, P.L., G. Davis and V.M. LeMay. 2000. Using line intersect sampling for coarse woody debris. Forest Research Technical Report TR-003. Vancouver Forest Region, Ministry of Forests, Nanaimo, B.C. ii + 34 p.  
<http://www.for.gov.bc.ca/vancouver/research/cwd/tr003.pdf>
- Marshall, V.G., H. Setälä and J.A. Trofymow. 1998. Collembolan succession and stump decomposition in Douglas-fir. *In* J.A. Trofymow and A. MacKinnon (editors). Proceedings of a workshop on structure, process, and diversity in successional forests of coastal British Columbia. February 17-19, 1998, Victoria, B.C. Northwest Science Vol. 72, Special Issue No. 2. pp. 84-85.  
<http://www.pfc.cfs.nrcan.gc.ca/workshops/sfrwpapers/24marsh.pdf>
- Martell, A.M. 1983a. Demography of southern red-backed voles (*Clethrionomys gapperii*) and deer mice (*Peromyscus maniculatus*) after logging in north-central Ontario. Canadian Journal of Zoology 61:958-969.
- Martell, A.M. 1983b. Changes in small mammal communities after logging in north-central Ontario. Canadian Journal of Zoology 61:970-980.
- Martin, S.K. and R.H. Barrett. 1991. Resting site selection by martin at Sagehen Creek, California. Northwestern Naturalist 72:37-42.
- Maser, C. 1988. The redesigned forest. R & E Miles, San Pedro, California. 234 p.
- Maser, C. 1994. From the forest to the sea: the ecology of wood in rivers, estuaries, and oceans. St. Lucie Press, Delray Beach, Florida. 200 p.
- Maser, C. and J.M. Trappe (editors). 1984. The seen and unseen world of the fallen tree. USDA Forest Service General Technical Report PNW-164. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. 59 p.  
<http://www.fs.fed.us/pnw/pubs/164part1.pdf>  
<http://www.fs.fed.us/pnw/pubs/164part2.pdf>  
<http://www.fs.fed.us/pnw/pubs/164part3.pdf>  
<http://www.fs.fed.us/pnw/pubs/164part4.pdf>
- Maser, C., J.M. Trappe and R.A. Nussbaum. 1978. Fungal – small mammal interrelationships with emphasis on Oregon coniferous forests. Ecology 59:799-809.
- Maser, C., J.M. Trappe and D.C. Ure. 1978. Implications of small mammal mycophagy to the management of western coniferous forests. Transactions of the North American Wildlife and Natural Resources Conference 43:78-88.

- Maser, C., R.G. Anderson, K. Cromack Jr., J.T. Williams and R.E. Martin. 1979. Dead and down woody material. *In* J.W. Thomas (technical editor). Wildlife habitats in managed forests: the Blue Mountains of Oregon and Washington. USDA Forest Service Agricultural Handbook No. 553. pp.78-95.
- Maser, C., J.M. Trappe and C.Y. Li. 1984. Large woody debris and long-term forest productivity. *In* Proceedings of a conference on Pacific Northwest bioenergy systems: policies and applications. May 10-11, 1984, Corvallis, Oregon.
- Maser, C., R.F. Tarrant, J.M. Trappe and J.F. Franklin (technical editors). 1988. From the forest to the sea: a story of fallen trees. USDA Forest Service General Technical Report PNW-GTR-229. Pacific Northwest Research Station, Portland, Oregon. vi + 153 p.  
<http://www.fs.fed.us/pnw/pubs/gtr229.htm>
- Maser, C., S.P. Cline, K. Cromack Jr., J.M. Trappe and E. Hansen. 1988. What we know about large trees that fall to the forest floor. *In* C. Maser, R.F. Tarrant, J.M. Trappe and J.F. Franklin (technical editors). From the forest to the sea: a story of fallen trees. USDA Forest Service General Technical Report PNW-GTR-229. Pacific Northwest Research Station, Portland, Oregon. pp.25-46.  
<http://www.fs.fed.us/pnw/pubs/229chpt2.pdf>
- Mason, D.T. and J. Koon. 1985. Habitat values of woody debris accumulations of the lower Stehekin River with notes on disturbances of alluvial gravels. Final report to the National Park Service. Contract #CS-9000-3-EO66.
- Mattson, K.G., W.T. Swank and J.B. Waide. 1987. Decomposition of woody debris in a regenerating, clear-cut forest in the Southern Appalachians. *Canadian Journal of Forest Research* 17:712-721.
- McCarthy, B.C. and R.R. Bailey. 1994. Distribution and abundance of coarse woody debris in a managed forest landscape of the central Appalachians. *Canadian Journal of Forest Research* 24:1317-1329.
- McClelland, B.R. 1977. Relationships between hole-nesting birds, forest snags, and decay in western larch - Douglas-fir forests of the northern Rocky Mountains. Ph.D. thesis, School of Forestry, University of Montana, Missoula, Montana. xx + 489 p.
- McClelland, B.R. and S.S. Frissell. 1975. Identifying forest snags useful for hole-nesting birds. *Journal of Forestry* 73:414-417.

- McClelland, B.R., S.S. Frissell, W.C. Fischer and C.H. Halvorson. 1979. Habitat management for hole-nesting birds in forests of western larch and Douglas-fir. *Journal of Forestry* 77:480-483.
- McComb, W.C. and R.N. Muller. 1983. Snag densities in old-growth and second-growth Appalachian forests. 1983. *Journal of Wildlife Management* 47:376-382.
- McComb, W.C., S.A. Bonney, R.M. Sheffield and N.D. Cost. 1986. Snag resources in Florida - are they sufficient for average populations of primary cavity nesters? *Wildlife Society Bulletin* 14:40 48.
- See also:  
[http://www.umass.edu/forwild/faculty/mccomb\\_vitae.htm](http://www.umass.edu/forwild/faculty/mccomb_vitae.htm)
- McCullough, H.A. 1948. Plant succession on fallen logs in a virgin spruce-fir forest. *Ecology* 29(4):508-513.
- McCune, B., C.L. Cloonan and T.V. Armentano. 1988. Tree mortality and vegetation dynamics in Hemmer Woods, Indiana. *American Midland Naturalist* 120:416-431.
- McDade, M.H., F.J. Swanson, W.A. McKee, J.F. Franklin and J. Van Sickle. 1990. Source distances for coarse woody debris entering small streams in western Oregon and Washington. *Canadian Journal of Forest Research* 20:326-330.
- McDonald, L. 1995. Relationships between northern flying squirrels and stand age and structure in aspen mixedwood forests in Alberta. *In* J.B. Stelfox (editor). Relationships between stand age, stand structure and biodiversity in aspen mixedwood forests in Alberta. Alberta Environmental Centre (AECV95-R1) and Canadian Forest Service (Project No. 0001A). Edmonton, Alberta. pp. 227-240.
- McFee, W.W. and E.L. Stone. 1986. The persistence of decaying wood in the humus layers of northern forests. *Soil Science Society of America Proceedings* 30:513-516.
- McKenzie, D.S. and R.M. Storm. 1970. Patterns of habitat selection in the clouded salamander, *Aneides ferreus* (Cope.). *Herpetologica* 26:450-454.
- McLachlin, R.A. 1983. Dispersion of the western winter wren (*Troglodytes troglodytes pacificus* Baird) in coastal western hemlock forest at the University of British Columbia Research Forest in south-western British Columbia. Ph.D. thesis, Faculty of Forestry, University of British Columbia, Vancouver, B.C. xxii + 275 p.

- McPeck, G.A., W.C. McComb and J.J. Moriarty. 1987. Bark-foraging bird abundance unaffected by increased snag availability in a mixed mesophytic forest. *Wilson Bulletin* 99:253-257.
- McRae, D.J., M.E. Alexander and B.J. Stocks. 1979. Measurement and description of fuels and fire behaviour on prescribed burns: a handbook. Canadian Forestry Service Report O-X-287. Great Lakes Forest Research Centre, Sault Ste. Marie, Ontario. iv + 44 p. Appendices.
- Means, J.E., K. Cromack, Jr. and P.C. MacMillan. 1985. Comparison of decomposition models using wood density of Douglas-fir logs. *Canadian Journal of Forest Research* 15:1092-1098.
- Means, J.E., P.C. MacMillan and K. Cromack, Jr. 1992. Biomass and nutrient content of Douglas-fir logs and other detrital pools in an old-growth forest, Oregon, U.S.A. *Canadian Journal of Forest Research* 22:1536-1546.
- Merrill, W. and E.B. Cowling. 1966. Role of nitrogen in wood deterioration, IV: relationship of natural variation in nitrogen content of wood to its susceptibility to decay. *Phytopathology* 56:1324-1325.
- Merrill, W. and A.L. Shigo. 1979. An expanded concept of tree decay. *Phytopathology* 69:1158-1159.
- Miller, E. 1987. Effects of forest practices on relationships between riparian area and aquatic ecosystems. *In* J.G. Dickson (editor). *Managing southern forests for wildlife and fish: a proceedings*. January 1987. USDA Forest Service General Technical Report SO-65. Southern Forest Experiment Station, New Orleans, Louisiana. pp. 40-47
- Miller, E. and D. Miller. 1979. Snags, partly dead, and deformed trees - use by cavity-nesting species. Umatilla National Forest, USDA Forest Service, Pendleton, Oregon.
- Miller, E. and D.R. Miller. 1980. Snag use by birds. *In* R.M. DeGraff (sic) and N.G. Tilghman (editors). *Workshop proceedings: management of western forests and grasslands for nongame birds*. February 11-14, 1980, Salt Lake City, Utah. USDA Forest Service General Technical Report INT-86. Intermountain Forest and Range Experiment Station, Ogden, Utah. pp.337-356.
- Miller, E.A., A.D. Partridge and E.L. Bull. 1979. The relationship of primary cavity nesters and decay. *Transactions of the Northeast Section of the Wildlife Society* 36:60-68.

- Miller, R.S. and R.W. Nero. 1983. Hummingbird - sapsucker associations in northern climates. *Canadian Journal of Zoology* 61:1540-1546.
- Mills, L.S. 1995. Edge effects and isolation: red-backed voles on forest remnants. *Conservation Biology* 9:395-403.
- Minore, D. 1966. Identification of rotten logs in the coastal forests of Oregon and Washington. USDA Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. 16 p.
- Moldenke, A.R. and J.D. Lattin. 1990. Dispersal characteristics of old-growth soil arthropods: the potential for loss of diversity and biological function. *The Northwest Environmental Journal* 6:408-409.
- Morris, D.W. 1984. Patterns and scale of habitat use in two temperate-zone small mammal faunas. *Canadian Journal of Zoology* 62:1540-1547.
- Morrison, M.L. and M.G. Raphael. 1993. Modeling the dynamics of snags. *Ecological Applications* 3:322-330.
- Morrison, M.L., M.G. Raphael and R.C. Heald. 1983. The use of high cut stumps by cavity-nesting birds. *In* J.W. Davis, G.A. Goodwin and R.A. Ockenfels (technical coordinators). *Proceeding of the symposium on snag habitat management*. USDA Forest Service General Technical Report RM-99. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. pp. 68-72.
- Muller, R.N. and Y. Liu. 1990. Coarse woody debris in an old-growth deciduous forest. *Bulletin of the Ecological Society of America*, Supplement to 71(2):265.
- Muller, R.N. and Y. Liu. 1991. Coarse woody debris in an old-growth deciduous forest on the Cumberland Plateau, southeastern Kentucky. *Canadian Journal of Forest Research* 21:1567-1572.
- Murphy, E.D. and W.A. Lehnhausen. 1998. Density and foraging ecology of woodpeckers following a stand-replacement fire. *Journal of Wildlife Management* 62(4):1359-1372.
- Nadel, H. 1995. Abundance and diversity of soil microarthropods – draft report for 1994, B.C. MoF Sicamous Creek Silvicultural Systems Project, A11 (IR42).
- Nagorsen, D.W. and R.M. Brigham. 1993. *The bats of British Columbia*. Royal British Columbia Museum, Victoria, B.C. and UBC Press, Vancouver, B.C. 165 p.

- Nalder, I.A., R.W. Wein, M.E. Alexander and W.J. de Groot. 1997. Physical properties of dead and downed round-wood fuels in the boreal forests of Alberta and Northwest Territories. *Canadian Journal of Forest Research* 27:1513-1517.
- Neitro, W.A., V.W. Binkley, S.P. Cline and others. 1985. Snags (wildlife trees). *In* E.R. Brown (editor). Management of fish and wildlife habitats in forests of western Oregon and Washington, Part 1: chapter narratives. USDA Forest Service Publication No. R6-F&WL-192-1985. Pacific Northwest Regional Office, Portland, Oregon. pp.129-169.
- Nelson, S.K. 1988. Habitat use and densities of cavity-nesting birds in the Oregon coast ranges. M.S. thesis, Oregon State University, Corvallis, Oregon. 157 p.
- Newton, I. 1994. The role of nest sites in limiting the numbers of hole-nesting birds. *Biological Conservation* 70:265-276.
- Niemi, G.J. and J.M. Hanoski. 1984. Relationships of breeding birds to habitat characteristics in logged areas. *Journal of Wildlife Management* 48:438-443.
- Noble, W.O., E.C. Meslow and M.D. Pope. 1990. Denning habits of black bears in the central Coast Range of Oregon. Department of Fisheries and Wildlife, Oregon State University, Corvallis, Oregon.
- Nordyke, Kirk A. and Buskirk, Steven W. 1991. Southern red-backed vole, *Clethrionomys gapperi*, populations in relation to stand succession and old-growth character in the central Rocky Mountains. *Canadian Field Naturalist* 105(3):330.
- Nowotny, C., T.P. Sullivan and A.S Harestad. 1990. Woody debris and abundance of rodents on clearcuts in sub-boreal spruce forests. Unpublished manuscript. 21 p.
- O'Connor, C.N. 1981. The rate of wood and bark decomposition in the Coastal Douglas-fir - wetter and Coastal Western Hemlock - drier subzones. B.S.F. thesis. Faculty of Forestry, University of British Columbia, Vancouver, B.C. 63 p.
- O'Connor, M.D. and R.R. Ziemer. 1989. Coarse woody debris ecology in a second-growth *Sequoia sempervirens* forest stream. *In* Proceedings of the California riparian systems conference: protection, management, and restoration for the 1990's. September 22-24, 1988, Davis, California. USDA Forest Service General Technical Report PSW-110. Pacific Southwest Forest and Range Experiment Station, Berkeley, California. pp.165-171.

- Olson, J.S. 1963. Energy storage and the balance of producers and decomposers in ecological systems. *Ecology* 44:322-331.
- Olympic Learning Center. 1994. Concepts in ecosystem management: coarse woody debris; forest structure; forest canopy; forest edges; underground ecosystems, stream processes; landscape patterns.
- Orchard, S.A. 1984. Amphibians and reptiles of B.C.: an ecological review. Research Branch, B.C. Ministry of Forests, Victoria, B.C. 268 p.
- Ormsbee, P.C. 1996. Characteristics, use, and distribution of day roosts selected by female *Myotis volans* (long-legged myotis) in forested habitat of the central Oregon Cascades. In R.M.R. Barclay and R.M. Brigham (editors). Bats and forests symposium, October 19-21, 1995, Victoria, B.C. Working Paper 23/1996. Research Branch, B.C. Ministry of Forests, Victoria, B.C. pp. 124-131.  
<http://www.for.gov.bc.ca/hfd/pubs/Docs/Wp/Wp23-2.pdf>
- Ormsbee, P.C. and W.C. McComb. 1998. Selection of day roosts by female long-legged myotis in the central Oregon Cascade Range. *Journal of Wildlife Management* 62:596-603.
- Ovaska, K. and P.T. Gregory. 1989. Population structure, growth, and reproduction in a Vancouver Island population of the salamander, *Plethodon vehiculum*. *Herpetologica* 45:133-143.
- Panesar, T.S. and V.G. Marshall. 1993. Nematode diversity and distribution in different forest soil habitats. In V. Marshall (editor). Proceedings of the forest ecosystem dynamics workshop, February 10-11 1993. FRDA Report 210. Forestry Canada and B.C. Ministry of Forests, Victoria, B.C. pp. 28-30.
- Paragi, T.F., S.M. Arthur and W.B. Kroh. 1996. Importance of tree cavities as natal dens for fishers. *Northern Journal of Applied Forestry* 13:79-83.
- Paré, D. and Y. Bergeron. 1995. Above-ground biomass accumulation along a 230-year chronosequence in the southern portion of the Canadian boreal forest. *Journal of Ecology* 83(6):1001-1008.
- Parker, D.I., J.A. Cook and S.W. Lewis. 1996. Effects of timber harvest on bat activity in southeastern Alaska's temperate rainforests. In R.M.R. Barclay and R.M. Brigham (editors). Bats and forests symposium, October 19-21, 1995, Victoria, B.C. Working Paper 23/1996. Research Branch, B.C. Ministry of Forests, Victoria, B.C. pp. 277-292.  
<http://www.for.gov.bc.ca/hfd/pubs/Docs/Wp/Wp23-3.pdf>

- Parminter, J. 1998. Natural disturbance ecology. *In* J. Voller and S. Harrison (editors). Conservation biology principles for forested landscapes. UBC Press, Vancouver, B.C. pp. 1-41.
- Parsons, G.L., G. Cassis, A.R. Moldenke, J.D. Lattin, N.H. Anderson, J.C. Miller, P. Hammond and T.D. Schowalter. 1991. Invertebrates of the H.J. Andrews Experimental forest, Western Cascade Range, Oregon, V: an annotated list of insects and other arthropods. USDA Forest Service General Technical Report PNW-290. Pacific Northwest Research Station, Portland, Oregon. 168 p.
- Partridge, A.D. and D.L. Miller. 1974. Major wood decays in the inland Northwest. Natural resource series, No. 3. Idaho Research Foundation, Moscow, Idaho. 125 p.
- Perry, D.A. 1991. The ecology of coarse woody debris in Pacific Northwest Forests: overview, and the role of down logs in ecosystem processes. Unpublished report. Department of Forest Science, Oregon State University, Corvallis, Oregon. 39 p.
- Perry, D.A. 1998. The scientific basis of forestry. *Annual Review of Ecology and Systematics* 29:435-66.
- Petersen, B. and G. Gauthier. 1985. Nest site use by cavity-nesting birds of the Cariboo parkland, British Columbia. *Wilson Bulletin* 97:319-331.
- Phillipson, J. 1983. Wood biomass, production and litter-fall in an English beechwood. *Oecologia* 57:189-195.
- Pickford, S.G. and J.W. Hazard. 1978. Simulation studies on line intersect sampling of forest residue. *Forest Science* 24:469-483.
- Pierovich, J.M, E.H. Clarke, S.G. Pickford and F.R. Ward. 1975. Forest residues management guidelines for the Pacific Northwest. USDA Forest Service General Technical Report PNW-33. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. 281 p.
- Pingjun, L. and T.E. Martin. 1991. Nest-site selection and nesting success of cavity-nesting birds in high elevation forest drainages. *Auk* 108:405-418.
- Planz, J.V. and G.L. Kirkland Jr.. 1992. Use of woody ground litter as a substrate for travel by the white-footed mouse. *Canadian Field Naturalist* 106(1):118-121.
- Powell, R.A. and W.J. Zielinski. 1994. Fisher. *In* L.F. Ruggiero, K.B. Aubry, S.W. Buskirk, L.J. Lyon and W.J. Zielinski (technical editors). The scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine in

the western United States. USDA Forest Service General Technical Report RM-254. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. pp.38-73.

- Powers, R.F., D.H. Alban, G.A. Ruark and A.E. Riarks. 1990. A soils research approach to evaluating management impacts on long-term productivity. *In* W.J. Dyck and C.A. Mees (editors). Impact of intensive harvesting on forest site productivity. Proceedings, IEA/BE A3 workshop, South Island, New Zealand, March 1989. pp.127-145.
- Prescott, C. No date. Forest succession and nutrient cycles. Unpublished report, Kananaskis Centre for Environmental Research, University of Calgary, Calgary, Alberta.
- Prescott, C.E., J.P. Corbin and D. Parkinson. 1989. Input, accumulation, and residence times of carbon, nitrogen, and phosphorus in four Rocky Mountain coniferous forests. *Canadian Journal of Forest Research* 19:489-498.
- Prescott, C.E., M.A. McDonald and G.F. Weetman. 1993. Availability of N and P in the forest floors of adjacent stands of western red cedar - western hemlock and western hemlock - amabilis fir on northern Vancouver Island. *Canadian Journal of Forest Research* 23: 605-610.
- Preston, C.M. 1993. Investigations of carbon and nitrogen chemistry in forest ecosystems. *In* V. Marshall (editor). Proceedings of the forest ecosystem dynamics workshop, February 10-11, 1993. FRDA Report 210. Forestry Canada and B.C. Ministry of Forests, Victoria, B.C. pp. 54-55.
- Preston, C.M., P. Sollins and B.G. Sayer. 1990. Changes in organic components for fallen logs in old-growth Douglas-fir forests monitored by <sup>13</sup>C nuclear magnetic resonance spectroscopy. *Canadian Journal of Forest Research* 20:1382-1391.
- Preston, C.M., J.A. Trofymow and J. Niu. 1998. Characterization and transformations of organic carbon pools by <sup>13</sup>C CPMAS NMR in coastal forest chronosequences of southern Vancouver Island. *In* J.A. Trofymow and A. MacKinnon (editors). Proceedings of a workshop on structure, process, and diversity in successional forests of coastal British Columbia. February 17-19, 1998, Victoria, B.C. Northwest Science Vol. 72, Special Issue No. 2. pp. 54-56. <http://www.pfc.cfs.nrcan.gc.ca/workshops/sfrwpapers/16prest.pdf>
- Preston, C.M., J.A. Trofymow, J. Niu and C.A. Fyfe. 1998. C CPMAS NMR spectroscopy and chemical analysis of coarse woody debris in coastal forests of Vancouver Island. *Forest Ecology and Management* 111:51-68.

Price, K., J. Pojar, A. Roburn, L. Brewer and N. Poirier. 1998. Windthrown or clearcut – what's the difference? *In* J.A. Trofymow and A. MacKinnon (editors). Proceedings of a workshop on structure, process, and diversity in successional forests of coastal British Columbia. February 17-19, 1998, Victoria, British Columbia. Northwest Science Vol. 72, Special Issue No. 2. pp. 30-33.

<http://www.pfc.cfs.nrcan.gc.ca/workshops/sfrwpapers/09price.pdf>

Province of British Columbia. 1995. Biodiversity guidebook - Forest Practices Code of British Columbia. Ministry of Forests and BC Environment, Victoria, B.C. 99 p.

Pyle, C. and M.M. Brown. 1999. Heterogeneity of wood decay classes within hardwood logs. *Forest Ecology and Management* 114:253-259.

Quesnel, H. 1996. Assessment and characterization of old-growth stands in the Nelson Forest Region, final report for E.P. 1175.01. Technical Report TR-013. Forest Sciences Section, B.C. Forest Service, Nelson, B.C. vi + 143 p.

Rabe, M.J, T.E. Morrell and J.C. DeVos. 1998. Characteristics of ponderosa pine snag roosts used by reproductive bats in northern Arizona. *Journal of Wildlife Management* 62(2):612-621.

Radcliffe, G. and J.D. Steventon. 1994. Biodiversity of the Prince Rupert Forest Region and biodiversity and forest management in the Prince Rupert Forest Region: a discussion paper. Land Management Report No. 82. Research Branch, Ministry of Forests, Victoria, B.C. 148 p.

Raphael, M.G. 1983. Analysis of habitat requirements of amphibians, reptiles, and mammals in three early-successional stages of Douglas-fir forest. USDA Forest Service Agreement No. PSW-82-0068. Pacific Southwest Regional Office, San Francisco, California.

Raphael, M.G. 1984. Wildlife populations in relation to stand age and area in Douglas-fir forests of northwestern California. *In* W.R. Meehan, T.R. Merrell Jr. and T.A. Handley (editors). Fish and wildlife relationships in old-growth forests, proceedings of a symposium. April 12-15, 1982, Juneau, Alaska. American Institute of Fishery Research Biologists, Morehead City, North Carolina. pp. 259-274.

Raphael, M.G. 1985. Administrative study of relationships between wildlife and old-growth forest stands. Supplement RO-44 under Master Agreement No. 21-395. Final Report. USDA Forest Service, Pacific Southwest Regional Office, Berkeley, California.

- Raphael, M.G. 1988. Long-term trends in abundance of amphibians, reptiles, and mammals in Douglas-fir forests of northwestern California. *In* R.C. Szaro, K.E. Severson and D.R. Patton (technical coordinators). Management of amphibians, reptiles, and small mammals in North America - proceedings of the symposium. July 19-21, 1988, Flagstaff, Arizona. USDA Forest Service General Technical Report RM-166. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. pp. 23-31.
- Raphael, M.G. and R.H. Barrett. 1984. Diversity and abundance of wildlife in late successional Douglas-fir forests. *In* New forests for a changing world, Proceedings of the 1983 convention of the Society of American Foresters. October 16-20, 1983, Portland, Oregon. SAF Publication 84-3, Society of American Foresters, Bethesda, Maryland. pp. 352-360.
- Raphael, M.G. and L.L.C. Jones. 1997. Characteristics of resting and denning sites of American martens in central Oregon and western Washington. *In* G. Proulx, H.N. Bryant and P.M. Woodard (editors). Martes: taxonomy, ecology, techniques, and management: proceedings of the Second International Martes Symposium. Provincial Museum of Alberta, Edmonton, Alberta. pp.146-165
- Raphael, M.G. and M.L. Morrison. 1987. Decay and dynamics of snags in the Sierra Nevada, California. *Forest Science* 33(3):774-783.
- Raphael, M.G. and M. White. 1978. Snags, wildlife, and forest management in the Sierra Nevada. Western Section of the Wildlife Society and the California-Nevada Chapter of the American Fisheries Society. *Cal-Neva wildlife; transactions* 1978:23-41.
- Raphael, M.G. and M. White. 1984. Use of snags by cavity-nesting birds in the Sierra Nevada. *Wildlife Monographs* 86:1-66.
- Rasheed, S.A. and S.L. Holroyd. 1995. Roosting habitat assessment and inventory of bats in the Mica Wildlife Compensation Area. Unpublished report, B.C. Hydro and B.C. Environment, Lands and Parks.
- Rasmussen, H.N. and D.F. Whigham. 1998. Importance of woody debris in seed germination of *Tipularia discolor*. *American Journal of Botany* 85(6):829-34.
- Rayner, A.D.M. and L. Boddy. 1988. Fungal decomposition of wood: its biology and ecology. John Wiley & Sons, New York, NY. 587 p.
- Redhead, S. 1993. Macrofungi inventory requirements, part 3 of: M. Ryan, T. Goward and S. Redhead. 1993. Nonvascular plant inventory requirements for British Columbia. Unpublished manuscript, Arenaria Research and Interpretation, Victoria, B.C.

- Remington, S.B. 1986. Amount and characteristics of logging residue on harvested areas in Vermont. *Northern Journal of Applied Forestry* 3:63-65.
- Resources Inventory Branch. 2000. Vegetation resources inventory ground sampling procedures, version 4.1 – section 4.3: assessing tree attributes for wildlife. Resources Inventory Branch for the Terrestrial Ecosystems Task Force, Resources Inventory Committee. Ministry of Forests, Victoria, B.C. [http://www.for.gov.bc.ca/RIC/Pubs/teVeg/gsp/ground-11.htm#P1685\\_59953](http://www.for.gov.bc.ca/RIC/Pubs/teVeg/gsp/ground-11.htm#P1685_59953)
- Resources Inventory Branch. 2000. Vegetation resources inventory ground sampling procedures, version 4.1 – section 8: coarse woody debris. Resources Inventory Branch for the Terrestrial Ecosystems Task Force, Resources Inventory Committee. Ministry of Forests, Victoria, B.C. [http://www.for.gov.bc.ca/RIC/Pubs/teVeg/gsp/ground-38.htm#P8164\\_239378](http://www.for.gov.bc.ca/RIC/Pubs/teVeg/gsp/ground-38.htm#P8164_239378)
- Rhoades, F. 1986. Small mammal mycophagy near woody debris accumulations in the Stehekin River valley, Washington. *Northwest Science* 60(3):150-153.
- Rice, M.D., B.G. Lockaby, J.A. Stanturf and B.D. Keeland. 1997. Woody debris decomposition in the Atchafalaya River Basin of Louisiana following hurricane disturbance. *Soil Science Society of America Journal* 61:1264-1274.
- Ringvall, A. and G. Stahl. 1999. Field aspects of line intersect sampling for assessing coarse woody debris. *Forest Ecology and Management* 119:163-170.
- Robison, E.G. and R.L. Beschta. 1990. Characteristics of coarse woody debris for several coastal streams of southeast Alaska, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 47:1684-1693.
- Robison, E.G. and R.L. Beschta. 1990. Identifying trees in riparian areas that can provide coarse woody debris to streams. *Forest Science* 36(3):790-801.
- Rosenberg, D.K., J.D. Fraser and D.F. Stauffer. 1988. Use and characteristics of snags in young and old forest stands in southwest Virginia. *Forest Science* 34(1):224-228.
- Roy, L.D., J.B. Stelfox and J.W. Nolan. 1995. Relationships between mammal biodiversity and stand age and structure in aspen mixedwood forests in Alberta. *In* J.B. Stelfox (editor). Relationships between stand age, stand structure and biodiversity in aspen mixedwood forests in Alberta. Alberta Environmental Centre (AECV95-R1) and Canadian Forest Service (Project No. 0001A). Edmonton, Alberta. pp.159-189.
- Ruggiero, L.F., L.L.C. Jones and K.B. Aubry. 1991. Plant and animal habitat associations in Douglas-fir forests of the Pacific Northwest: an overview. *In*

- L.F. Ruggiero, K.B. Aubry, A.B. Carey and M.F. Huff (technical coordinators). Wildlife and vegetation of unmanaged Douglas-fir forests. USDA Forest Service General Technical Report PNW-285. Pacific Northwest Research Station, Portland, Oregon. pp. 447-462.
- Ruggiero, L.F., D.E. Pearson and S.E. Henry. 1998. Characteristics of American marten den sites in Wyoming. *Journal of Wildlife Management* 62:663-673.
- Ruth, R.H. and A.S. Harris. 1975. Forest residues in hemlock – spruce forests of the Pacific Northwest and Alaska – a state of knowledge review with recommendations for residue management. USDA Forest Service General Technical Report PNW-39. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. 52 p.
- Ryan, K.C. and S.G. Pickford. 1978. Physical properties of woody fuels in the Blue Mountains of Oregon and Washington. USDA Forest Service Research Note PNW-315. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. 9 p.
- Ryan, M.W. and D.F. Fraser. 1993. Changes in plant diversity in Douglas-fir stands following the conversion of old growth to second growth. *In* V. Marshall (editor). Proceedings of the forest ecosystem dynamics workshop, February 10-11 1993. FRDA Report 210. Forestry Canada and B.C. Ministry of Forests, Victoria, B.C. pp. 16-20.
- Ryan, M.W, D.F Fraser, V.G. Marshall and D.W.F. Pollard. 1998. Differences in the composition of vascular plants, bryophytes, and lichens among four successional stages on southern Vancouver Island. *In* J.A. Trofymow and A. MacKinnon (editors). Proceedings of a workshop on structure, process, and diversity in successional forests of coastal British Columbia. February 17-19, 1998, Victoria, B.C. Northwest Science Vol. 72, Special Issue No. 2. pp. 86-88. <http://www.pfc.cfs.nrcan.gc.ca/workshops/sfrwpapers/25ryan.pdf>
- Sachs, D. and P. Sollins. 1986. Potential effects of management practices on nitrogen nutrition and long-term productivity of western hemlock stands. *Forest Ecology and Management* 17:25-36.
- Safranyik, L. and D.A. Linton. 1987. Line intersect sampling for the density and bark area of logging residue susceptible to the spruce beetle, *Dendroctonus rufipennis* (Kirkby). Canadian Forestry Service Information Report BC-X-295. Pacific Forestry Centre, Victoria, B.C. 10 p.
- Samuelsson, J., L. Gustafsson and T. Ingelög. 1994. Dying and dead trees: a review of their importance for biodiversity. Swedish Threatened Species Unit, Uppsala, Sweden. 110 p.

- Sasse, D.B. and P.J. Pekins. 1996. Summer roosting ecology of northern long-eared bats (*Myotis septentrionalis*) in the White Mountain National Forest. *In* R.M.R. Barclay and R.M. Brigham (editors). Bats and forests symposium, October 19-21, 1995, Victoria, B.C. Working Paper 23/1996. Research Branch, B.C. Ministry of Forests, Victoria, B.C. pp. 91-101.  
<http://www.for.gov.bc.ca/hfd/pubs/Docs/Wp/Wp23-2.pdf>
- Scheffer, T.C. and E.B. Cowling. 1966. Natural resistance of wood to microbial deterioration. *Annual Review of Phytopathology* 4:147-170.
- Schieck, J. and M. Nietfeld. 1995. Bird species richness and abundance in relation to stand age and structure in aspen mixedwood forests in Alberta. *In* J.B. Stelfox (editor). Relationships between stand age, stand structure and biodiversity in aspen mixedwood forests in Alberta. Alberta Environmental Centre (AECV95-R1) and Canadian Forest Service (Project No. 0001A). Edmonton, Alberta. pp. 115-157.
- Schlesinger, W.H. 1977. Carbon balance in terrestrial detritus. *Annual Review of Ecology and Systematics* 8:51-81.
- Schowalter, T.D. 1992. Heterogeneity of decomposition and nutrient dynamics of oak (*Quercus*) logs during the first 2 years of decomposition. *Canadian Journal of Forest Research* 22:161-166.
- Schowalter, T. 1994. Coarse woody debris chewers in the Columbia River Basin. Walla Walla Xerographics, Walla Walla, Washington.
- Schreiber, B. 1987. Diurnal use of snags on clearcuts in central coastal Oregon. M.S. thesis, Oregon State University, Corvallis, Oregon. 63 p.
- Schreiber, B. and D.S. deCalesta. 1992. The relationship between cavity-nesting birds and snags on clearcuts in western Oregon. *Forest Ecology and Management* 50:299-316.
- Scientific Analysis Team. 1993. Viability assessments and management considerations for species associated with late-successional and old-growth forests of the Pacific Northwest. Forest Service Research, National Forest System, USDA Forest Service, Portland, Oregon. iii + 530 p.
- Scott, M.L. and P.G. Murphy. 1987. Regeneration patterns of northern white cedar, an old-growth forest dominant. *American Midland Naturalist* 117(1):10-16.
- Scott, V.E. 1978. Characteristics of ponderosa pine snags used by cavity-nesting birds in Arizona. *Journal of Forestry* 76:26-28.

- Scott, V.E. 1979. Bird responses to snag removal in ponderosa pine. *Journal of Forestry* 77:26-28.
- Sedell, J.R., P.A. Bisson, F.J. Swanson and S.V. Gregory. 1988. What we know about large trees that fall into streams and rivers. *In* C. Maser, R.F. Tarrant, J.M. Trappe and J.F. Franklin (technical editors). *From the forest to the sea: a story of fallen trees*. USDA Forest Service General Technical Report PNW-GTR-229. Pacific Northwest Research Station, Portland, Oregon. pp. 47-81. <http://www.fs.fed.us/pnw/pubs/229chpt3.pdf>
- Seidl, M.T. 1985. The role of the fallen tree in an old-growth forest. *In* Proceedings, 6<sup>th</sup> North American Conference on Mycorrhizae. June 25-29, 1984, Bend, Oregon. Forest Research Laboratory, Oregon State University, Corvallis, Oregon. pp.274-275.
- Setälä, H. and V. Marshall. 1993. Succession of *Collembola* in stumps of Douglas-fir seres representing clearcuts to old-growth forest. *In* V. Marshall (editor). Proceedings of the forest ecosystem dynamics workshop, February 10-11 1993. FRDA Report 210. Forestry Canada and B.C. Ministry of Forests, Victoria, B.C. pp. 21-22.
- Setälä, H. and V. Marshall. 1994. Stumps as a habitat for *Collembola* during succession from clear-cuts to Douglas-fir forests. *Pedobiologia* 38:307-26.
- Setälä, H., V.G. Marshall and J.A. Trofymow. 1995. Influence of micro-and macro-environmental factors on collembolan communities in Douglas-fir stumps during forest succession. *Applied Soil Ecology* 2:227-242.
- Shigo, A.L. and L. Kilham. 1968. Sapsuckers and *Fomes ignarius* var. *populinus*. USDA Forest Service Research Note NE-84. Northeastern Forest Experiment Station, Upper Darby, Pennsylvania. 2 p.
- Silvester, W.B., P. Sollins, T. Verhoeven and S.P. Cline. 1982. Nitrogen fixation and acetylene reduction in decaying conifer boles: effects of incubation time, aeration, and moisture content. *Canadian Journal of Forest Research* 12:646-652.
- Simmons, J.A., I.J. Fernandez and R.D. Briggs. 1996. Forest floor carbon pools and fluxes along a regional climate gradient in Maine, USA. *Forest Ecology and Management* 84:81-95.
- Singh, T. 1987. Estimating downed-dead roundwood fuel volumes in central Alberta. Information Report NOR-X-289. Northern Forestry Centre, Canadian Forestry Service, Edmonton, Alberta. viii + 23 p.

- Sinsabaugh, R.L., R.K. Antibus and A.E. Linkins. 1992. Wood decomposition over a first-order watershed: mass loss as a function of lignocellulase activity. *Soil Biology and Biochemistry* 24(8):743-749.
- Sinsabaugh, R.L., R.K. Antibus and A.E. Linkins. 1993. Wood decomposition: nitrogen and phosphorus dynamics in relation to extracellular enzyme activity. *Ecology* 74:1586-1593.
- Smith, R.N. and L.R. Boring. 1990. *Pinus rigida* coarse woody debris inputs and decomposition in pine beetle gaps of the Southern Appalachians. *Bulletin of the Ecological Society of America*, Supplement to 71(2):329.
- Soderstrom, L. 1988. The occurrence of epixylic bryophyte and lichen species in an old natural and a managed forest stand in northeast Sweden. *Biological Conservation* 45f:168-78.
- Soderstrom, L. 1989. Regional distribution patterns of bryophyte species on spruce logs in northern Sweden. *Bryologist* 92:349-55.
- Sollins, P. 1982. Input and decay of coarse woody debris in coniferous stands in western Oregon and Washington. *Canadian Journal of Forest Research* 12:18-28.
- Sollins, P., S.P. Cline, T. Verhoeven, D. Sachs and G. Spycher. 1987. Patterns of log decay in old-growth Douglas-fir forests. *Canadian Journal of Forest Research* 17:1585-1595.
- Sollins, P., C.C. Grier, F.M. McCorison, K. Cromack, Jr., R. Fogel and R.L. Fredriksen. 1980. The internal element cycles of an old-growth Douglas-fir ecosystem in western Oregon. *Ecological Monographs* 50(3):261-285.
- Spaulding, P. and J.R. Hansbrough. 1944. Decay of logging slash in the Northeast. US Department of Agriculture Technical Bulletin 876. Washington, D.C. 22 p.
- Spences, W.D. 1987. Seasonal rest-site preferences of pine martens in the northern Sierra Nevada. *Journal of Wildlife Management* 51:616-621.
- Spencer, W.D., R.H. Barrett and W.J. Zielinski. 1983. Marten habitat preferences in the northern Sierra Nevada. *Journal of Wildlife Management* 47:175-182.
- Spetich, M.A., S.R. Shifley and G.R. Parker. 1999. Regional distribution and dynamics of coarse woody debris in midwestern old-growth forests. *Forest Science* 45(2):302-313.

- Spies, T.A. and S.P. Cline. 1988. Coarse woody debris in forests and plantations of coastal Oregon. *In* C. Maser, R.F. Tarrant, J.M. Trappe and J.F. Franklin (technical editors). From the forest to the sea: a story of fallen trees. USDA Forest Service General Technical Report PNW-GTR-229. Pacific Northwest Research Station, Portland, Oregon. pp. 5-24.  
<http://www.fs.fed.us/pnw/pubs/229chpt1.pdf>
- Spies, T.A. and J.F. Franklin. 1988. Old growth and forest dynamics in the Douglas-fir region of western Oregon and Washington. *Natural Areas Journal* 8(3):190-201.
- Spies, T.A. and J.F. Franklin. 1991. The structure of natural young, mature, and old-growth Douglas-fir forests. *In* L.F. Ruggiero, K.B. Aubry, A.B. Carey and M.F. Huff (technical coordinators). Wildlife and vegetation of unmanaged Douglas-fir forests. USDA Forest Service General Technical Report PNW-285. Pacific Northwest Research Station, Portland, Oregon. pp. 99-110.
- Spies, T.A., J.F. Franklin and T.B. Thomas. 1988. Coarse woody debris in Douglas-fir forests of western Oregon and Washington. *Ecology* 69(6):1689-1702.
- Sprugel, D.G. 1985. Changes in biomass components through stand development in wave-regenerated balsam fir forests. *Canadian Journal of Forest Research* 15:269-278.
- Stahl, G. 1997. Transect relascope sampling for assessing coarse woody debris: the case of a  $\Pi/2$  relascope angle. *Scandinavian Journal of Forest Research* 12:375-381.
- Stahl, G. 1998. Transect relascope sampling - a method for the quantification of coarse woody debris. *Forest Science* 44(1):58-63.
- Stauffer, D.F. and L.B. Best. 1980. Habitat selection by birds of riparian communities: evaluating effects of habitat alterations. *Journal of Wildlife Management* 44:1-15.
- Stauffer, D.F. and L.B. Best. 1982. Nest-site selection by cavity nesting birds of riparian habitat in Iowa. *Wilson Bulletin* 94:329-337.
- Steeger, C. and C.L. Hitchcock. 1998. Influence of forest structure and diseases on nest-site selection by red-breasted nuthatches. *Journal Wildlife Management* 62(4):1349-1358.
- Steeger, C. and M.M. Machmer. 1995. Wildlife trees and their use by cavity nesters in selected stands of the Nelson Forest Region. Technical Report No. TR-010. Forest Sciences Section, Ministry of Forests, Nelson, B.C. 28 p.

- Steeger, C. and M. Machmer. 1996. Use of trees by cavity nesters in managed and unmanaged Interior Cedar - Hemlock stands of southern British Columbia. *In* P. Bradford, T. Manning and B. l'Anson (editors). Proceedings of the workshop on wildlife tree/stand-level biodiversity. B.C. Ministries of Environment and Forests, Victoria B.C. pp. 45-54.
- Stelfox, J.B., P.C. Lee, J. Schieck, L.D. Roy, S. Crites, L.H. Crampton and L. McDonald. 1995. General summary. *In* J.B. Stelfox (editor). Relationships between stand age, stand structure and biodiversity in aspen mixedwood forests in Alberta. Alberta Environmental Centre (AECV95-R1) and Canadian Forest Service (Project No. 0001A). Edmonton, Alberta. pp. 263-280.
- Stelfox, J.B., L.D. Roy, P.C. Lee, J. Schieck, S. Crites, L.H. Crampton and L. McDonald. 1995. Recommendations. *In* J.B. Stelfox (editor). Relationships between stand age, stand structure and biodiversity in aspen mixedwood forests in Alberta. Alberta Environmental Centre (AECV95-R1) and Canadian Forest Service (Project No. 0001A). Edmonton, Alberta. pp. 271-280.
- Stelmock, J.J. and A.S. Harestad. 1979. Food habits and life history of the clouded salamander (*Aneides ferreus*) on northern Vancouver Island. *Syesis* 12:71-75.
- Stevens, V. 1997. The ecological role of coarse woody debris: an overview of the ecological importance of CWD in BC forests. Working Paper 30/1997. Research Branch, Ministry of Forests, Victoria, B.C. v + 26 p.  
<http://www.for.gov.bc.ca/hfd/pubs/docs/Wp/Wp30.pdf>
- Stewart, G.H. and L.E. Burrows. 1994. Coarse woody debris in old-growth temperate beech (*Nothofagus*) forests of New Zealand. *Canadian Journal of Forest Research* 24:1989-1996.
- Stone, J.N., A. MacKinnon, J.V. Parminter and K.P. Lertzman. 1998. Coarse woody debris decomposition documented over 65 years on southern Vancouver Island. *Canadian Journal of Forest Research* 28:788-793.
- Stone, R. 1993. Old-growth forests: spotted owl plan kindles debate on salvage logging. *Science* 261:287.
- St. Pierre, Betsy. 1993. Distribution of coarse woody debris biomass. Wildlife Habitat Canada Research Proposal, Department of Biology and Institute for Research on Environment and Economy, University of Ottawa. p. 15.
- Swanson, F.J. and G.W. Lienkaemper. 1978. Physical consequences of large organic debris in streams. USDA Forest Service General Technical Report

- PNW-69. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. 12 p.
- Swift, M.J., O.W. Heal and J.M. Anderson. 1979. Decomposition in terrestrial ecosystems. Blackwell Scientific Publishers, London, United Kingdom. 372 p.
- Swift, J.J., I.N. Healey, J.K. Hibberd, J.M. Sykes, V. Bampoe and M.E. Nesbitt. 1976. The decomposition of branch-wood in the canopy and floor of a mixed deciduous woodland. *Oecologia* 26:139-149.
- Sylva Management Services, Ltd. 1991. Characteristics of snags used by cavity dwelling species: a literature review. Sylva Management Services, Kamloops, B.C. Miscellaneous Report 27, Habitat Silviculture Protection Committee, Ministry of Forests and Ministry of Environment, Lands and Parks, Victoria, B.C. 47 p.
- Tallmon, D.A. and I.S. Mills. 1994. Use of logs within home ranges of California red-backed voles on remnant of forest. *Journal of Mammology* 75:97-101.
- Taylor, C. 1995. The politics of salvage timber. *Journal of Forestry* 93:60.
- Taylor, K.L. and R.W. Fonda. 1990. Woody fuel structure and fire in subalpine fir forests, Olympic National Park, Washington. *Canadian Journal of Forest Research* 20:193-199.
- Taylor, R.F. 1935. Available nitrogen as a factor influencing the occurrence of Sitka spruce and western hemlock seedlings in the forests of southeastern Alaska. *Ecology* 16(4):580-602.
- Taylor, S.W. 1997. A field estimation procedure for downed coarse woody debris. Canadian Forest Service Forestry Research Applications Technology Transfer Note No. 2. Pacific Forestry Centre, Victoria, B.C. 6 p.
- Temnuhin, V.B. 1996. Preliminary quantitative estimation of wood decomposition by fungi in a Russian temperate pine forest. *Forest Ecology and Management* 81:249-257.
- Thomas, D.W. 1988. The distribution of bats in different ages of Douglas-fir forests. *Journal of Wildlife Management* 52:619-626.
- Thomas, D.W. and S.D. West. 1991. Forest age associations of bats in the southern Washington Cascade and Oregon Coast ranges. *In* L.F. Ruggiero, K.B. Aubry, A.B. Carey and M.F. Huff (technical coordinators). Wildlife and vegetation of unmanaged Douglas-fir forests. USDA Forest Service General Technical Report PNW-285. Pacific Northwest Research Station, Portland, Oregon. pp. 295-303.

- Thomas, J.W. 1979. Appendices 15, 17 – 24. *In* J.W. Thomas (technical editor). Wildlife habitats in managed forests: the Blue Mountains of Oregon and Washington. USDA Forest Service Agricultural Handbook No. 553. pp. 359, 378 – 398.
- Thomas, J.W., R.G. Anderson, C. Maser and E.L. Bull. 1979. Snags. *In* J.W. Thomas (technical editor). Wildlife habitats in managed forests: the Blue Mountains of Oregon and Washington. USDA Forest Service Agricultural Handbook No. 553. pp. 60-77.
- Thomas, J.W., R.J. Miller, H. Black, J.E. Rodick and C. Maser. 1976. Guidelines for maintaining and enhancing wildlife habitat in forest management in the Blue Mountains of Oregon and Washington. Transactions of the Forty-first North American Wildlife and Natural Resources Conference: 452-476.
- Thompson, I.D. and W.J. Curran. 1995. Habitat suitability for marten of second-growth balsam fir forests in Newfoundland. Canadian Journal of Zoology 73:2059-2064.
- Thompson, R.L. 1996. Home range and habitat use of western red-backed voles in mature coniferous forests in the Oregon Cascades. M.S. thesis, Oregon State University, Corvallis, Oregon. 88 p.
- Thomson, B. 1991. Annotated bibliography of large organic debris (LOD) with regards to stream channels and fish habitat. Technical Report 32. B.C. Ministry of Environment, Victoria, B.C. 93 p.
- Thornely, J.H.M. and M.G.R. Cannell. 1992. Nitrogen relations in a forest plantation - soil organic matter ecosystem model. Annals of Botany 70:137-51.
- Tianen, J. 1985. Monitoring bird populations in Finland. Ornis Fennica 62:80-89.
- Torgersen, T. and E. Bull. 1995. Down logs as habitat for forest-dwelling ants - the primary prey of Pileated Woodpeckers in northeastern Oregon. Northwest Science 69:294-303.
- Torgersen, T.R., R.R. Mason and R.W. Campbell. 1990. Predation by birds and ants on two forest insect pests in the Pacific Northwest. *In* M.L. Mossison, C.J. Ralph, J. Verner and J.R. Jehl (editors). Avian foraging: theory, methodology, and applications. Studies in Avian Biology 13:14-19.
- Tripp, Tania. 1994. The decay classes of coarse woody debris and the wildlife that can use them. Prepared for Integrated Resource Section, Resource Planning Branch, Ministry of Forests, Victoria, B.C. 14 p. Appendices.

- Triska, F.J. and K. Cromack, Jr. 1980. The role of wood debris in forests and streams. *In* R. Waring (editor). Forests: fresh perspectives from ecosystem analysis, proceedings of the 40th annual biology colloquium. Oregon State University Press, Corvallis, Oregon. pp.171-190.
- Tritton, L.M. 1980. Dead wood in the northern hardwood forest ecosystem. Ph.D. thesis. School of Forestry and Environmental Studies, Yale University, New Haven, Connecticut.
- Trofymow, J.A. 1993. Soil microbial activity in coastal Douglas-fir forests. *In* V. Marshall (editor). Proceedings of the forest ecosystem dynamics workshop, February 10-11 1993. FRDA Report 210. Forestry Canada and B.C. Ministry of Forests, Victoria, B.C. pp. 60-62.
- Trofymow, J.A. 1998. Detrital carbon fluxes and microbial activity in successional Douglas-fir forests. *In* J.A. Trofymow and A. MacKinnon (editors). Proceedings of a workshop on structure, process, and diversity in successional forests of coastal British Columbia. February 17-19, 1998, Victoria, B.C. Northwest Science Vol. 72, Special Issue No. 2. pp. 51-53.  
<http://www.pfc.cfs.nrcan.gc.ca/workshops/sfrwpapers/15trofy.pdf>
- Trofymow, J. A. and W.J. Beese. 1990. Quantities of coarse woody debris in old-growth forests. A brief to the Old Growth Project Research Working Group. Unpublished.
- Trofymow, J.A. and B.A. Blackwell. 1993. Effects of converting coastal old-growth forests to managed forests: changes in site carbon and nutrient contents during post-disturbance succession. *In* V. Marshall (editor). Proceedings of the forest ecosystem dynamics workshop, February 10-11 1993. FRDA Report 210. Forestry Canada and B.C. Ministry of Forests, Victoria, B.C. pp. 47-51.
- Trofymow, J.A. and B.A. Blackwell. 1998. Changes in ecosystem mass and carbon distributions in coastal forest chronosequences. *In* J.A. Trofymow and A. MacKinnon (editors). Proceedings of a workshop on structure, process, and diversity in successional forests of coastal British Columbia. February 17-19, 1998, Victoria, B.C. Northwest Science Vol. 72, Special Issue No. 2. pp. 40-42.  
<http://www.pfc.cfs.nrcan.gc.ca/workshops/sfrwpapers/11trofy.pdf>
- Trofymow, J. A. and G.L Porter. 1998. Introduction to the coastal forest chronosequence project. *In* J.A. Trofymow and A. MacKinnon (editors). Proceedings of a workshop on structure, process, and diversity in successional forests of coastal British Columbia. February 17-19, 1998, Victoria, B.C. Northwest Science Vol. 72, Special Issue No. 2. pp. 4-8.  
<http://www.pfc.cfs.nrcan.gc.ca/workshops/sfrwpapers/02trofy.pdf>

- Trowbridge, R., Hawkes, B., Macadam, A., and Parminter, J. 1987. Field handbook for prescribed fire assessments in British Columbia: logging slash fuels. B.C. Ministry of Forests and Lands and Canada/B.C. Economic and Regional Development Agreement, Victoria, B.C. FRDA Handbook No. 001. v + 63 p.
- Tubbs, C.H., R.M. DeGraaf, M. Yamasaki and W.M. Healy. 1986. Guide to wildlife tree management in New England northern hardwoods. USDA Forest Service General Technical Report NE-118. Northeastern Forest Experiment Station, Broomall, Pennsylvania. 30 p.
- Turner, J. and J.N. Long. 1975. Accumulation of organic matter in a series of Douglas-fir stands. *Canadian Journal of Forest Research* 5:681-690.
- Tyrrell, L.C. and T.R. Crow. 1994. Dynamics of dead wood in old-growth hemlock-hardwood forests of northern Wisconsin and northern Michigan. *Canadian Journal of Forest Research* 24:1672-1683.
- USDA Forest Service. 1996. Ecological characteristics of fishers in southwestern Oregon - progress report, June 1996. USDA Forest Service, Pacific Northwest Research Station, Olympia, Washington.
- Van Cleve, K. and V. Alexander. 1981. Nitrogen cycling in tundra and boreal ecosystems. *Ecological Bulletins* 33(375-404).
- Van Cleve, K., L. Oliver, R. Schlentner, L.A. Viereck and C.T. Dyrness. 1983. Productivity and nutrient cycling in taiga forest ecosystem. *Canadian Journal of Forest Research* 13:747-766.
- Van den Driessche, R., M.H. Mather, E. Grundmann and T.A. Chatwin. 1997. Inventory of bats in Clayoquot Sound, Vancouver Island, British Columbia 1996, 1997. Report to the Ministry of Environment, Lands and Parks, Nanaimo, B.C.
- Van Sickle, C. and R.E. Benson. 1978. The dead timber resource - amounts and characteristics. *In* Symposium, the dead softwood timber resource: proceedings of session held May 22, 23, 24, 1978, Spokane, Washington. Engineering Extension Service, Washington State University, Pullman, Washington. pp. 127-146.
- Van Sickle, J. and S.V. Gregory. 1990. Modeling inputs of large woody debris to streams from falling trees. *Canadian Journal of Forestry Research* 20:1593-1601.
- Van Wagner, C.E. 1968. The line intersect method in forest fuel sampling. *Forest Science* 14(1):20-26.

- Van Wagner, C.E. 1982. Practical aspects of the line intersect method. Canadian Forestry Service Information Report PI-X-12. Petawawa National Forestry Institute, Chalk River, Ontario. 11 p.  
<http://www.for.gov.bc.ca/research/deadwood/DTmes7.htm>
- Van Wagner, C.E. and A.L. Wilson. 1976. Diameter measurement in the line intersect method. *Forest Science* 22:230-232.
- Vega, R.M.S. 1993. Bird communities in managed conifer stands in the Oregon Cascades: habitat associations and nest predation. M.S. thesis. Oregon State University, Corvallis, Oregon. 83 p.
- Vogt, K.A., C.C. Grier and C.E. Meier. 1983. Organic matter and nutrient dynamics in forest floors of young and mature *Abies amabilis* stands in western Washington, as affected by fine-root input. *Ecological Monographs* 53:139-157.
- Vogt, K.A., C.C. Grier and D.J. Vogt. 1986. Production turnover and nutrient dynamics of above-and belowground detritus of world forests. *Advances in Ecological Research* 15:303-377.
- Volz, K. 1986. Habitat requirements of northern flying squirrels in west-central Oregon. M.S. thesis. Washington State University, Pullman, Washington. vi + 21 p.
- Vonhof, M.J. 1994. Roosting ecology and roost-site selection by forest-dwelling bats in the West Arm Demonstration Forest near Nelson, B.C. *Bat Research News* 35(4):118.
- Vonhof, M.J. 1996. Roost-site preferences of big brown bats (*Eptesicus fuscus*) and silver-haired bats (*Lasionycteris noctivagans*) in the Pend d'Oreille Valley in southern British Columbia. In R.M.R. Barclay and R.M. Brigham (editors). Bats and forests symposium, October 19-21, 1995, Victoria, B.C. Working Paper 23/1996. Research Branch, B.C. Ministry of Forests, Victoria, B.C. pp. 62-80.  
<http://www.for.gov.bc.ca/hfd/pubs/Docs/Wp/Wp23-1.pdf>
- Vonhof, M.J. and R.M.R. Barclay. 1996. Roost-site selection and roosting ecology of forest-dwelling bats in southern British Columbia. *Canadian Journal of Zoology* 74:1797-1805.
- Vonhof, M.J. and R.M.R. Barclay. 1997. Use of tree stumps as roosts by the western long-eared bat. *Journal of Wildlife Management* 61:674-684.

- Waksman, S.A. 1938. Humus: origin, chemical composition and importance in nature. Williams and Wilkins, Baltimore, Maryland. 526 p.
- Ward, F.R. and H.R. McLean. 1976. Burying forest residue – an alternative treatment. USDA Forest Service Research Note PNW-270. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. 7 p.
- Wei, X. and J.P. Kimmins. 1998. Asymbiotic nitrogen fixation in harvested and wildfire-killed lodgepole pine forests in the central interior of British Columbia. *Forest Ecology and Management* 109:343-353.
- Wei, X., J.P. Kimmins and O. Steen. 1997. Mass and nutrients in woody debris in harvested and wildfire-killed lodgepole pine forests in the central interior of British Columbia. *Canadian Journal of Forest Research* 27:148-155.
- Weigand, J.F. and A.L. Burditt. 1992. Economic implications for management of structural retention on harvest units at the Blue River Ranger District. Blue River Ranger District, Willamette National Forest, Oregon. 17 p.
- Weir, R.D. 1995. Diet, spatial organization, and habitat relationships of fishers in south-central British Columbia. M.Sc. thesis. Department of Biological Sciences, Simon Fraser University, Burnaby, B.C. xv + 139 p.
- Wells, J.M., C. Hughes and L. Boddy. 1990. The fate of soil-derived phosphorus in mycelial cord systems of *Phanerochaete velutina* and *Phallus impudicus*. *New Phytologist* 114: 595-606.
- Wells, J.M. and L. Boddy. 1990. Wood decay, and phosphorus and fungal biomass allocation, in mycelial cord systems. *New Phytologist* 116:285-295.
- Wells, R.W. and J.A. Trofymow. 1997. Coarse woody debris in chronosequences of forests on southern Vancouver Island. Canadian Forest Service Information Report BC-X-375. Pacific Forestry Centre, Victoria, B.C. vii + 35 p.
- Welsh, H.H. Jr. 1990. Relictual amphibians and old-growth forests. *Conservation Biology* 3:309-319.
- Welsh, H.H., Jr. and A.J. Lind. 1988. Old growth forests and the distribution of the terrestrial herpetofauna. In R.C. Szaro, K.E. Severson and D.R. Patton (technical coordinators). Management of amphibians, reptiles, and small mammals in North America - proceedings of the symposium. July 19-21, 1988, Flagstaff, Arizona. USDA Forest Service General Technical Report RM-166. Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado. pp.439-458.

- Welsh, H.H., Jr. and A.J. Lind. 1991. The structure of the herpetofaunal assemblage in the Douglas-fir/hardwood forests of northwestern California and southwestern Oregon. *In* L.F. Ruggiero, K.B. Aubry, A.B. Carey and M.F. Huff (technical coordinators). Wildlife and vegetation of unmanaged Douglas-fir forests. USDA Forest Service General Technical Report PNW-285. Pacific Northwest Research Station, Portland, Oregon. pp. 395-413.
- West, S.D. 1991. Small mammal communities in the southern Washington Cascade range. *In* L.F. Ruggiero, K.B. Aubry, A.B. Carey and M.F. Huff (technical coordinators). Wildlife and vegetation of unmanaged Douglas-fir forests. USDA Forest Service General Technical Report PNW-285. Pacific Northwest Research Station, Portland, Oregon. pp. 269-283.
- Wetton, E.A.F. (coordinator) 1976. Logging residues in British Columbia. Special Studies Division, B.C. Forest Service, Victoria, B.C. 94 p. Appendices.
- Whitaker, J.O. and C. Maser. 1976. Food habits of five western Oregon shrews. *Northwest Science* 50:102-107.
- Whitaker, J.O., C. Maser and R.J. Pedersen. 1979. Food and ectoparasitic mites of Oregon moles. *Northwest Science* 53:268-273.
- Whitaker, J.O., Jr., C. Maser, R.M. Storn and J.J. Beatty. 1986. Food habits of clouded salamanders (*Aneides ferreus*) in Curry County, Oregon (*Amphibia: Caudata: Plethodontidae*). *Great Basin Naturalist* 46:228-240.
- Wildstone Resources. 1993. Wildlife use of coarse woody debris: a literature review, prepared for B.C. Environment, Penticton, B.C. Wildstone Resources, Penticton, B.C. 26 p.
- Wilford, D.J. 1984. The sediment-storage function of large organic debris at the base of unstable slopes. *In* W.R. Meehan, T.R. Merrell Jr. and T.A. Handley (editors). Fish and wildlife relationships in old-growth forests, proceedings of a symposium. April 12-15, 1982, Juneau, Alaska. American Institute of Fishery Research Biologists, Morehead City, North Carolina. pp. 115-119.
- Wood, C.S. and G.A. Van Sickle. 1989. Forest insect and disease conditions: British Columbia and Yukon, 1989. Canadian Forestry Service Information Report BC-X-318. Pacific Forestry Centre, Victoria, B.C. 28 p.
- Woodward, R.A. and N. Henry. 1985. Quantifying residue after an intermediate harvest of a second-growth redwood stand. *Journal of Forestry* 83:426-428.
- Wright, K.H. and G.M. Harvey. 1967. The deterioration of beetle-killed Douglas-fir in western Oregon and Washington. USDA Forest Service Research Paper

PNW-50. Pacific Northwest Forest and Range Experiment Station, Portland, Oregon. iv + 20 p.

Yarie, J. 1986. A preliminary comparison of two ecosystem models, FORCYTE-10 and LINKAGES for interior Alaska white spruce. *In* G.I. Agren (editor). Predicting consequences [sic] of intensive forest harvesting on long-term productivity: proceedings from the IEA/FE project CPC-10 workshop. May 24-31, 1986, Jädraås, Sweden. Scientific Report No. 26. Swedish University of Agricultural Sciences, Dept. of Ecology and Environmental Research, Uppsala. pp. 95-103.

Yavitt, J.B. and T.J. Fahey. 1985. Chemical composition of interstitial water in decaying lodgepole pine bole wood. *Canadian Journal of Forest Research* 15:1149-1153.

Yin, Xiwei. 1999. The decay of forest woody debris: numerical modeling and implications based on some 300 data cases from North America. *Oecologia* 121(1):81-98.

<http://link.springer.de/link/service/journals/00442/bibs/9121001/91210081.htm>

Yoneda, T. 1982. Turnover of live and dead woody organs in forest ecosystems: an assessment based on the changes in the frequency distribution of their diameter (studies on the rate of decay of woodlitter on the forest floor, IV). *Japanese Journal of Ecology* 32:333-346.

Zarnowitz, J.E. and D.A. Manuwal. 1985. The effects of forest management on cavity-nesting birds in northwestern Washington. *Journal of Wildlife Management* 49(1):255-263.

Zhong, H. and T.D. Schowalter. 1989. Conifer bole utilization by wood-boring beetles in western Oregon. *Canadian Journal of Forest Research* 19:943-947.

Zimmerman, J.K., W.M. Pulliam, D.J. Lodge, V. Quinones-Orfila, N. Fetcher, S. Guzman-Grajales, J.A. Parrotta, C.E. Asbury, L.R. Walker and R.B. Waide. 1995. Nitrogen immobilization by decomposing woody debris and the recovery of tropical wet forest from hurricane damage. *Oikos* 72:314-322.