

What's New for Version 2.12.00 - July 2007

The following recent upgrades have been made to the ECAS application:

Category 1 - Fixes & business validation refinements

Interior BC Timber Sales (ECAS69)	Modified field name - "Grades 3,4,5,6 (\$/m3)" changed to "Grades 4 and 6 (\$/m3)" when no appraisal is selected
Maintain Users	Corrected bug on maintain user screen when a user id has been removed from the ADAM security system, error message no longer appears.

Category 2 – Enhancements (user-friendliness)

Coast and Interior Attachments	Moved the "Delete ZIP" Button to the bottom of the first section to prevent unwanted/ unnecessary deleting of attached ZIP files
---------------------------------------	--

Category 3 –Policy upgrades

COAST

None	
------	--

INTERIOR

IAM 2007	To make the necessary changes for the IAM Policy 2007 (effective date July 1, 2007) - new code values exist for Tabular Roads, a second set of BEC codes are added and the new BCTS 7.5.1. (5) parameter is added
Interior Tabular Roads, Overhead Values, Interior Cruise / Tree to Truck, BC Timber Sales	<p><u>Tabular Roads</u></p> <ul style="list-style-type: none">• <u>Removed</u> Road Type Code O – Operational and B – Block• <u>Added</u> Road Type Code L- Long Term and S- Short Term and T- Temporary <p><u>Overhead Values</u></p>

	<ul style="list-style-type: none"> • CP Average Slope is now a mandatory field • CP Average Volume/Hectare is now a mandatory field <p><u>Basic Silviculture</u></p> <ul style="list-style-type: none"> • Added a second set of BEC Zone, Sub-zone, and Variant fields. • Added two percentage fields - one for each of the BEC Zones of which the sum of the two must equal 100 percent <p><u>BC Timber Sales</u></p> <ul style="list-style-type: none"> • Added new radio button for Section 7.5.1 (5)
--	---

Category 4 –DTD updates

Interior DTD	<p>1) Road Type Code allowable values are now Winter, Long-term, Short-term and Temporary</p> <p style="text-align: center;">road-type-code (W L S T)</p> <p>2) Volume/ha and Average Slope are now required attributes.</p> <p style="text-align: center;">cp-avg-vol-per-ha CDATA #REQUIRED cp-avg-slope-pct CDATA #REQUIRED</p> <p>3) Two sets for BEC zone/subzone/variant are captured with a corresponding percentage for each. The zone/subzone and percentage of the first set are mandatory.</p> <p style="text-align: center;">bec-zone-code-1 CDATA #REQUIRED bec-subzone-code-1 CDATA #REQUIRED variant-1 CDATA #IMPLIED bec-percent-1 CDATA #REQUIRED bec-zone-code-2 CDATA #IMPLIED bec-subzone-code-2 CDATA #IMPLIED variant-2 CDATA #IMPLIED bec-percent-2 CDATA #IMPLIED</p> <p>4) Advertised/Re-advertised indicator has been changed</p>
---------------------	--

	from bcts-sale-advertised-ind (Y N y n) "N" bcts-sale-readvertised-ind (Y N y n) "N" To upset-override-reason-code (ADV DEC) #IMPLIED
--	---

Category 5 –Tech spec/documentation updates

Updated resultant from the changes above. All documentation can be accessed from the ECAS Project website, <http://www.for.gov.bc.ca/hva/ECAS/index.htm>.