

BOTA

vi

639.312  
F 138LS  
1983

639.312/F138LS/1983  
FACCHIN, A.  
LAKE SURVEY AND STOCKING  
RECORDS FOR THE KOOTENAY  
BOTA c. 1 vi \$1.00

c.1

LAKE SURVEY AND STOCKING RECORDS

FOR THE KOOTENAY REGION OF

BRITISH COLUMBIA

Volume 2 - Management Units 4-23 to 4-40

by


A. Facchin

G. King

LIBRARY  
B.C. MINISTRY OF ENVIRONMENT  
3rd FLOOR, 780 BLANSHARD ST.  
VICTORIA, B.C. CANADA  
V8V 1X5

Fisheries Technical Circular No. 55

1983



Province of British Columbia  
Ministry of Environment

BRITISH COLUMBIA FISH AND WILDLIFE BRANCH

LAKE SURVEY AND STOCKING RECORDS

FOR THE KOOTENAY REGION OF

---

BRITISH COLUMBIA

Volume 2 - Management Units 4-23 to 4-40

by

A. Facchin<sup>1</sup>

G. King

---

<sup>1</sup>Fish and Wildlife Branch, Fisheries Research Section, 2204 Main Mall, U.B.C.,  
Vancouver, B.C., V6T 1W5

## INTRODUCTION

The following report is a preliminary attempt to summarize physical-chemical information relevant to the management of lake fisheries in the Kootenay region. It is also a part of a longer term study of the fishery potential of the lake of British Columbia. The Kootenay region (Region 4) contains 1201 lakes of significant size to be of interest to the regional staff. These lakes are distributed among 36 management units which correspond roughly to watershed areas or ecological zones within the region. Of this total, 534 lakes are named whereas 667 are unnamed.

## DATA STORAGE AND FORMAT

The data was organized and coded by regional staff and stored and printed by a computer. The information has been checked for accuracy but due to its large volume, it is likely that errors still exist in the master file.

The master computer file contains spaces for many pieces of information, most of which are blank for any particular lake. The report generating program suppresses the printing of these blank fields which allows for the production of a relatively compact report. However, since different lakes contain different amounts of information, a variable format is typed by the computer from the standard master file on the tape. This master file contains spaces for the following information:

## SUMMARY OF DATA STORED

Access - Recorded as total distance in miles from the nearest town; and/or the distance to the lake from the end of the paved road and method of travel; and/or the distance to the lake from the end of the road and method of travel.

Accommodation - Recorded as the number of resort cabins, resort camper sites, private cabins and government campsites.

Chemistry - Alkalinity, hardness,  $H_2S$ , total nitrogen, pH, total phosphate, orthophosphate, secchi disc, TDS.

Identification - Lake name from Gazetteer, alias, region, and management unit.

Littoral zone - The character of the littoral zone is specified in terms of percentage of mud, sand, rock and coverage by macrophytes, such as chara or elodea.

Location - NTS map number, elevation, latitude and longitude.

Miscellaneous - Biogeoclimatic zone, whether or not fish have a muddy taste and winterkill risk as a percent probability.

Oxygen and Temperature - Measured in ppm O<sub>2</sub> and degrees centigrade at 0, 2, 4, 6, 8, 10, 20, 30, 50 meters. Sampling date required.

Physical - Surface area at full pool and minimum surface area for lakes subject to drawdown. Also littoral area, shoreline perimeter, volume, mean depth and flushing time; measured at full pool.

Rehabilitations - Date of treatment, toxicant used and estimated success for a maximum of three entries.

Shoreline Ownership - Percentage of surrounding land that is private, municipal, crown and/or Indian Reserve.

Shoreline Use - Percentage of surrounding land that is agricultural, forested, logged, rangeland and/or residential.

Species - Species list at time of the lake survey.

Stocking - A list of the most recent 11 years of stocking data including numbers, species and size range of fish stocked.

Early stocking records give fish size as a range, so the following scheme is used:

<u>Hatchery-size Range</u>	<u>Report-size Indicated</u>
> 3500/lb	4000/lb
1500 - 3500/lb	2500/lb
1000 - 1500/lb	1250/lb
500 - 1000/lb	750/lb
350 - 500/lb	425/lb
250 - 350/lb	300/lb
150 - 250/lb	200/lb
50 - 150/lb	100/lb
25 - 50/lb	37/lb
0 - 25/lb	12/lb

Structure - Any structures associated with the lake, such as fish-fences, fishways, coarse-fish barriers or beaver dams.

Watershed - Number of inlets and outlets and a summary of the sequence of flow from the lake outlet to a major watercourse.

#### USE OF THE REPORT

At the present time the lakes are ordered alphabetically within each management unit since these units or combinations of them are of convenient size for planning purposes. Other reports can easily be generated by the computer, e.g. alphabetical listings, by lake size, etc. and these will be produced as required.






Fig. 1. Map of the Kootenay area (Region 4) showing management units, and an inset of British Columbia showing Region 4.

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

ABRUZZI

Region 4

management unit 23

Elevation 6300'      Lat. 50°27'0"      Long. 115°5'0"      NTS map 82J/06.  
No survey or date not recorded.

Watershed:

Abruzzi C -> Cadorna C -> Elk R -> -> ->

Access: The distance of the lake from Elkford is 40 miles . Distance from nearest paved road is 40 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 37acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
cutthroat	

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. For more detail refer to Elk-Flathead Strategic Plan.

\*\*\*\*\*

August 8, 1983

BARNES

Region 4

management unit 23

Elevation 6300'      Lat. 49°26'45"      Long. 114°42'0"      NTS map 82G/07.  
No survey or date not recorded.

Watershed:

Michel C -&gt; Elk R -&gt; Kootenay R -&gt; -&gt; -&gt;

Access: The distance of the lake from Sparwood is 27 miles . Distance  
from nearest paved road is 18 miles by 4x4.

PHYSICAL

area:full 33acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
cutthroat	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

BYRON

Region 4

management unit 23

Elevation 6200'      Lat. 49°29'0"      Long. 114°47'0"      NTS map 82G/07.  
No survey or date not recorded.

Watershed:

Corbin C -> Michel C -> Elk R -> -> ->

Access: The distance of the lake from Sparwood is 30 miles . Distance from nearest paved road is 21 miles by 4x4. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 4acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
cutthroat	

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. For more detail refer to Elk-Flathead Strategic Plan.

\*\*\*\*\*

August 8, 1983

CADORNA

Region 4

management unit 23

Elevation 6300'      Lat. 50°30'0"      Long. 115°7'0"      NTS map 82J/06.  
No survey or date not recorded.

Watershed:

Cadorna C -&gt; Elk R -&gt; Kootenay R-&gt; -&gt; -&gt;

Access: The distance of the lake from Elkford is 42 miles . Distance from  
nearest paved road is 42 miles by truck. The lake is 10 miles from gravel  
road by walk.

PHYSICAL

area:full 40acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine firSPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
cutthroat	

No Information On:      shoreline-use,      shoreline-ownership,      accomodation,  
water-chemistry,      temperature-oxygen-profile,      littoral-substrate,  
stocking-history.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

CONNER, LOWER

Region 4

management unit 23

Elevation 6000'      Lat. 50°18'50"      Long. 115°5'0"      NTS map 82J/06.  
No survey or date not recorded.

Watershed:

Forsythe C-> Elk R -> Kootenay R-> -> ->

Access: The distance of the lake from Elkford is 25 miles . Distance from nearest paved road is 25 miles by truck. The lake is 7 miles from gravel road by walk.

PHYSICAL

area:full 344acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
cutthroat	

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1950	ct	50000	

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. This lake is used for a cutthroat trout egg source.

\*\*\*\*\*

August 8, 1983

CONNER, UPPER

Region 4

management unit 23

Elevation 6000'      Lat. 50°20'0"      Long. 115°5'0"      NTS map 82J/06.  
No survey or date not recorded.

Watershed:

Connor L -&gt; Forsythe C-&gt; Elk R -&gt; -&gt; -&gt;

Access: The distance of the lake from Elkford is 28 miles . Distance from  
nearest paved road is 28 miles by truck. The lake is 10 miles from gravel  
road by walk.

PHYSICALarea:full 86acresBiogeoclimatic zone: subalpine engelmann spruce subalpine firSPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
cutthroat	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

CROSSING

Region 4

management unit 23

Elevation 6300'      Lat. 50°3'30"      Long. 115°1'30"      NTS map 83J/03.  
No survey or date not recorded.

Watershed:

Crossing C-&gt; Elk R -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Elkford is 9 miles . Distance from nearest paved road is 9 miles by car. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 21acres

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. For more detail refer to Elk-Flathead Strategic Plan.

\*\*\*\*\*

ELK, LOWER

Region 4

management unit 23

Elevation 5650'      Lat. 50°33'0"      Long. 115°5'20"      NTS map 82J/11.  
No survey or date not recorded.

Watershed: inlets 3 outlets 1

Elk R -&gt; Koocanusa -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Elkford is 27 miles . Distance from nearest paved road is 27 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 59acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Elk Lakes Prov Park.

\*\*\*\*\*



August 8, 1983

ELK, UPPER

Region 4

management unit 23

Elevation 5750'      Lat. 50°33'0"      Long. 115°6'30"      NTS map 82J/11.  
No survey or date not recorded.

Watershed: inlets 7 outlets 1

Elk R -> L Elk L -> Elk R -> Koocanusa -> ->

Access: The distance of the lake from Elkford is 28 miles . Distance from nearest paved road is 28 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 164acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Elk Lakes Prov Park.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

FOX

Region 4

management unit 23

Elevation 6800'      Lat. 50°35'0"      Long. 115°5'0"      NTS map 82J/11.  
No survey or date not recorded.

Watershed:

Elkan C -> Elk R -> Koocanusa -> -> ->

Access: The distance of the lake from Elkford is 43 miles . Distance from nearest paved road is 43 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 10acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. For more detail refer to Elk-Flathead Strategic Plan. Elk Lakes Prov Park.

\*\*\*\*\*

August 8, 1983

FROZEN

Region 4

management unit 23

Elevation 7100'      Lat. 50°34'0"      Long. 115°6'0"      NTS map 82J/11.  
No survey or date not recorded.

Watershed:

Elkan C -> Fox L E-> Lkan C E-> Lk R K-> Oocanusa ->

Access: The distance of the lake from Elkford is 44 miles . Distance from nearest paved road is 44 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 17acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. For more detail refer to Elk-Flathead Strategic Plan. Elk Lakes Prov Park.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

GRAVE

Region 4

management unit 23

Elevation 2600' Lat. 49°52'0" Long. 114°50'0" NTS map 82G/15.  
This lake was most recently surveyed 06/29/60, by BALKWILL.

Watershed: inlets 0 outlets 1  
Outlet C -> Elk R -> Kootenay R -> ->

Access: The distance of the lake from Fernie is 30 miles . Distance from nearest paved road is 10 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 22334'	TDS 245ppm
	private cabins 25	area:full 300acres	
forested 100	resort cabins 0		secchi disc 29'
	camper sites 0	litt. area 60acres	
<u>OWNERSHIP(%)</u>		volume 15845acre-ft	
private 100		mean depth 53'	winterkill 0%

Biogeoclimatic zone: boreal white-black spruce

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
rainbow trout	
mountain whitefish	

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1964	rt	11660	100
1966	rt	8800	300
1968	rt	8000	100
1969	rt	8000	100
1972	rt	10000	100
1973	rt	12000	100
1974	rt	10000	37
1975	rt	10000	100
1976	rt	10000	200
1977	rt	10000	100

No Information On: temperature-oxygen-profile, littoral-substrate.

Comments. Previous stocking records date back to 1938.

\*\*\*\*\*

August 8, 1983

HARRIET

Region 4

management unit 23

Elevation 6900'

Lat. 49°52'0"

Long. 114°48'0"

NTS map 82G/15.

No survey or date not recorded.

Watershed:

Grave C -> Elk R -> -> -> ->

Access: The distance of the lake from Sparwood is 16 miles . Distance from nearest paved road is 9 miles by 4x4. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 21acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. For more detail refer to Elk-Flathead Strategic Plan.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

HARTLEY

Region 4

management unit 23

Elevation 4800' Lat. 49°36'0"

Long. 115°3'0"

NTS map 82G/11.

No survey or date not recorded.

Watershed:

Hartley C -> Elk R -> -> -> ->

Access: The distance of the lake from Fernie is 9 miles . Distance from nearest paved road is 5 miles by car.

ACCOMODATION

govt.campsites 1

PHYSICAL

area:full 2acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

SPECIES: Census method- not recorded.

Species

Abundance

brook trout

No Information On: shoreline-use, shoreline-ownership, water-chemistry, temperature-oxygen-profile, littoral-substrate, stocking-history.

Comments. For more detail refer to Elk-Flathead Strategic Plan. Hartley Cr was historically stocked with brook trout 1927-1928.

\*\*\*\*\*

August 8, 1983

ISLAND

Region 4

management unit 23

Elevation 4400'      Lat. 49°31'0"  
No survey or date not recorded.

Long. 115°11'0"

NTS map 82G/11.

Watershed:

Fairy C -&gt; Elk R -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Fernie is 6 miles . Distance from  
nearest paved road is 6 miles by car.

PHYSICAL

area:full 18acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

SPECIES: Census method- not recorded.

Species  
cutthroat

Abundance

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1923	rt	5000	
1940	rt	5000	
1941	rt	7625	
1942	rt	7500	
1954	rt	5600	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. For more detail refer to Elk-Flathead Strategic Plan.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

SUMMIT

Region 4

management unit 23

Elevation 4600'      Lat. 49°38'0"      Long. 114°42'0"      NTS map 82G/10.  
No survey or date not recorded.

Watershed:

Alexander -&gt; Michel C -&gt; Elk R -&gt; -&gt; -&gt;

Access: The distance of the lake from Sparwood is 12 miles . Distance  
from nearest paved road is 0 miles .

ACCOMODATION

camper sites 1

PHYSICAL

area:full 43acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

SPECIES: Census method- not recorded.

SpeciesAbundance

rainbow trout

cutthroat

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1946	rt	25000	
1947	rt	20000	
1948	rt	19270	
1950	ct	6400	
1950	rt	15116	
1950	rt	5000	
1952	rt	15000	
1958	rt	4000	
1961	rt	9635	
1962	rt	3750	

No Information On: shoreline-use, shoreline-ownership, water-chemistry,  
temperature-oxygen-profile, littoral-substrate.

Comments. For more detail refer to Elk-Flathead Strategic Plan. Stocking  
record dates back to 1932.

\*\*\*\*\*



August 8, 1983

UNNAMED LK 1

Region 4

management unit 23

Elevation 6850'      Lat. 50°23'0"      Long. 115°3'40"      NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Cadorna C -> Elk R -> Koocanusa -> ->

Access: The distance of the lake from Elkford is 40 miles . Distance from nearest paved road is 40 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 30acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 2

Region 4

management unit 23

Elevation 6500'      Lat. 49°27'50"      Long. 114°42'50"      NTS map 82G/07.  
No survey or date not recorded.

Watershed:

Michel C -> Elk R -> Kootenay R-> -> ->

Access: The distance of the lake from Sparwood is 27 miles . Distance from nearest paved road is 18 miles by 4x4. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 23acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 3

Region 4

management unit 23

Elevation 6350'      Lat. 49°46'30"      Long. 115°4'30"      NTS map 82G/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Telford C -> Cummings C-> Elk R -> Koocanusa -> ->

Access: The distance of the lake from Sparwood is 12 miles . Distance from nearest paved road is 10 miles by 4x4. The lake is 2 miles from gravel road by walk.

PHYSICAL  
area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 4

Region 4

management unit 23

Elevation 7450'      Lat. 49°51'10"      Long. 115°5'0"      NTS map 82G/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Sparwood is 16 miles . Distance from nearest paved road is 14 miles by 4x4. The lake is 1 miles from gravel road by walk.

PHYSICAL  
area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 5

Region 4

management unit 23

Elevation 6750'      Lat. 49°52'50"      Long. 115°3'10"      NTS map 82G/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Brule C -> Elk R -> Koocanusa -> ->

Access: The distance of the lake from Sparwood is 20 miles . Distance from nearest paved road is 9 miles by walk.

PHYSICAL

area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 6

Region 4

management unit 23

Elevation 6650'      Lat. 49°48'25"      Long. 115°2'15"      NTS map 82G/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Elkford is 8 miles . Distance from nearest paved road is 8 miles by 4x4. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 7

Region 4

management unit 23

Elevation 4150' Lat. 49°51'45" Long. 114°50'45" NTS map 82G/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Elk R -> Koocanusa -> -> ->

Access: The distance of the lake from Sparwood is 10 miles . Distance from nearest paved road is 1 miles by 4x4.

PHYSICAL  
area:full 21acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Swampy.

\*\*\*\*\*

UNNAMED LK 8

Region 4

management unit 23

Elevation 7050' Lat. 49°52'20" Long. 114°47'50" NTS map 82G/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Line C -> Fording R -> Elk R -> Koocanusa ->

Access: The distance of the lake from Sparwood is 19 miles . Distance from nearest paved road is 8 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL  
area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 9

Region 4

management unit 23

Elevation 4950'      Lat. 50°1'0"      Long. 114°53'20"      NTS map 82J/02.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Elkford is 1 miles . Distance from nearest paved road is 1 miles by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 10

Region 4

management unit 23

Elevation 6650'      Lat. 50°12'30"      Long. 115°4'55"      NTS map 82J/03.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Bingay C -> Elk R -> Koocanusa -> ->

Access: The distance of the lake from Elkford is 18 miles . Distance from nearest paved road is 18 miles by car. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 11

Region 4

management unit 23

Elevation 6250'      Lat. 50°3'55"      Long. 115°1'20"      NTS map 82J/03.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Crossing C-> Elk R -> Koocanusa -> -> ->

Access: The distance of the lake from Elkford is 8 miles . Distance from nearest paved road is 8 miles by car. The lake is 4 miles from gravel road by walk.

PHYSICAL  
area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 12

Region 4

management unit 23

Elevation 5750'      Lat. 50°33'5"      Long. 115°6'0"      NTS map 82J/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> U Elk L -> L Elk L -> Elk R -> Koocanusa ->

Access: The distance of the lake from Elkford is 29 miles . Distance from nearest paved road is 29 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL  
area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Elk Lakes Prov Park.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 13

Region 4

management unit 23

Elevation 6750'      Lat. 50°31'45"      Long. 115°4'25"      NTS map 82J/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Elk R -> Kooacanusa -> -> ->

Access: The distance of the lake from Elkford is 26 miles . Distance from nearest paved road is 26 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Elk Lakes Prov Park.

\*\*\*\*\*

UNNAMED LK 14

Region 4

management unit 23

Elevation 6750'      Lat. 50°30'15"      Long. 115°2'0"      NTS map 82J/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> -> -> -> ->

Access: The distance of the lake from Elkford is 23 miles . Distance from nearest paved road is 23 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 15

Region 4

management unit 23

Elevation 5550' Lat. 50°31'10" Long. 115°0'15" NTS map 82J/11.  
No survey or date not recorded.

Watershed: inlets 3 outlets 1  
Elk R -> Koocanusa -> -> -> ->

Access: The distance of the lake from Elkford is 21 miles . Distance from nearest paved road is 21 miles by truck.

PHYSICAL

area:full 14acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 16

Region 4

management unit 23

Elevation 7650' Lat. 50°21'15" Long. 114°46'35" NTS map 82J/07.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Aldridge C-> Elk R -> Koocanusa -> -> ->

Access: The distance of the lake from Elkford is 32 miles . Distance from nearest paved road is 32 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

UNNAMED LK 17

Region 4

management unit 23

Elevation 7150'      Lat. 50°20'15"      Long. 115°3'15"      NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Quarrie C -> Elk R -> Koocanusa -> ->

Access: The distance of the lake from Elkford is 26 miles . Distance from nearest paved road is 26 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICALarea:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 18

Region 4

management unit 23

Elevation 7250'      Lat. 50°23'50"      Long. 115°6'35"      NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Forsyth C -> Connor Lks-> Forsyth C -> Elk R -> Koocanusa ->

Access: The distance of the lake from Elkford is 33 miles . Distance from nearest paved road is 33 miles by truck. The lake is 15 miles from gravel road by walk.

PHYSICALarea:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 19

Region 4

management unit 23

Elevation 7550' Lat. 50°25'45" Long. 114°52'55" NTS map 82J/07.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Weary C -> Elk R -> Koocanusa -> ->

Access: The distance of the lake from Elkford is 32 miles . Distance from nearest paved road is 32 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

ALCES

Region 4

management unit 24

Elevation 3950' Lat. 50°7'10" Long. 115°32'15" NTS map 82J/04.  
 This lake is also known as Moose. This lake was most recently surveyed  
 08/ /58, by JAB.

Watershed:

Outlet C -> Whiteswan -> White R -> Kootenay R -> ->

Access: The distance of the lake from Canal Flats is 15 miles . Distance  
 from nearest paved road is 12 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 20	perimeter 9610'	TDS 502ppm
forested 100	private cabins 0	area:full 77acres	pH 7.0
	resort cabins 0		
	camper sites 0		
<u>OWNERSHIP(%)</u>		litt. area 37acres	
		volume 1700acre-ft	
crown 100		mean depth 21'	
			winterkill 0%

Biogeoclimatic zone: interior douglas fir

REHABILITATIONS

<u>Date</u>	<u>Toxicant</u>	<u>Success</u>
07/08/59	toxaphene	100%

PROFILE May 25th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	11.9	10.0
4	--	10.3
6	9.4	--
8	6.7	--

SPECIES: Census method- creel

<u>Species</u>	<u>Abundance</u>
rainbow trout	

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	rt	7000	300
1969	rt	6000	100
1970	rt	10000	100
1971	rt	2000	300
1972	rt	3000	100
1973	rt	12500	100
1974	rt	5000	37
1975	rt	5000	100
1976	rt	5000	200
1977	rt	3500	100

No Information On: littoral-substrate.

Comments. Fly-fish only. Previous stocking records date back to 1938.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

MUNROE

Region 4

management unit 24

Elevation 5150'      Lat. 50°8'5"      Long. 115°6'0"      NTS map 82J/03.  
No survey or date not recorded.

Watershed: outlets 1

Munroe L -> East White-> White R -> Kootenay R-> ->

Access: The distance of the lake from Canal Flats is 42 miles . Distance from nearest paved road is 4 miles by car. The lake is 38 miles from gravel road by truck.

PHYSICAL

WATER-CHEMISTRY

area:full 31acres

TDS 51ppm

Biogeoclimatic zone: subalpine engelmann spruce-subalpine fir

SPECIES: Census method- not recorded.

Species

Abundance

cutthroat

No Information On: shoreline-use, shoreline-ownership, accomodation, temperature-oxygen-profile, littoral-substrate, stocking-history.

\*\*\*\*\*

August 8, 1983

PTARMIGAN

Region 4

management unit 24

Elevation 6300'      Lat. 50°10'50"      Long. 115°32'25"      NTS map 82J/04.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> White R -> Kootenay R -> -> ->

Access: The distance of the lake from Canal Flats is 33 miles . Distance from nearest paved road is 27 miles by car. The lake is 3 miles from gravel road by foot.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 100

govt.campsites 0

private cabins 0

resort cabins 0

camper sites 0

area:full 39acres

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: subalpine engelmann spruce-subalpine fir

STOCKING HISTORY

approx

year	spec	num	no/lb.
------	------	-----	--------

1974	ct	10000	2500
------	----	-------	------

1976	ct	8000	>3500
------	----	------	-------

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 1

Region 4

management unit 24

Elevation 6750' Lat. 49°57'40" Long. 115°19'10" NTS map 82G/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Fernie is 41 miles . Distance from nearest paved road is 35 miles by truck. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 2

Region 4

management unit 24

Elevation 6750' Lat. 49°58'0" Long. 115°20'20" NTS map 82G/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Blackfoot -> White R -> Kootenay R-> ->

Access: The distance of the lake from Fernie is 44 miles . Distance from nearest paved road is 38 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 3

Region 4

management unit 24

Elevation 6950'      Lat. 49°58'50"      Long. 115°16'40"      NTS map 82G/14.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Blackfoot -> White R -> Kootenay R-> ->

Access: The distance of the lake from Fernie is 44 miles . Distance from nearest paved road is 38 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICALarea:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 4

Region 4

management unit 24

Elevation 7450'      Lat. 49°59'40"      Long. 115°21'15"      NTS map 82G/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Blackfoot -> White R -> Kootenay R-> ->

Access: The distance of the lake from Fernie is 45 miles . Distance from nearest paved road is 39 miles by truck. The lake is 9 miles from gravel road by walk.

PHYSICALarea:full 16acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 5

Region 4

management unit 24

Elevation 7750'      Lat. 50°22'35"      Long. 115°16'25"      NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> N White R -> White R -> Kootenay R-> ->

Access: The distance of the lake from Canal Flats is 46 miles . Distance from nearest paved road is 43 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 6

Region 4

management unit 24

Elevation 6750'      Lat. 50°23'15"      Long. 115°25'15"      NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Schofield -> N White R -> White R -> Kootenay R->

Access: The distance of the lake from Canal Flats is 50 miles . Distance from nearest paved road is 47 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

UNNAMED LK 7

Region 4

management unit 24

Elevation 7050'      Lat. 50°23'0"      Long. 115°25'25"      NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 6 -> Outlet C -> Schofield -> N White R -> White R

Access: The distance of the lake from Canal Flats is 50 miles . Distance from nearest paved road is 47 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 8

Region 4

management unit 24

Elevation 7550'      Lat. 50°27'30"      Long. 115°19'15"      NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> N White R -> White R -> Kootenay R -> ->

Access: The distance of the lake from Canal Flats is 52 miles . Distance from nearest paved road is 49 miles by truck. The lake is 6 miles from gravel road by walk.

PHYSICAL

area:full 15acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 9

Region 4

management unit 24

Elevation 7750'      Lat. 50°26'50"      Long. 115°14'0"      NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
N White R -> White R -> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 52 miles . Distance from nearest paved road is 49 miles by truck. The lake is 6 miles from gravel road by walk.

PHYSICAL

area:full 22acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 10

Region 4

management unit 24

Elevation 7950'      Lat. 50°28'35"      Long. 115°15'10"      NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Palliser R-> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 53 miles . Distance from nearest paved road is 50 miles by truck. The lake is 7 miles from gravel road by walk.

PHYSICAL

area:full 30acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 11

Region 4

management unit 24

Elevation 7850' Lat. 50°28'45" Long. 115°14'20" NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 1 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Canal Flats is 54 miles . Distance from nearest paved road is 51 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 25acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 12

Region 4

management unit 24

Elevation 7850' Lat. 50°58'45" Long. 115°14'50" NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Canal Flats is 54 miles . Distance from nearest paved road is 51 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 29acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 13

Region 4

management unit 24

Elevation 7350'      Lat. 50°24'15"      Long. 115°8'40"      NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Maiyuk C -> White R -> Kootenay R-> ->

Access: The distance of the lake from Canal Flats is 46 miles . Distance from nearest paved road is 43 miles by truck. The lake is 18 miles from gravel road by walk.

PHYSICAL

area:full 25acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 14

Region 4

management unit 24

Elevation 6850'      Lat. 50°26'20"      Long. 115°9'20"      NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> White R -> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 48 miles . Distance from nearest paved road is 45 miles by truck. The lake is 20 miles from gravel road by walk.

PHYSICAL

area:full 31acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 15

Region 4

management unit 24

Elevation 6650'      Lat. 50°26'15"      Long. 115°9'45"      NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> White R -> Kootenay R -> -> ->

Access: The distance of the lake from Canal Flats is 49 miles . Distance from nearest paved road is 46 miles by truck. The lake is 21 miles from gravel road by walk.

PHYSICAL

area:full 16acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 16

Region 4

management unit 24

Elevation 5450'      Lat. 50°27'55"      Long. 115°11'0"      NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> White C -> Kootenay R -> -> ->

Access: The distance of the lake from Canal Flats is 50 miles . Distance from nearest paved road is 47 miles by truck. The lake is 22 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

WHITESWAN

Region 4

management unit 24

Elevation 3500' Lat. 50°8'30" Long. 115°29'0"

NTS map 82J/03.

This lake was most recently surveyed 08/ /58, by JAB.

Watershed: inlets 3 outlets 1

Lussier C -&gt; White R -&gt; Kootenay R-&gt; -&gt; -&gt;

Access: The distance of the lake from Canal Flats is 16 miles . Distance from nearest paved road is 13 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 150	perimeter 41395'	TDS 207ppm
	private cabins 10	area:full 1070acres	
forested 100	resort cabins 0		
	camper sites 0	litt. area 904acres	
<u>OWNERSHIP(%)</u>		volume 48500acre-ft	
private 10		mean depth 46'	
crown 90			winterkill 0%

Biogeoclimatic zone: interior douglas firREHABILITATIONS

<u>Date</u>	<u>Toxicant</u>	<u>Success</u>
10/ /61	toxaphene	100%
07/18/59	toxaphene	- %

PROFILE July th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	17.7	8.5
2	--	9.0
6	17.7	--
10	13.5	--
20	8.0	2.0

SPECIES: Census method- creel

<u>Species</u>	<u>Abundance</u>
rainbow trout	

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	rt	100000	750
1969	rt	60000	100
1970	rt	75000	100
1971	rt	50000	200
1972	rt	57500	100
1973	rt	80000	100
1974	rt	65000	37
1975	rt	60000	100
1976	rt	70000	200
1977	rt	45000	100

August 8, 1983

No Information On: littoral-substrate.

Comments. Previous stocking records date back to 1938.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

ASSINIBOINE

Region 4

management unit 25

Elevation 6200' Lat. 50°51'15" Long. 115°40'40" NTS map 82J/13.  
No survey or date not recorded.

Watershed:

Assiniboin-> Mitchell R-> Cross R -> Kootenay R-> ->

Access: The distance of the lake from Radium Hot Spr is 40 miles .  
Distance from nearest paved road is 29 miles by truck. The lake is 12  
miles from gravel road by walk.

PHYSICAL

area:full 18acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. For more detail refer to Provincial Parks Br Wasa. Refer to  
Upper Kootenay Strategic Plan.

\*\*\*\*\*



August 8, 1983

BACK Region 4 management unit 25

Elevation 6950' Lat. 50°42'10" Long. 115°23'30" NTS map 82J/11.  
No survey or date not recorded.

Watershed:

Palliser L-> Palliser R-> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 60 miles . Distance from nearest paved road is 60 miles by truck. The lake is 13 miles from gravel road by walk.

PHYSICAL

area:full 24acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

BEATTY Region 4 management unit 25

Elevation 7200' Lat. 50°39'20" Long. 115°17'50" NTS map 82J/11.  
No survey or date not recorded.

Watershed:

Beatty C -> Palliser R-> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 58 miles . Distance from nearest paved road is 58 miles by truck. The lake is 11 miles from gravel road by walk.

PHYSICAL

area:full 8acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate, stocking-history.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

CERULEAN

Region 4

management unit 25

Elevation 7200'      Lat. 50°56'0"      Long. 115°39'0"      NTS map 82J/13.  
No survey or date not recorded.

Watershed:

Mitchell R-> Cross R -> Kootenay R-> -> ->

Access: The distance of the lake from Radium Hot Spr is 48 miles .  
Distance from nearest paved road is 37 miles by truck. The lake is 20  
miles from gravel road by walk.

PHYSICAL

area:full 58acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
rainbow trout	
cutthroat	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. For more detail refer to Provincial Parks Br Wasa. Refer to  
Upper Kootenay Strategic Plan. This lake was historically stocked. Mt  
Assiniboine Prov Park.

\*\*\*\*\*

August 8, 1983

COBB                      Region 4                      management unit 25

Elevation 4150'      Lat. 50°39'40"      Long. 115°52'35"      NTS map 82J/11.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Swede C -> Kootenay R-> -> ->

Access: The distance of the lake from Radium Hot Spr is 10 miles .  
Distance from nearest paved road is 1 miles by walk.

PHYSICAL  
area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

COLUMBIA

Region 4

management unit 25

Elevation 2657'      Lat. 50°13'0"      Long. 115°51'0"  
This lake was most recently surveyed 08/28/58, by JAB.

NTS map 82J/04.

Watershed: inlets 2 outlets 1  
Columbia R-> -> -> -> ->

Access: The distance of the lake from Canal Flats is 1 miles . Distance  
from nearest paved road is 0 miles .

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

rangeland 20  
forested 60

govt.campsites 0  
private cabins 12  
resort cabins 3  
camper sites 0

perimeter 138400'  
area:full 6360acres

TDS 162ppm

OWNERSHIP(%)

private 50  
crown 50

volume 60700acre-ft  
mean depth 10'

winterkill 0%

Biogeoclimatic zone: interior douglas fir

SPECIES: Census method- creel

SpeciesAbundance

mountain whitefish  
rainbow trout  
dolly varden  
squawfish  
burbot

STOCKING HISTORY

year	spec	num	approx no/lb.	spec	num	approx no/lb.	spec	num	approx no/lb.
1974	rt	19000	37	rt	19000	300			
1976	rt	19140	100	ct	25000	200			
1947	rt	85000							
1949	rt	69335							
1950	rt	105500		rt	60000				
1951	rt	10000		rt	91800				
1952	rt	95380							
1953	rt	108500							
1961	rt	69300	100	rt	14550	100	rt	38400	425
1962	rt	25011	100	rt	25011	100			

No Information On: temperature-oxygen-profile, littoral-substrate.

Comments. Previous stocking records date back to 1938.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

EOHIPPIUS

Region 4

management unit 25

Elevation 6900'      Lat. 51°3'0"      Long. 115°50'0"      NTS map 820/04.  
No survey or date not recorded.

Watershed:

Simpson R -> Vermilion -> Kootenay R-> -> ->

Access: The distance of the lake from Radium is 22 miles . Distance from  
nearest paved road is 14 miles by walk.

---

PHYSICAL

area:full 22acres

Biogeoclimatic zone: alpine tundra

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. For more detail refer to Provincial Parks Br Wasa. Refer to  
Upper Kootenay Strategic Plan.

\*\*\*\*\*

August 8, 1983

ELIZABETH

Region 4

management unit 25

Elevation 7400'      Lat. 50°55'0"      Long. 115°39'0"      NTS map 82J/13.  
No survey or date not recorded.

Watershed:

Mitchell R-&gt; Cross R -&gt; Kootenay R-&gt; -&gt; -&gt;

Access: The distance of the lake from Radium Hot Spr is 48 miles .  
Distance from nearest paved road is 37 miles by truck. The lake is 20  
miles from gravel road by walk.

PHYSICAL

area:full 10acres

Biogeoclimatic zone: alpine tundraSPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
cutthroat	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. For more detail refer to Provincial Parks Br Wasa. Refer to  
Upper Kootenay Strategic Plan. This lake was historically stocked. Mt  
Assiniboine Prov Park.

\*\*\*\*\*

August 8, 1983

FENWICK

Region 4

management unit 25

Elevation 4750'      Lat. 50°29'15"      Long. 115°37'10"      NTS map 82J/05.  
No survey or date not recorded.

Watershed:

Closed -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Canal Flats is 30 miles . Distance  
from nearest paved road is 29 miles by truck. The lake is 1 miles from  
gravel road by walk.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

	govt.campsites 1	perimeter 1320'	
	private cabins 0	area:full 11acres	
forested 100	resort cabins 0		
	camper sites 0		

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: subalpine englemann spruce-subalpine fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1959	rt	500	300
1960	rt	1000	425
1961	rt	2400	425
1962	rt	1050	750
1963	rt	615	200
1964	rt	1087	750
1966	rt	900	300
1968	rt	3000	300
1969	rt	2000	100
1970	rt	6000	200

No Information On: temperature-oxygen-profile, littoral-substrate.

Comments. Also stocked in 1957 with 3240 rt at 360 rt per lb.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

GOG

Region 4

management unit 25

Elevation 7300'      Lat. 50°54'0"      Long. 115°56'0"      NTS map 82J/13.  
No survey or date not recorded.

Watershed:

Simpson R -> Vermilion -> Kootenay R-> -> ->

Access: The distance of the lake from Radium Hot Spr is 51 miles .  
Distance from nearest paved road is 40 miles by truck. The lake is 23  
miles from gravel road by walk.

PHYSICAL

area:full 19acres

Biogeoclimatic zone: alpine tundra

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
cutthroat	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. This lake was historically stocked. For more detail refer to  
Provincial Parks Br Wasa. Refer to Upper Kootenay Strategic Plan. Mt  
Assiniboine Prov Park.

\*\*\*\*\*



August 8, 1983

RIZZLY

Region 4

management unit 25

Elevation 7300'      Lat. 51°3'0"      Long. 115°48'0"      NTS map 820/04.  
No survey or date not recorded.

Watershed:

Larix C -&gt; Simpson R -&gt; Vermilion -&gt; Kootenay R -&gt; -&gt;

Access: The distance of the lake from Radium is 21 miles . Distance from  
nearest paved road is 13 miles by walk.

PHYSICAL

area:full 11acres

Biogeoclimatic zone: alpine tundraSPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
dolly varden	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. For more detail refer to Provincial Parks Br Wasa. Refer to  
Upper Kootenay Strategic Plan.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

LARIX

Region 4

management unit 25

Elevation 7300'      Lat. 51°3'0"      Long. 115°47'0"      NTS map 820/04.  
No survey or date not recorded.

Watershed:

Larix C -> Simpson R -> Vermilion -> Kootenay R-> ->

Access: The distance of the lake from Radium is 22 miles . Distance from  
nearest paved road is 14 miles by walk.

PHYSICAL

area:full 19acres

Biogeoclimatic zone: alpine tundra

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
dolly varden	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. For more detail refer to Provincial Parks Br Wasa. Refer to  
Upper Kootenay Strategic Plan.

\*\*\*\*\*

August 8, 1983

LUNETTE

Region 4

management unit 25

Elevation 6100'      Lat. 50°50'45"      Long. 115°40'30"      NTS map 82J/13.  
No survey or date not recorded.

Watershed:

Assiniboin-&gt; Mitchell R-&gt; Cross R -&gt; Kootenay R-&gt; -&gt;

Access: The distance of the lake from Radium Hot Spr is 39 miles .  
Distance from nearest paved road is 28 miles by truck. The lake is 11  
miles from gravel road by walk.

PHYSICAL

area:full 15acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

\*\*\*\*\*

LYTTLE

Region 4

management unit 25

Elevation 2950'      Lat. 50°24'10"      Long. 115°53'0"      NTS map 82J/05.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -&gt; Columbia R-&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Windermere is 8 miles . Distance  
from nearest paved road is 1 miles by walk.

PHYSICAL

area:full 3acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

MAGNESITE

Region 4

management unit 25

Elevation 6550'      Lat. 50°49'0"      Long. 115°50'0"      NTS map 82J/13.  
No survey or date not recorded.

Watershed:

Magnesite -> Mitchell R-> Cross R -> Kootenay R-> ->

Access: The distance of the lake from Radium Hot Spr is 42 miles .  
Distance from nearest paved road is 31 miles by truck. The lake is 14  
miles from gravel road by walk.

PHYSICAL

area:full 27acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. For more detail refer to Upper Kootenay Strategic Plan.

\*\*\*\*\*

August 8, 1983

MAGOG

Region 4

management unit 25

Elevation 7000'      Lat. 50°54'0"      Long. 115°38'0"      NTS map 82J/13.  
No survey or date not recorded.

Watershed:

Simpson R -&gt; Vermilion -&gt; Kootenay R-&gt; -&gt; -&gt;

Access: The distance of the lake from Radium Hot Spr is 50 miles .  
Distance from nearest paved road is 39 miles by truck. The lake is 22  
miles from gravel road by walk.

PHYSICAL

area:full 250acres

Biogeoclimatic zone: alpine tundraSPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
cutthroat	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. This lake was historically stocked. For more detail refer to  
Provincial Parks Br Wasa. Refer to Upper Kootenay Strategic Plan. Mt  
Assiniboine Prov Park.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

OG

Region 4

management unit 25

Elevation 6800'      Lat. 50°56'30"      Long. 115°38'0"      NTS map 82J/13.  
No survey or date not recorded.

Watershed:

Simpson R -> Vermilion -> Kootenay R-> -> ->

Access: The distance of the lake from Radium Hot Spr is 52 miles .  
Distance from nearest paved road is 41 miles by truck. The lake is 16  
miles from gravel road by walk.

PHYSICAL

area:full 45acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

SPECIES: Census method- not recorded.

Species

Abundance

cutthroat

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Mt Assiniboine Prov Park.

\*\*\*\*\*

August 8, 1983

OLIVE

Region 4

management unit 25

Elevation 4850'      Lat. 50°40'25"      Long. 115°0'0"      NTS map 82J/11.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Swede C -> Kootenay R-> -> -> ->

Access: The distance of the lake from Radium Hot Spr is 7 miles .  
Distance from nearest paved road is 0 miles .

PHYSICAL

area:full 1acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

PALLISER

Region 4

management unit 25

Elevation 7300'      Lat. 50°42'10"      Long. 115°22'40"      NTS map 82J/11.  
No survey or date not recorded.

Watershed:

Palliser R-> Kootenay R-> -> -> ->

Access: The distance of the lake from Canal Flats is 59 miles . Distance  
from nearest paved road is 59 miles by truck. The lake is 12 miles from  
gravel road by walk.

PHYSICAL

area:full 13acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

QUEEN MARY

Region 4

management unit 25

Elevation 6900' Lat. 50°36'45" Long. 115°26'25" NTS map 82J/11.  
No survey or date not recorded.

Watershed:

Queen Mary-> Palliser R-> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 47 miles . Distance from nearest paved road is 47 miles by truck. The lake is 10 miles from gravel road by walk.

PHYSICAL

area:full 32acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

SPECIES: Census method- not recorded.

Species

Abundance

cutthroat

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. For more detail refer to Upper Kootenay Strategic Plan.

\*\*\*\*\*



ROCK                      Region 4                      management unit 25

Watershed: inlets 2 outlets 1

PHYSICAL

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

ROCK ISLE

Region 4

management unit 25

Elevation 7500'      Lat. 51°4'0"      Long. 115°46'0"      NTS map 820/04.  
No survey or date not recorded.

Watershed:

Larix C -> Simpson R -> Kootenay R -> -> ->

Access: The distance of the lake from Radium is 22 miles . Distance from nearest paved road is 14 miles by walk.

PHYSICAL

area:full 14acres

Biogeoclimatic zone: alpine tundra

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
dolly varden	

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. For more detail refer to Prov Parks Br Wasa. Refer to Upper Kootenay Strategic Plan.

\*\*\*\*\*

August 8, 1983

SUNBURST

Region 4

management unit 25

Elevation 7200'

Lat. 50°56'0"

Long. 115°36'0"

NTS map 82J/13.

No survey or date not recorded.

Watershed:

Mitchell R-&gt; Cross R -&gt; Kootenay R-&gt; -&gt; -&gt;

Access: The distance of the lake from Radium Hot Spr is 49 miles .  
Distance from nearest paved road is 38 miles by truck. The lake is 21  
miles from gravel road by walk.

PHYSICAL

area:full 19acres

Biogeoclimatic zone: alpine tundraSPECIES: Census method- not recorded.SpeciesAbundance

rainbow trout

cutthroat

No Information On:water-chemistry,  
stocking-history.shoreline-use, shoreline-ownership, accomodation,  
temperature-oxygen-profile, littoral-substrate,

Comments. For more detail refer to Prov Parks Br Wasa. Refer to Upper  
Kootenay Strategic Plan. This lake was historically stocked. Mt  
Assiniboine Prov Park.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

TALC

Region 4

management unit 25

Elevation 7150'      Lat. 51°5'0"      Long. 115°53'40"      NTS map 820/04.  
No survey or date not recorded..

Watershed: inlets 0 outlets 1

E Verdant -> Verdant C -> Simpson C -> Vermilion -> Kootenay R->

Access: The distance of the lake from Radium is 23 miles . Distance from  
nearest paved road is 16 miles by walk.

---

PHYSICAL

area:full 20acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

THE POND

Region 4

management unit 25

Elevation 2800' Lat. 50°22'0"  
No survey or date not recorded.

Long. 115°53'0"

NTS map 82J/05.

Watershed:

Tatley C -&gt; Columbia R-&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Windermere is 9 miles . Distance from nearest paved road is 0 miles .PHYSICAL

area:full 4acres

Biogeoclimatic zone: interior douglas firSPECIES: Census method- not recorded.

<u>Species</u>
brook trout
cutthroat

AbundanceNo Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.Comments. This lake is on an Indian Reserve. For more detail refer to Upper Columbia Strategic Plan. This lake has been stocked by local native residents.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

TIPPERARY

Region 4

management unit 25

Elevation 6100' Lat. 50°39'30" Long. 115°22'0" NTS map 82J/11.  
No survey or date not recorded.

Watershed:

Tipperary -> Palliser R-> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 55 miles . Distance from nearest paved road is 55 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 57acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

\*\*\*\*\*

UNNAMED LK 1

Region 4

management unit 25

Elevation 7050' Lat. 50°39'10" Long. 115°28'30" NTS map 82J/11.  
No survey or date not recorded.

Watershed:

Albert R -> Palliser R-> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 36 miles . Distance from nearest paved road is 36 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 72acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 2

Region 4

management unit 25

Elevation 3450'      Lat. 50°29'35"      Long. 115°40'30"      NTS map 82J/05.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Canal Flats is 32 miles . Distance from nearest paved road is 32 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL  
area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 3

Region 4

management unit 25

Elevation 7950'      Lat. 50°28'50"      Long. 115°15'20"      NTS map 82J/06.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Paliser R -> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 53 miles . Distance from nearest paved road is 50 miles by truck. The lake is 7 miles from gravel road by walk.

PHYSICAL  
area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 4

Region 4

management unit 25

Elevation 6850' Lat. 50°32'10" Long. 115°16'5" NTS map 82J/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Joffre C -> Palliser R-> Kootenay R-> ->

Access: The distance of the lake from Canal Flats is 52 miles . Distance from nearest paved road is 52 miles by truck. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 20acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 5

Region 4

management unit 25

Elevation 7050' Lat. 50°31'30" Long. 115°15'45" NTS map 82J/11.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Joffre C -> Palliser R-> Kootenay R-> ->

Access: The distance of the lake from Canal Flats is 53 miles . Distance from nearest paved road is 53 miles by truck. The lake is 6 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

UNNAMED LK 6

Region 4

management unit 25

Elevation 7450'      Lat. 50°43'10"      Long. 115°29'30"      NTS map 82J/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Cross R -> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 60 miles . Distance from nearest paved road is 60 miles by truck. The lake is 13 miles from gravel road by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 7

Region 4

management unit 25

Elevation 6950'      Lat. 50°42'50"      Long. 115°30'0"      NTS map 82J/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Cross R -> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 60 miles . Distance from nearest paved road is 60 miles by truck. The lake is 13 miles from gravel road by walk.

PHYSICAL

area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 8

Region 4

management unit 25

Elevation 7050' Lat. 50°43'50" Long. 115°27'40" NTS map 82J/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Albert R -> Palliser R-> Kootenay R-> ->

Access: The distance of the lake from Canal Flats is 51 miles . Distance from nearest paved road is 51 miles by truck. The lake is 10 miles from gravel road by walk.

PHYSICAL  
area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 9

Region 4

management unit 25

Elevation 7050' Lat. 50°35'10" Long. 115°20'30" NTS map 82J/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Closed -> -> -> ->

Access: The distance of the lake from Canal Flats is 53 miles . Distance from nearest paved road is 53 miles by truck. The lake is 6 miles from gravel road by walk.

PHYSICAL  
area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 10

Region 4

management unit 25

Elevation 3550'      Lat. 50°30'0"  
No survey or date not recorded.

Long. 115°40'30"

NTS map 82J/12.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Canal Flats is 30 miles . Distance from nearest paved road is 30 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 11

Region 4

management unit 25

Elevation 6550'      Lat. 50°36'0"  
No survey or date not recorded.

Long. 115°35'45"

NTS map 82J/12.

Watershed: inlets 0 outlets 1  
Outlet C -> Albert R -> Palliser R-> Kootenay R-> ->

Access: The distance of the lake from Canal Flats is 42 miles . Distance from nearest paved road is 42 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 32acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 12

Region 4

management unit 25

Elevation 7150' Lat. 50°37'25" Long. 115°36'50" NTS map 82J/12.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Cochran C -> Kootenay R-> -> ->

Access: The distance of the lake from Radium Hot Spr is 29 miles .  
Distance from nearest paved road is 18 miles by truck. The lake is 7  
miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 13

Region 4

management unit 25

Elevation 6650' Lat. 50°41'20" Long. 115°32'25" NTS map 82J/12.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Cross R -> Kootenay R-> -> ->

Access: The distance of the lake from Radium Hot Spr is 38 miles .  
Distance from nearest paved road is 27 miles by truck. The lake is 10  
miles from gravel road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 14

Region 4

management unit 25

Elevation 7750'      Lat. 50°44'35"      Long. 115°46'30"      NTS map 82J/12.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Cross R -> Kootenay R-> -> ->

Access: The distance of the lake from Radium Hot Spr is 32 miles .  
Distance from nearest paved road is 21 miles by truck. The lake is 5  
miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 15

Region 4

management unit 25

Elevation 7050'      Lat. 50°45'40"      Long. 115°36'40"      NTS map 82J/13.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Mitchell R-> Cross R -> Kootenay R-> ->

Access: The distance of the lake from Radium Hot Spr is 35 miles .  
Distance from nearest paved road is 24 miles by truck. The lake is 7  
miles from gravel road by walk.

PHYSICAL

area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 16

Region 4

management unit 25

Elevation 7350'      Lat. 51°13'0"      Long. 116°1'0"      NTS map 82N/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Vermilion -> Kootenay R-> -> ->

Access: The distance of the lake from Radium is 59 miles . Distance from  
nearest paved road is 2 miles by walk.

---

PHYSICAL

area:full 19acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

WEDGEWOOD

Region 4

management unit 25

Elevation 6200'      Lat. 50°54'0"      Long. 115°42'0"      NTS map 82J/13.  
No survey or date not recorded.

Watershed:

Mitchell R-&gt; Cross R -&gt; Kootenay R-&gt; -&gt; -&gt;

Access: The distance of the lake from Radium Hot Spr is 46 miles .  
Distance from nearest paved road is 35 miles by truck. The lake is 18  
miles from gravel road by walk.

PHYSICAL

area:full 38acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine firSPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
cutthroat	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. For more detail refer to Prov Parks Br Wasa. Refer to Upper  
Kootenay Strategic Plan. This lake was historically stocked. Mt  
Assiniboine Prov Park.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

WINDERMERE

Region 4

management unit 25

Elevation 2625'      Lat. 50°13'0"      Long. 115°59'0"      NTS map 82J/05.  
No survey or date not recorded.

Watershed:

Columbia R-&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Invermere is 0 miles . Distance  
from nearest paved road is 0 miles by car.

PHYSICAL

area:full 3744acres

Biogeoclimatic zone: interior douglas firSPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
cutthroat	
rainbow trout	
mountain whitefish	
burbot	
dolly varden	

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1951	rt	5000							
1952	rt	50000		rt	50000		ct	50000	
1953	rt	15000		rt	105350				
1954	rt	100000							
1955	rt	50000							
1956	rt	40450							
1957	rt	23400		rt	15000		rt	50826	
1958	rt	75000							
1959	rt	20025							
1960	rt	19980							

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Previous stocking records date back to 1939. This lake has been surveyed.

\*\*\*\*\*



August 8, 1983

BEN ABEL

Region 4

management unit 26

Elevation 7650'      Lat. 50°18'30"      Long. 116°15'0"      NTS map 82K/08.  
No survey or date not recorded.

Watershed:

Ben Able C-&gt; Dutch C -&gt; Columbia R-&gt; -&gt; -&gt;

Access: The distance of the lake from Fairmont Hot Sp is 27 miles .  
Distance from nearest paved road is 24 miles by truck. The lake is 14  
miles from gravel road by walk.

PHYSICAL

area:full 44acres

Biogeoclimatic zone: alpine tundraSPECIES: Census method- not recorded.SpeciesAbundance

rainbow trout

No Information On:      shoreline-use,      shoreline-ownership,      accomodation,  
water-chemistry,      temperature-oxygen-profile,      littoral-substrate,  
stocking-history.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

BLUE

Region 4

management unit 26

Elevation 3800'      Lat. 50°9'55"      Long. 116°0'55"      NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Deer C -&gt; Findlay C -&gt; Kootenay R-&gt; -&gt; -&gt;

Access: The distance of the lake from Canal Flats is 14 miles . Distance  
from nearest paved road is 11 miles by car.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 100

govt.campsites 0  
private cabins 4  
resort cabins 0  
camper sites 0

area:full 6acres

OWNERSHIP(%)

private 50  
crown 50

winterkill 0%

Biogeoclimatic zone: interior douglas firSPECIES: Census method- not recorded.

Species  
cutthroat

AbundanceSTOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1948	rt	5000	
1949	rt	5000	
1958	rt	4500	
1968	ct	10000	>3500

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

BLUFF

Region 4

management unit 26

Elevation 3450' Lat. 50°30'15" Long. 116°8'2" NTS map 82K/09.  
This lake is also known as Barbour. No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Invermere is 7 miles . Distance  
from nearest paved road is 0 miles .

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 100

govt.campsites 0

private cabins 0

area:full 6acres

~~resort cabins 0~~

camper sites 0

OWNERSHIP(%)

private 100

winterkill 0%

Biogeoclimatic zone: interior douglas fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1959	bt	4650	>3500
1960	rt	6400	>3500
1961	bt	4830	>3500
1962	bt	4275	2500
1963	bt	1038	2500
1964	bt	2000	1250
1967	bt	1500	750
1969	bt	1000	300

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

BRUCE

Region 4

management unit 26

Elevation 7100'      Lat. 50°28'0"      Long. 116°22'15"      NTS map 82K/08.  
No survey or date not recorded.

Watershed:

Bruce C -> Horsethief-> Columbia R-> -> ->

Access: The distance of the lake from Invermere is 9 miles . Distance from nearest paved road is 9 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 3acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. For more detail refer to Upper Columbia Strategic Plan.

\*\*\*\*\*

August 8, 1983

BUNYAN

Region 4

management unit 26

Elevation 3450'      Lat. 50°28'40"      Long. 116°6'15"      NTS map @      /.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Sunlight C-> Goldie C -> Windemere -> Columbia R-> ->

Access: The distance of the lake from Invermere is 5 miles . Distance from nearest paved road is 5 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 17acres

---

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Swampy.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

DOROTHY

Region 4

management unit 26

Elevation 2265' Lat. 50°30'50" Long. 116°1'30" NTS map 82K/08.  
This lake was most recently surveyed 05/25/74, by BURNS.

Watershed:

Closed -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Invermere is 0 miles . Distance  
from nearest paved road is 0 miles .

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
forested 30	govt.campsites 0 private cabins 0 resort cabins 0 camper sites 0	perimeter 1550' area:full 4acres  litt. area 4acres volume 31acre-ft mean depth 8'	TDS 330ppm  secchi disc 12'  hyd.sulph. Nil winterkill 100%

OWNERSHIP(%)  
private 100

Biogeoclimatic zone: interior douglas fir

<u>PROFILE May 25th</u>			<u>SPECIES: Census method- gillnet</u>	
<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>	<u>Species</u>	<u>Abundance</u>
0	16.7	10.0	brook trout	
4	14.4	6.0		

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1970	bt	1000	300

No Information On: littoral-substrate.

\*\*\*\*\*

August 8, 1983

FILEEN

Region 4

management unit 26

Elevation 3150' Lat. 50°31'25"  
No survey or date not recorded.

Long. 116°6'0"

NTS map 82K/09.

Watershed:

Columbia R-&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Invermere is 4 miles . Distance  
from nearest paved road is 4 miles by car.

PHYSICAL

area:full 28acres

---

Biogeoclimatic zone: interior douglas fir

---

STOCKING HISTORY

approx

<u>year</u>	<u>spec</u>	<u>num</u>	<u>no/lb.</u>
1953	rt	5000	
1954	rt	15052	
1955	rt	20000	
1957	rt	20485	
1959	bt	20150	
1960	bt	16000	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

ENID

Region 4

management unit 26

Elevation 3100'      Lat. 50°32'55"      Long. 116°7'30"      NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -&gt; Wilmer C -&gt; Wilmer L -&gt; Columbia R-&gt; -&gt;

Access: The distance of the lake from Invermere is 6 miles . Distance  
from nearest paved road is 3 miles by car.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

rangeland 50  
forested 30

govt.campsites 3  
private cabins 0  
resort cabins 0  
camper sites 0

perimeter 7920'  
area:full 55acres  
litt. area 45acres

TDS 1100ppm

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: interior douglas firSTOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1961	bt	19320	>3500
1962	bt	9975	2500
1963	bt	49824	2500
1964	bt	55000	1250
1965	bt	50000	1250
1966	bt	50000	300
1967	bt	40000	750
1968	bt	10000	425
1969	bt	3000	300
1970	bt	6000	425

No Information On: temperature-oxygen-profile, littoral-substrate.

Comments. Previous stocking history dates back to 1953.

\*\*\*\*\*



August 8, 1983

LILLIAN

Region 4

management unit 26

Elevation 3200' Lat. 50°30'30" Long. 116°6'0" NTS map 82K/09E.  
 This lake was most recently surveyed 08/01/60, by JAB.

Watershed: inlets 1 outlets 1  
 Neave C -> Toby C -> Columbia R -> -> ->

Access: The distance of the lake from Invermere is 4 miles . Distance  
 from nearest paved road is 0 miles by car.

SHORELINE(%)	ACCOMODATION	PHYSICAL	WATER-CHEMISTRY
	govt.campsites 2	perimeter 10613'	TDS 553ppm
	private cabins 15	area:full 66acres	
forested 100	resort cabins 0		
	camper sites 0	litt. area 39acres	
OWNERSHIP(%)		mean depth 17'	
private 90			
crown 10			winterkill 0%

Biogeoclimatic zone: interior douglas fir

SPECIES: Census method- angled  
Species Abundance  
 rainbow trout  
 brook trout

## STOCKING HISTORY

year	spec	num	approx no/lb.	spec	num	approx no/lb.
1968	rt	9000	100			
1969	rt	10000	100	rt	6000	425
1970	rt	10000	200			
1971	rt	7000	100	rt	20000	750
1972	rt	10000	100			
1973	rt	8000	100	rt	15000	1250
1974	rt	5000	2500	rt	10000	37
1975	rt	10000	100			
1976	rt	10000	200			
1977	rt	10000	100			

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

LK OF HANGING GLACIER

Region 4

management unit 26

Elevation 7100'      Lat. 50°26'20"      Long. 116°35'40"      NTS map 82K/07.  
No survey or date not recorded.

Watershed:

Horsethief-> Columbia R-> -> -> ->

Access: The distance of the lake from Invermere is 33 miles . Distance from nearest paved road is 33 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 377acres

Biogeoclimatic zone: alpine tundra

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

LONG

Region 4

management unit 26

Elevation 3250'      Lat. 50°31'25"      Long. 116°6'50"      NTS map 82K/09.  
No survey or date not recorded.

Watershed:

Outlet C -> Lillian L -> Neave C -> Toby C -> Columbia R->

Access: The distance of the lake from Invermere is 5 miles . Distance from nearest paved road is 5 miles by car. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 3acres

Biogeoclimatic zone: interior douglas fir

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Barren lake. For more detail refer to Upper Columbia Strategic Plan.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

MACARTHY, 1

Region 4

management unit 26

Elevation 3150' Lat. 50°24'55" Long. 115°59'30" NTS map 82J/05.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Johnston C-> Windermere-> Columbia R-> -> ->

Access: The distance of the lake from Fairmont Hot Sp is 12 miles .  
Distance from nearest paved road is 2 miles by car. The lake is 1 miles  
from gravel road by walk.

PHYSICAL  
area:full 4acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

MACCARTHY, 2

Region 4

management unit 26

Elevation 3150' Lat. 50°24'45" Long. 115°59'30" NTS map 82J/05.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Johnston C-> Maccarthy1-> Johnston C-> Windermere-> Columbia R->

Access: The distance of the lake from Fairmont Hot Sp is 12 miles .  
Distance from nearest paved road is 2 miles by car. The lake is 1 miles  
from gravel road by walk.

PHYSICAL  
area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

ADDY RYAN

Region 4

management unit 26

Elevation 3150' Lat. 50°28'50" Long. 116°4'25" NTS map 82K/08.  
No survey or date not recorded.

Watershed:

Ditch -&gt; Abel C -&gt; Windermere-&gt; Columbia R-&gt; -&gt;

Access: The distance of the lake from Invermere is 3 miles . Distance  
from nearest paved road is 3 miles by car.

PHYSICAL

area:full 41acres

volume 210acre-ft

mean depth 28'

Biogeoclimatic zone: interior douglas firREHABILITATIONS

<u>Date</u>	<u>Toxicant</u>	<u>Success</u>
09/757	rotenone	- %

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
redsided shiner	
rainbow trout	
cutthroat	

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1949	ct	8865	
1950	rt	10000	
1951	rt	9680	
1952	rt	9000	
1953	rt	20000	
1957	bt	97500	
1958	bt	10850	
1959	ct	18400	
1960	bt	9600	
1961	bt	9600	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Previous stocking history date back to 1938.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

SHAMROCK

Region 4

management unit 26

Elevation 8150' Lat. 50°26'10" Long. 116°27'0" NTS map 82K/08.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Delphine C-> Toby C -> Columbia R-> -> ->

Access: The distance of the lake from Invermere is 24 miles . Distance from nearest paved road is 24 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL  
area:full 44acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

CURR

Region 4

management unit 26

Elevation 3800' Lat. 50°16'0" Long. 115°55'0" NTS map 82J/05.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Hardie C -> Columbia L-> Columbia R-> -> ->

Access: The distance of the lake from Canal Flats is 10 miles . Distance  
from nearest paved road is 3 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0		TDS 200ppm
	private cabins 0	area:full 11acres	
forested 100	resort cabins 0		
	camper sites 0		

OWNERSHIP(%)  
crown 100

winterkill 0%

Biogeoclimatic zone: interior douglas fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1958	rt	1000	300
1959	rt	1000	300
1961	rt	3750	>3500
1962	rt	4000	>3500

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

SUN

Region 4

management unit 26

Elevation 2950' Lat. 50°10'50" Long. 115°52'10" NTS map 82J/04.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Sun C -> Columbia L-> Columbia R-> -> ->

Access: The distance of the lake from Canal Flats is 5 miles . Distance  
from nearest paved road is 1 miles by walk.

PHYSICAL  
area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 1

Region 4

management unit 26

Elevation 7050' Lat. 49°56'50" Long. 116°24'10" NTS map 82F/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Findlay C -> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 41 miles . Distance  
from nearest paved road is 39 miles by truck. The lake is 24 miles from  
gravel road by walk.

PHYSICAL  
area:full 23acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

UNNAMED LK 2

Region 4

management unit 26

Elevation 7150'      Lat. 49°56'45"      Long. 116°21'30"      NTS map 82F/16.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Findlay C -> Kootenay R-> -> -> ->

Access: The distance of the lake from Canal Flats is 41 miles . Distance from nearest paved road is 39 miles by truck. The lake is 24 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 3

Region 4

management unit 26

Elevation 7750'      Lat. 49°58'0"      Long. 116°15'45"      NTS map 82F/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Findlay C -> Kootenay L-> -> ->

Access: The distance of the lake from Canal Flats is 38 miles . Distance from nearest paved road is 36 miles by truck. The lake is 21 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 4

Region 4

management unit 26

Elevation 3050'      Lat. 50°7'5"      Long. 115°49'10"      NTS map 82J/04.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Canal Flats is 7 miles . Distance  
from nearest paved road is 4 miles by truck.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 5

Region 4

management unit 26

Elevation 3150'      Lat. 50°7'40"      Long. 115°50'25"      NTS map 82J/04.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Canal Flats is 6 miles . Distance  
from nearest paved road is 3 miles by truck. The lake is 1 miles from  
gravel road by walk.

PHYSICAL

area:full 15acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 6

Region 4

management unit 26

Elevation 3150'      Lat. 50°7'50"      Long. 115°50'40"      NTS map 82J/04.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Canal Flats is 6 miles . Distance from nearest paved road is 3 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 7

Region 4

management unit 26

Elevation 2660'      Lat. 50°10'15"      Long. 115°51'0"      NTS map 82J/04.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Canal Flats is 4 miles . Distance from nearest paved road is 1 miles by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 8

Region 4

management unit 26

Elevation 3250'      Lat. 50°8'40"      Long. 115°51'40"      NTS map 82J/04.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Canal Flats is 5 miles . Distance  
from nearest paved road is 2 miles by car.

PHYSICAL

area:full 17acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Intermittent lake.

\*\*\*\*\*

UNNAMED LK 9

Region 4

management unit 26

Elevation 3050'      Lat. 50°7'20"      Long. 115°50'0"      NTS map 82J/04.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Canal Flats is 6 miles . Distance  
from nearest paved road is 3 miles by truck. The lake is 1 miles from  
gravel road by walk.

PHYSICAL

area:full 37acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Intermittent lake.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 10

Region 4

management unit 26

Elevation 2950'      Lat. 50°24'20"      Long. 115°58'10"      NTS map 82J/05.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Windermere-> Columbia R-> -> ->

Access: The distance of the lake from Fairmont Hot Sp is 11 miles .  
Distance from nearest paved road is 1 miles by car.

PHYSICAL

area:full 17acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 11

Region 4

management unit 26

Elevation 2950'      Lat. 50°22'50"      Long. 115°57'0"      NTS map 82J/05.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Columbia R-> -> -> ->

Access: The distance of the lake from Fairmont is 13 miles . Distance  
from nearest paved road is 3 miles by truck.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 12

Region 4

management unit 26

Elevation 3950'      Lat. 50°4'45"      Long. 116°0'45"      NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Canal Flats is 16 miles . Distance  
from nearest paved road is 13 miles by 4x4.

PHYSICAL

area:full 16acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 13

Region 4

management unit 26

Elevation 6950'      Lat. 50°0'45"      Long. 116°1'25"      NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Lavington -> Finlay C -> Kootenay R-> ->

Access: The distance of the lake from Canal Flats is 21 miles . Distance  
from nearest paved road is 18 miles by truck. The lake is 6 miles from  
gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 14

Region 4

management unit 26

Elevation 7450'      Lat. 50°2'20"      Long. 116°4'45"      NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Doctor C -> Findlay C -> Kootenay R-> ->

Access: The distance of the lake from Canal Flats is 23 miles . Distance from nearest paved road is 20 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICALarea:full 22acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 15

Region 4

management unit 26

Elevation 7450'      Lat. 50°1'0"      Long. 116°11'15"      NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Doctor C -> Findlay C -> Kootenay R-> ->

Access: The distance of the lake from Canal Flats is 25 miles . Distance from nearest paved road is 22 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICALarea:full 18acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 16

Region 4

management unit 26

Elevation 7350'      Lat. 50°3'10"      Long. 116°11'35"      NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Doctor C -> Findlay C -> Kootenay R-> ->

Access: The distance of the lake from Canal Flats is 24 miles . Distance from nearest paved road is 21 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 14acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 17

Region 4

management unit 26

Elevation 7350'      Lat. 50°12'15"      Long. 116°5'50"      NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Findlay C -> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 21 miles . Distance from nearest paved road is 18 miles by truck. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

UNNAMED LK 18

Region 4

management unit 26

Elevation 6450'      Lat. 50°13'15"      Long. 116°6'15"      NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Dutch C -> Kootenay R -> -> ->

Access: The distance of the lake from Canal Flats is 24 miles . Distance from nearest paved road is 21 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 19

Region 4

management unit 26

Elevation 7350'      Lat. 50°11'45"      Long. 116°14'50"      NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Findlay C -> Kootenay R -> -> ->

Access: The distance of the lake from Canal Flats is 25 miles . Distance from nearest paved road is 22 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 25acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 20

Region 4

management unit 26

Elevation 7250' Lat. 50°9'10" Long. 116°18'45" NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Frying Pan-> Findlay C -> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 29 miles . Distance from nearest paved road is 26 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL  
area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 21

Region 4

management unit 26

Elevation 6950' Lat. 50°14'0" Long. 116°10'25" NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Dutch C -> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 31 miles . Distance from nearest paved road is 28 miles by truck. The lake is 10 miles from gravel road by walk.

PHYSICAL  
area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 22

Region 4

management unit 26

Elevation 8050'      Lat. 50°13'15"      Long. 116°11'10"      NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 21-> Outlet C -> Dutch C -> Kootenay R->

Access: The distance of the lake from Canal Flats is 32 miles . Distance from nearest paved road is 29 miles by truck. The lake is 11 miles from gravel road by walk.

PHYSICAL

area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 23

Region 4

management unit 26

Elevation 7450'      Lat. 50°13'0"      Long. 116°14'5"      NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Dutch C -> Kootenay R-> -> ->

Access: The distance of the lake from Canal Flats is 31 miles . Distance from nearest paved road is 28 miles by truck. The lake is 10 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 24

Region 4

management unit 26

Elevation 6850'      Lat. 50°11'40"      Long. 116°17'25"      NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Canal Flats is 40 miles . Distance from nearest paved road is 37 miles by truck. The lake is 18 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 25

Region 4

management unit 26

Elevation 7450'      Lat. 50°9'40"      Long. 116°26'5"      NTS map 82K/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Canal Flats is 42 miles . Distance from nearest paved road is 39 miles by truck. The lake is 21 miles from gravel road by walk.

PHYSICAL

area:full 16acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 26

Region 4

management unit 26

Elevation 7750'      Lat. 50°14'35"      Long. 116°31'20"      NTS map 82K/02.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Toby C -> Columbia R-> -> -> ->

Access: The distance of the lake from Cooper Creek is 21 miles . Distance from nearest paved road is 21 miles by car. The lake is 20 miles from gravel road by walk.

PHYSICALarea:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 27

Region 4

management unit 26

Elevation 7250'      Lat. 50°23'50"      Long. 116°21'25"      NTS map 82K/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Delphine C-> Toby C -> Columbia R-> ->

Access: The distance of the lake from Invermere is 21 miles . Distance from nearest paved road is 21 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICALarea:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 28

Region 4

management unit 26

Elevation 7350' Lat. 50°21'50" Long. 116°11'20" NTS map 82K/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Laundry C -> Brewer C -> Dutch C -> Columbia L-> Columbia R

Access: The distance of the lake from Fairmont Hot Sp is 22 miles .  
Distance from nearest paved road is 16 miles by truck. The lake is 3  
miles from gravel road by walk.

PHYSICAL  
area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 29

Region 4

management unit 26

Elevation 7350' Lat. 50°19'10" Long. 116°7'10" NTS map 82K/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Brewer C -> Dutch C -> Columbia L-> Columbia R->

Access: The distance of the lake from Fairmont Hot Sp is 18 miles .  
Distance from nearest paved road is 12 miles by truck. The lake is 2  
miles from gravel road by walk.

PHYSICAL  
area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 30

Region 4

management unit 26

Elevation 7450'      Lat. 50°35'10"      Long. 116°29'10"      NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Serena C -&gt; Stockdale -&gt; Horsethief-&gt; Columbia R-&gt; -&gt;

Access: The distance of the lake from Invermere is 26 miles . Distance from nearest paved road is 23 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 31

Region 4

management unit 26

Elevation 7450'      Lat. 50°35'15"      Long. 116°28'55"      NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Unnamed 30-&gt; Serena C -&gt; Stockdale -&gt; Horsethief-&gt; Columbia R-&gt;

Access: The distance of the lake from Invermere is 26 miles . Distance from nearest paved road is 23 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 32

Region 4

management unit 26

Elevation 7950' Lat. 50°35'35" Long. 116°29'10" NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Unnamed 31-> Unnamed 30-> Serena C -> Stockdale -> Horsethief-> Columbia  
R

Access: The distance of the lake from Invermere is 27 miles . Distance  
from nearest paved road is 24 miles by truck. The lake is 4 miles from  
gravel road by walk.

PHYSICAL

area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 33

Region 4

management unit 26

Elevation 3150' Lat. 50°34'5" Long. 116°9'40" NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Invermere is 10 miles . Distance  
from nearest paved road is 8 miles by truck. The lake is 2 miles from  
gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

UNNAMED LK 34

Region 4

management unit 26

Elevation 3050'      Lat. 50°34'40"      Long. 116°8'55"      NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Forster C -> Columbia R-> -> ->

Access: The distance of the lake from Invermere is 9 miles . Distance from nearest paved road is 6 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 35

Region 4

management unit 26

Elevation 3070'      Lat. 50°34'30"      Long. 116°9'30"      NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Unnamed 34-> Forster C -> Columbia R-> ->

Access: The distance of the lake from Invermere is 9 miles . Distance from nearest paved road is 6 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 24acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 36

Region 4

management unit 26

Elevation 8550' Lat. 50°36'10" Long. 116°30'55" NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Invermere is 27 miles . Distance from nearest paved road is 24 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 15acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 37

Region 4

management unit 26

Elevation 8350' Lat. 50°35'50" Long. 116°30'50" NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Invermere is 27 miles . Distance from nearest paved road is 24 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 38

Region 4

management unit 26

Elevation 6850'      Lat. 50°37'35"      Long. 116°36'40"      NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Edourd C -> Stockdale -> Horsethief-> Columbia R-> ->

Access: The distance of the lake from Invermere is 31 miles . Distance from nearest paved road is 28 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 39

Region 4

management unit 26

Elevation 7850'      Lat. 50°34'20"      Long. 116°39'30"      NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Stockdale -> Horsethief-> Columbia R-> ->

Access: The distance of the lake from Invermere is 31 miles . Distance from nearest paved road is 28 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

WHITES DAM

Region 4

management unit 26

Elevation 4200'      Lat. 50°25'20"      Long. 116°1'35"      NTS map 82K/08.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Whi. Dam C-&gt; Windermere-&gt; Columbia R-&gt; -&gt; -&gt;

Access: The distance of the lake from Invermere is 8 miles . Distance  
from nearest paved road is 7 miles by car.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 100

govt.campsites 0

private cabins 0

resort cabins 0

camper sites 0

area:full 9acres

OWNERSHIP(%)

private 100

winterkill 0%

Biogeoclimatic zone: interior douglas firSTOCKING HISTORY

year	spec	num	approx no/lb.
1974	ct	10000	>3500

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

WHITETAIL

Region 4

management unit 26

Elevation 3650' Lat. 50°13'0" Long. 116°1'45" NTS map 82K/01.  
 No survey or date not recorded.

Watershed: inlets 2 outlets 1

White C -> Dutch C -> Columbia L-> Columbia R-> ->

Access: The distance of the lake from Canal Flats is 17 miles . Distance from nearest paved road is 14 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 2	perimeter 32261'	TDS 215ppm
	private cabins 1	area:full 400acres	
forested 100	resort cabins 0		
	camper sites 0	litt. area 95acres	
<u>OWNERSHIP(%)</u>		volume 12675acre-ft	
private 75		mean depth 32'	
crown 25			winterkill 0%

Biogeoclimatic zone: interior douglas fir

REHABILITATIONS

<u>Date</u>	<u>Toxicant</u>	<u>Success</u>
10/03/78	rotenone	100%

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
rainbow trout	
dolly varden	
mountain whitefish	

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1962	rt	10030	100		10020	100
1963	rt	1025	12	rt	10450	100
1964	rt	10010	100			
1967	bt	3600	100			
1968	bt	10000	425	rt	3500	425
1969	bt	4000	300			
1971	rt	35000	100			
1972	rt	50000	100			
1973	rt	55000	200			
1974	rt	20000	37			

No Information On: temperature-oxygen-profile, littoral-substrate.

Comments. Lake to be stocked 1979. Previous stocking history date back to 1936. For more detail refer to Fish and Wildlife Branch Cranbrook.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

WILMER

Region 4

management unit 26

Elevation 2770' Lat. 50°32'40" Long. 116°4'50" NTS map 82K/09.  
This lake is also known as Mun. This lake was most recently surveyed  
06/23/70, by TH.

Watershed: inlets 1 outlets 1  
Ditch C -> Columbia R-> -> -> ->

Access: The distance of the lake from Invermere is 5 miles . Distance  
from nearest paved road is 2 miles by car.

Structures: outlet dammed.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
forested 80	govt.campsites 4 private cabins 0 resort cabins 0 camper sites 0	perimeter 8250' area:full 36acres  litt. area 36acres volume 183acre-ft mean depth 5'	TDS 235ppm pH 8.3 secchi disc 9'  hyd.sulph. 0 winterkill 0%
<u>OWNERSHIP(%)</u> private 50 crown 50			

Biogeoclimatic zone: interior douglas fir

PROFILE July 31st  

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	22.0	--
4	21.0	--

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1961	bt	19320	>3500
1962	bt	9975	2500
1963	bt	10380	2500
1964	bt	10300	1250
1965	bt	10000	1250
1966	bt	10000	300
1967	bt	10000	750
1969	bt	5000	300

No Information On: littoral-substrate.

\*\*\*\*\*

August 8, 1983

DUNCAN

Region 4

management unit 27

Elevation 2200'      Lat. 50°23'0"  
No survey or date not recorded.

Long. 116°58'0"

NTS map 82K/07.

Watershed:

Duncan R -&gt; Kootenay L-&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Meadow Creek is 8 miles . Distance  
from nearest paved road is 0 miles by car.

Structures: dam.

PHYSICAL

perimeter 202400'  
area:full 6519acres  
mean depth 170'

Biogeoclimatic zone: interior western hemlock

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
rainbow trout	
dolly varden	

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1951	rt	15000	
1952	rt	15000	
1953	rt	15000	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. This lake is an impoundment and part of the Columbia R Power  
Treaty.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

JUNIPER

Region 4

management unit 27

Elevation 7050' Lat. 50°45'15" Long. 116°50'25" NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

East C -> Duncan R -> Duncan L -> Duncan R -> Kootenay L->

Access: The distance of the lake from Cooper Creek is 46 miles . Distance from nearest paved road is 46 miles by truck. The lake is 14 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 1

Region 4

management unit 27

Elevation 7250' Lat. 50°25'20" Long. 116°49'30" NTS map 82K/07.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> L Glacier C-> Duncan L -> Duncan R -> Kootenay L->

Access: The distance of the lake from Cooper Creek is 24 miles . Distance from nearest paved road is 24 miles by car. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 37acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

UNNAMED LK 2

Region 4

management unit 27

Elevation 7450' Lat. 50°28'40" Long. 116°46'50" NTS map 82K/07.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Tea C -> Howser C -> Duncan L -> Duncan R -> Kootenay L

Access: The distance of the lake from Cooper Creek is 38 miles . Distance from nearest paved road is 38 miles by car. The lake is 16 miles from gravel road by walk.

PHYSICAL

area:full 18acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 3

Region 4

management unit 27

Elevation 7650' Lat. 50°29'20" Long. 116°47'20" NTS map 82K/07.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Echo C -> Howser C -> Duncan L -> Duncan R -> Kootenay L->

Access: The distance of the lake from Cooper Creek is 33 miles . Distance from nearest paved road is 33 miles by car. The lake is 11 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 4

Region 4

management unit 27

Elevation 7350' Lat. 50°22'50" Long. 116°47'25" NTS map 82K/07.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Glacier C -> Duncan L -> Duncan R -> Kootenay L->

Access: The distance of the lake from Cooper Creek is 17 miles . Distance from nearest paved road is 17 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 5

Region 4

management unit 27

Elevation 7150' Lat. 50°33'5" Long. 116°43'35" NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Tea C -> Howser C -> Duncan L -> Duncan R -> Kootenay L

Access: The distance of the lake from Cooper Creek is 31 miles . Distance from nearest paved road is 31 miles by car. The lake is 12 miles from gravel road by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 6

Region 4

management unit 27

Elevation 7050'      Lat. 50°39'0"      Long. 116°41'50"      NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Cooper Creek is 36 miles . Distance from nearest paved road is 36 miles by car. The lake is 17 miles from gravel road by walk.

PHYSICAL  
area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 7

Region 4

management unit 27

Elevation 6450'      Lat. 50°52'40"      Long. 117°9'0"      NTS map 82K/14.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Duncan R -> Duncan L -> Duncan R -> Kootenay L->

Access: The distance of the lake from Cooper Creek is 65 miles . Distance from nearest paved road is 65 miles by truck. The lake is 21 miles from gravel road by walk.

PHYSICAL  
area:full 21acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 8

Region 4

management unit 27

Elevation 6550' Lat. 50°52'20" Long. 117°8'45" NTS map 82K/14.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Unnamed 7 -> Duncan R -> Duncan L -> Duncan R -> Kootenay L

Access: The distance of the lake from Cooper Creek is 65 miles . Distance from nearest paved road is 65 miles by truck. The lake is 21 miles from gravel road by walk.

PHYSICAL

area:full 14acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 9

Region 4

management unit 27

Elevation 7150' Lat. 50°52'0" Long. 117°7'20" NTS map 82K/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Hume C -> Duncan R -> Duncan L -> Duncan R -> Kootenay L

Access: The distance of the lake from Cooper Creek is 65 miles . Distance from nearest paved road is 65 miles by truck. The lake is 21 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 10

Region 4

management unit 27

Elevation 7750'      Lat. 50°49'40"      Long. 117°3'50"      NTS map 82K/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Hume C -> Duncan R -> Duncan L -> Duncan R -> Kootenay L

Access: The distance of the lake from Cooper Creek is 68 miles . Distance from nearest paved road is 68 miles by truck. The lake is 24 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 11

Region 4

management unit 27

Elevation 7150'      Lat. 50°49'10"      Long. 117°4'0"      NTS map 82K/14.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Hume C -> Duncan R -> Duncan L -> Duncan R -> Kootenay L

Access: The distance of the lake from Cooper Creek is 68 miles . Distance from nearest paved road is 68 miles by truck. The lake is 24 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 12

Region 4

management unit 27

Elevation 7350'      Lat. 50°0'0"      Long. 117°0'0"      NTS map 82K/14.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Hume C -> Duncan R -> Duncan L -> Duncan R -> Kootenay L

Access: The distance of the lake from Cooper Creek is 70 miles . Distance from nearest paved road is 70 miles by truck. The lake is 26 miles from gravel road by walk.

PHYSICAL  
area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 13

Region 4

management unit 27

Elevation 6750'      Lat. 50°48'50"      Long. 117°0'50"      NTS map 82K/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Giegerich -> Duncan R -> Duncan L -> Duncan R -> Kootenay L

Access: The distance of the lake from Cooper Creek is 53 miles . Distance from nearest paved road is 53 miles by truck. The lake is 11 miles from gravel road by walk.

PHYSICAL  
area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 14

Region 4

management unit 27

Elevation 7850'      Lat. 50°59'20"      Long. 117°10'0"      NTS map 82K/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -&gt; Bennison C -&gt; Duncan R -&gt; Duncan L -&gt; Duncan R -&gt; Kootenay L

Access: The distance of the lake from Cooper Creek is 64 miles . Distance  
from nearest paved road is 64 miles by truck. The lake is 20 miles from  
gravel road by walk.

PHYSICAL

area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

BUTLERS

Region 4

management unit 28

Elevation 6450'      Lat. 51°0'15"      Long. 117°21'0"      NTS map 82N/03.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Butters C -> Duncan R -> Duncan L -> Kootenay L-> Kootenay R-> Columbia R

Access: The distance of the lake from Revelstoke is 73 miles . Distance  
from nearest paved road is 31 miles by walk.

PHYSICAL

area:full 138acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

COOT

Region 4

management unit 28

Elevation 2450'      Lat. 50°40'50"      Long. 117°5'0"      NTS map 82K/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Cooper Creek is 39 miles . Distance  
from nearest paved road is 39 miles by car. The lake is 1 miles from  
gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

SIS

Region 4

management unit 28

Elevation 6050' Lat. 50°55'10" Long. 117°22'40" NTS map 82K/14.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Oasis C -> Houston C -> Duncan R -> Duncan L -> Duncan R -> Kootenay L

Access: The distance of the lake from Cooper Creek is 71 miles . Distance from nearest paved road is 71 miles by truck. The lake is 27 miles from gravel road by walk.

PHYSICAL

area:full 24acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 1

Region 4

management unit 28

Elevation 6750' Lat. 50°44'0" Long. 117°14'35" NTS map 82K/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Stevens C -> Duncan R -> Duncan L -> Duncan R -> Kootenay L

Access: The distance of the lake from Cooper Creek is 48 miles . Distance from nearest paved road is 48 miles by truck. The lake is 9 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

ALDRIDGE

Region 4

management unit 29

Elevation 6950' Lat. 50°35'50" Long. 117°8'50" NTS map 82K/11.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Lake C -> Lardeau R -> Duncan R -> Kootenay L-> ->

Access: The distance of the lake from Meadow Creek is 32 miles . Distance from nearest paved road is 20 miles by walk.

PHYSICAL  
area:full 36acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

LOGUS

Region 4

management unit 29

Elevation 3650' Lat. 50°28'20" Long. 117°1'20" NTS map 82K/06.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Lake C -> Lardeau R -> Duncan R -> Kootenay L-> ->

Access: The distance of the lake from Meadow Creek is 20 miles . Distance from nearest paved road is 8 miles by walk.

PHYSICAL  
area:full 31acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 2

Region 4

management unit 29

Elevation 5850'      Lat. 50°29'0"      Long. 117°0'30"      NTS map 82K/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Morgan C -> Duncan L -> Duncan R -> Kootenay L-> ->

Access: The distance of the lake from Meadow Creek is 22 miles . Distance  
from nearest paved road is 9 miles by walk.

PHYSICAL

area:full 21acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 3

Region 4

management unit 29

Elevation 6950'      Lat. 50°34'20"      Long. 117°8'0"      NTS map 82K/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Meadow Creek is 30 miles . Distance  
from nearest paved road is 18 miles by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

BLUE

Region 4

management unit 30

Elevation 6850'      Lat. 50°17'10"      Long. 117°9'25"      NTS map 82K/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Cascade C -> Lardeau R -> Duncan R -> Kootenay L-> ->

Access: The distance of the lake from Meadow Creek is 26 miles . Distance  
from nearest paved road is 11 miles by walk.

PHYSICAL  
area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

KAY

Region 4

management unit 30

Elevation 5550'      Lat. 50°25'40"      Long. 117°24'5"      NTS map 82K/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Mobbs C -> Lardeau R -> Duncan R -> Kootenay L->

Access: The distance of the lake from Meadow Creek is 32 miles . Distance  
from nearest paved road is 8 miles by walk.

PHYSICAL  
area:full 4acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

MEADOW MTN.

Region 4

management unit 30

Elevation 6850'      Lat. 50°14'50"      Long. 117°4'0"      NTS map 82K/03.  
No survey or date not recorded.

Watershed:

Closed -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Lardeau is 19 miles . Distance from  
nearest paved road is 11 miles by truck. The lake is 2 miles from gravel  
road by walk.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

	govt.campsites 0	
forested 20	private cabins 0	area:full 8acres
	resort cabins 0	
	camper sites 0	

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: subalpine engelmann spruce-subalpine fir

STOCKING HISTORY

			approx
<u>year</u>	<u>spec</u>	<u>num</u>	<u>no/lb.</u>
1974	ct	5000	2500

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

TENDERFOOT

Region 4

management unit 30

Elevation 6950'      Lat. 50°25'35"      Long. 117°21'30"      NTS map 82K/06.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Tenderfoot-> Lardeau R -> Duncan R -> Kootenay L-> ->

Access: The distance of the lake from Meadow Creek is 29 miles . Distance from nearest paved road is 8 miles by walk.

---

PHYSICAL

area:full 38acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

OUT

Region 4

management unit 30

Elevation 2340' Lat. 50°35'0" Long. 117°27'0" NTS map 82K/11.  
This lake was most recently surveyed 09/15/79, by BURNS, HUNTER.

Watershed: inlets 23 outlets 1  
Lardeau R -> Kootenay R -> -> -> ->

Access: The distance of the lake from Trout Lake is 5 miles . Distance  
from nearest paved road is 0 miles by car.

PHYSICAL

perimeter 168480'  
area:full 7102acres  
mean depth 410'

WATER-CHEMISTRY

TDS 102ppm

Biogeoclimatic zone: interior western hemlock

SPECIES: Census method- not recorded.

SpeciesAbundance

dolly varden

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1953	rt	25000		rt	25000	
1954	rt	128000	750			

No Information On: shoreline-use, shoreline-ownership, accomodation,  
temperature-oxygen-profile, littoral-substrate.

Comments. Max depth = 761 feet. Volume = 2,984,742 acre-ft. Additional  
information avialable at Nelson Regional Office.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 1

Region 4

management unit 30

Elevation 6800' Lat. 50°33'10" Long. 117°38'0" NTS map 82K/12.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Asher C -> Trout L -> -> -> ->

Access: The distance of the lake from Trout Lake is 19 miles . Distance from nearest paved road is 19 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICAL  
area:full 33acres

Biogeoclimatic zone: interior western hemlock

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

UNNAMED LK 2

Region 4

management unit 30

Elevation 5800' Lat. 50°31'15" Long. 117°27'0" NTS map 82K/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Lew C -> Trout L -> -> -> ->

Access: The distance of the lake from Trout Lake is 26 miles . Distance from nearest paved road is 26 miles by truck. The lake is 7 miles from gravel road by walk.

PHYSICAL  
area:full 21acres

Biogeoclimatic zone: interior western hemlock

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*



August 8, 1983

UNNAMED LK 3

Region 4

management unit 30

Elevation 7100'      Lat. 50°17'45"      Long. 117°17'30"      NTS map 82K/06.  
No survey or date not recorded.

Watershed:

Outlet C -&gt; Poplar C -&gt; Lardeau R -&gt; Duncan R -&gt; Kootenay L-&gt;

Access: The distance of the lake from Poplar Creek is 14 miles . The lake  
is 11 miles from gravel road by truck.

PHYSICAL

area:full 33acres

Biogeoclimatic zone: alpine tundra

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

UNNAMED LK 4

Region 4

management unit 30

Elevation 6900'      Lat. 50°17'25"      Long. 117°17'25"      NTS map 82K/06.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Unnamed 3 -&gt; Poplar C -&gt; Lardeau R -&gt; -&gt; -&gt;

Access: The distance of the lake from Poplar Creek is 14 miles . The lake  
is 11 miles from gravel road by truck.

PHYSICAL

area:full 96acres

Biogeoclimatic zone: alpine tundra

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 5

Region 4

management unit 30

Elevation 6900' Lat. 50°17'25" Long. 117°18'0" NTS map 82K/06.  
No survey or date not recorded.

Watershed:

Unnamed 4 -> Unnamed 3 -> Poplar C -> Lardeau R -> ->

Access: The distance of the lake from Poplar Creek is 14 miles . The lake is 11 miles from gravel road by truck.

PHYSICAL

area:full 23acres

Biogeoclimatic zone: alpine tundra

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

UNNAMED LK 8

Region 4

management unit 30

Elevation 6250' Lat. 50°17'50" Long. 117°16'45" NTS map 82K/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Poplar C -> Lardeau R -> Duncan R -> Kootenay L->

Access: The distance of the lake from Poplar Creek is 14 miles . Distance from nearest paved road is 14 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 9

Region 4

management unit 30

Elevation 8150' Lat. 50°19'15" Long. 117°8'0" NTS map 82K/06.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Mat C -> Meadow C -> Duncan R -> Kootenay L-> ->

Access: The distance of the lake from Meadow Creek is 13 miles . Distance from nearest paved road is 13 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 10

Region 4

management unit 30

Elevation 8350' Lat. 50°18'55" Long. 117°8'0" NTS map 82K/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Meadow Creek is 14 miles . Distance from nearest paved road is 14 miles by truck. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 11

Region 4

management unit 30

Elevation 7350'      Lat. 50°16'25"      Long. 117°10'10"      NTS map 82K/06.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Cascade C -> Lardeau R -> Duncan R -> Kootenay L-> ->

Access: The distance of the lake from Meadow Creek is 26 miles . Distance from nearest paved road is 11 miles by walk.

PHYSICAL  
area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 12

Region 4

management unit 30

Elevation 6450'      Lat. 50°27'15"      Long. 117°29'20"      NTS map 82K/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Meadow Creek is 35 miles . Distance from nearest paved road is 12 miles by walk.

PHYSICAL  
area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

NAMED LK 13

Region 4

management unit 30

Elevation 5650' Lat. 50°32'45" Long. 117°27'15" NTS map 82K/11.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Daney C -> Trout L -> Lardeau R -> Duncan R -> Kootenay L->

Access: The distance of the lake from Trout Lake is 26 miles . Distance from nearest paved road is 26 miles by truck. The lake is 7 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 14

Region 4

management unit 30

Elevation 5950' Lat. 50°32'35" Long. 117°27'30" NTS map 82K/11.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Daney C -> Unnamed 13-> Daney C -> Trout L -> Lardeau R -> Duncan R

Access: The distance of the lake from Trout Lake is 27 miles . Distance from nearest paved road is 27 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

ARMSTRONG

Region 4

management unit 31

Elevation 2450' Lat. 50°42'0" Long. 117°41'30" NTS map 82K/12.  
This lake was most recently surveyed 06/29/70, by HARDING.

Watershed: inlets 1 outlets 1  
Beaton C -> Columbia R-> -> -> ->

Access: The distance of the lake from Beaton is 4 miles . Distance from nearest paved road is 0 miles .

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 9000'	TDS 140ppm
	private cabins 1	area:full 45acres	pH 7.4
forested 75	resort cabins 0		secchi disc 17'
	camper sites 0	litt. area 45acres	
<u>OWNERSHIP(%)</u>		volume 501acre-ft	
private 25		mean depth 11'	
crown 75			winterkill 0%

Biogeoclimatic zone: interior western hemlock

PROFILE June 70th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	14.4	9.0
4	13.3	9.0
6	12.2	--

STOCKING HISTORY This lake has never been stocked.

No Information On: littoral-substrate.

\*\*\*\*\*

August 8, 1983

LCYON

Region 4

management unit 31

Elevation 2200' Lat. 50°33'15" Long. 117°53'15" NTS map 82K/12.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> U Arrow L -> -> -> ->

Access: The distance of the lake from Arrowhead is 15 miles . Distance  
from nearest paved road is 0 miles .

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 100  
govt.campsites 0  
private cabins 0 area:full 3acres  
resort cabins 0  
camper sites 0

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: interior western hemlock

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1951	bt	3000	
1974	bt	1500	100
1975	bt	2500	200
1976	bt	5000	425

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

KIMBOL

Region 4

management unit 31

Elevation 4350' Lat. 50°16'30"

Long. 117°38'0"

NTS map 82K/05.

No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Horseshoe -> Wilson L -> L Wilson L-> Fitzstubbs-> Wilson C

Access: The distance of the lake from Nakusp is 10 miles . Distance from nearest paved road is 9 miles by car. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 20acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

AUBERT

Region 4

management unit 31

Elevation 2295' Lat. 50°40'45" Long. 117°38'45" NTS map 82K/12.  
This lake was most recently surveyed 06/29/70, by HARDING.

Watershed: inlets 2 outlets 1  
Beaton C -> Columbia R-> -> -> ->

Access: The distance of the lake from Beaton is 7 miles . Distance from  
nearest paved road is 0 miles .

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 14880'	
forested 100	private cabins 0	area:full 195acres	pH 8.0
	resort cabins 0		secchi disc 16'
	camper sites 0	litt. area 41acres	
<u>OWNERSHIP(%)</u>		volume 9149acre-ft	
private 60		mean depth 47'	
crown 40			winterkill 0%

Biogeoclimatic zone: interior western hemlock

PROFILE June 70th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	14.4	9.0
4	11.1	11.0
6	--	9.0
8	8.9	--
20	5.0	--

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1940	rt	50000				
1941	rt	30000				
1949	rt	80000				
1950	ko	30000				
1952	rt	30000		ko	30000	

No Information On: littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

TWIN LKS

Region 4

management unit 31

Elevation 2050'      Lat. 50°14'40"      Long. 117°45'55"      NTS map 82K/04.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Nakusp is 2 miles . Distance from nearest paved road is 2 miles by car.

PHYSICAL

area:full 3acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 1

Region 4

management unit 31

Elevation 6150'      Lat. 50°25'20"      Long. 117°30'0"      NTS map 82K/05.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Hunter C -> Kuskanax C-> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 23 miles . Distance from nearest paved road is 22 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 21acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNAMED LK 2

Region 4

management unit 31

Elevation 5950'      Lat. 50°15'50"      Long. 117°35'20"      NTS map 82K/05.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Kuskanax C-> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 14 miles . Distance from nearest paved road is 13 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 19acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 4

Region 4

management unit 31

Elevation 4950'      Lat. 50°18'0"      Long. 117°33'5"      NTS map 82K/05.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Kuskanax C-> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 15 miles . Distance from nearest paved road is 14 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 5

Region 4

management unit 31

Elevation 6250' Lat. 50°16'50" Long. 117°33'50" NTS map 82K/05.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Unnamed 4 -> Kuskanax C-> U Arrow L -> ->

Access: The distance of the lake from Nakusp is 17 miles . Distance from nearest paved road is 16 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL  
area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 6

Region 4

management unit 31

Elevation 6150' Lat. 50°28'20" Long. 117°33'30" NTS map 82K/05.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Halfway R -> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 39 miles . Distance from nearest paved road is 24 miles by truck. The lake is 9 miles from gravel road by walk.

PHYSICAL  
area:full 22acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

NNAMED LK 7

Region 4

management unit 31

Elevation 5950'      Lat. 50°28'50"      Long. 117°34'20"      NTS map 82K/05.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Halfway R -> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 33 miles . Distance from nearest paved road is 18 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

NNAMED LK 8

Region 4

management unit 31

Elevation 5750'      Lat. 50°20'25"      Long. 117°39'30"      NTS map 82K/05.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Kuskanax C-> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 15 miles . Distance from nearest paved road is 14 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 9

Region 4

management unit 31

Elevation 5850' Lat. 50°20'15" Long. 117°39'45" NTS map 82K/05.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 8 -> Kuskanax C-> U Arrow L -> ->

Access: The distance of the lake from Nakusp is 15 miles . Distance from nearest paved road is 14 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 10

Region 4

management unit 31

Elevation 6250' Lat. 50°23'10" Long. 117°36'20" NTS map 82K/05.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Kuskanax C-> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 17 miles . Distance from nearest paved road is 16 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

NAMED LK 11

Region 4

management unit 31

Elevation 6150'      Lat. 50°20'55"      Long. 117°42'5"      NTS map 82K/05.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Kuskanax C-> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 11 miles . Distance from nearest paved road is 10 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 12

Region 4

management unit 31

Elevation 6250'      Lat. 50°22'20"      Long. 117°45'45"      NTS map 82K/05.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> St Leon C -> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 24 miles . Distance from nearest paved road is 9 miles by truck. The lake is 6 miles from gravel road by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 13

Region 4

management unit 31

Elevation 5750' Lat. 50°20'5" Long. 117°28'50" NTS map 82K/06.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Kuskanax C-> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 20 miles . Distance from nearest paved road is 19 miles by truck. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 14

Region 4

management unit 31

Elevation 6250' Lat. 50°19'50" Long. 117°29'0" NTS map 82K/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 6 -> Outlet C -> Kuskanax C-> U Arrow L ->

Access: The distance of the lake from Nakusp is 20 miles . Distance from nearest paved road is 19 miles by truck. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

NAMED LK 15

Region 4

management unit 31

Elevation 2850' Lat. 50°41'15" Long. 117°45'15" NTS map 82K/12.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Hill C -> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 35 miles . Distance from nearest paved road is 8 miles by car.

PHYSICAL

area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 16

Region 4

management unit 31

Elevation 4950' Lat. 50°37'0" Long. 117°41'20" NTS map 82K/12.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Beaton C -> Staubert L-> Armstrong -> Beaton C -> U Arrow L ->

Access: The distance of the lake from Trout Lake is 9 miles . Distance from nearest paved road is 9 miles by car. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 37acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 17

Region 4

management unit 31

Elevation 6250' Lat. 50°35'35" Long. 117°43'25" NTS map 82K/12.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Payne C -> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 35 miles . Distance from nearest paved road is 8 miles by car. The lake is 6 miles from gravel road by walk.

PHYSICAL  
area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 18

Region 4

management unit 31

Elevation 6050' Lat. 50°33'10" Long. 117°43'30" NTS map 82K/12.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Payne C -> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 37 miles . Distance from nearest paved road is 10 miles by car. The lake is 8 miles from gravel road by walk.

PHYSICAL  
area:full 15acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNAMED LK 19

Region 4

management unit 31

Elevation 6050'      Lat. 50°33'10"      Long. 117°43'15"      NTS map 82K/12.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 18-> Outlet C -> Payne C -> U Arrow L ->

Access: The distance of the lake from Nakusp is 37 miles . Distance from nearest paved road is 10 miles by car. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNAMED LK 20

Region 4

management unit 31

Elevation 5850'      Lat. 50°33'50"      Long. 117°43'30"      NTS map 82K/12.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Payne C -> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 36 miles . Distance from nearest paved road is 9 miles by car. The lake is 7 miles from gravel road by walk.

PHYSICAL

area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 21

Region 4

management unit 31

Elevation 5550'      Lat. 50°33'45"      Long. 117°48'40"      NTS map 82K/12.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Nacillewae-> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 29 miles . Distance from nearest paved road is 4 miles by 4x4. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 22

Region 4

management unit 31

Elevation 6050'      Lat. 50°32'40"      Long. 117°47'10"      NTS map 82K/12.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Halfway R -> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 25 miles . Distance from nearest paved road is 10 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

ARROW PARK

Region 4

management unit 32

Elevation 2300' Lat. 50°19'20" Long. 118°3'45" NTS map 82L/08.  
This lake is also known as Mosquito. This lake was most recently surveyed  
08/27/70, by HARDING.

Watershed: inlets 3 outlets 1  
U. Arrow -> Columbia R-> -> -> ->

Access: The distance of the lake from Nakusp is 38 miles . Distance from  
nearest paved road is 24 miles by truck.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 3	perimeter 38808'	TDS 216ppm
	private cabins 1	area:full 387acres	pH 8.0
forested 100	resort cabins 0		secchi disc 27'
	camper sites 0		
<u>OWNERSHIP(%)</u>		litt. area 106acres	
		volume 13973acre-ft	
		mean depth 36'	
crown 100			winterkill 0%

Biogeoclimatic zone: interior western hemlock

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	rt	3000	750
1970	rt	6000	425
1971	rt	10000	750
1972	rt	10000	750
1973	rt	10000	750
1974	rt	4000	750
1975	rt	4000	300

No Information On: temperature-oxygen-profile, littoral-substrate.

Comments. Require permit for access from Celgar.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

BEAR

Region 4

management unit 32

Elevation 4850'      Lat. 50°24'40"      Long. 118°8'0"      NTS map 82L/08.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Bear C -> Fosthall C-> -> -> ->

Access: The distance of the lake from Nakusp is 26 miles . Distance from nearest paved road is 18 miles by truck. The lake is 5 miles from gravel road by foot.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 100

govt.campsites 0  
private cabins 0  
resort cabins 0  
camper sites 0

area:full 110acres

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: interior western hemlock

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1949	rt	10000	2500
1950	rt	5000	
1951	rt	9820	
1970	rt	5000	425
1971	rt	8000	750
1972	rt	4000	750
1973	rt	7000	750
1974	rt	3000	750
1975	rt	3000	300
1976	rt	10000	200

No Information On: temperature-oxygen-profile, littoral-substrate.

Comments. Permit needed for access from Celgar. Previous stocking history dates back to 1938.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

LAVER

Region 4

management unit 32

Elevation 2000' Lat. 50°57'55" Long. 118°14'30" NTS map 82L/16.  
This lake was most recently surveyed 08/26/53, by STRINGER.

Watershed: inlets 0 outlets 0  
Columbia R-> -> -> -> ->

Access: The distance of the lake from Revelstoke is 7 miles . Distance  
from nearest paved road is 5 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0		TDS 70ppm
forested 100	private cabins 0	area:full 5acres	
	resort cabins 0		
	camper sites 0		
<u>OWNERSHIP(%)</u>			
crown 100			winterkill 0%

Biogeoclimatic zone: interior western hemlock

SPECIES: Census method- gillnet  

<u>Species</u>	<u>Abundance</u>
rainbow trout	

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	rt	4000	750
1970	rt	4000	425
1971	rt	5000	750
1972	rt	2500	750
1973	rt	5000	750
1974	rt	3000	750
1975	rt	3000	300
1977	rt	3000	

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

BEGBIE

Region 4

management unit 32

Elevation 1480' Lat. 50°54'55" Long. 118°11'20" NTS map 82L/16.  
This lake is also known as Butterball. This lake was most recently  
surveyed 07/03/70, by HARDING.

Watershed: inlets 1 outlets 1  
Columbia R-> -> -> -> ->

Access: The distance of the lake from Revelstoke is 9 miles . Distance  
from nearest paved road is 7 miles by car. The lake is 1 miles from  
gravel road by foot.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 4650'	TDS 100ppm
forested 100	private cabins 0	area:full 17acres	
	resort cabins 0		secchi disc 19'
	camper sites 0		
<u>OWNERSHIP(%)</u>		volume 177acre-ft	
crown 100		mean depth 11'	
			winterkill 0%

Biogeoclimatic zone: interior western hemlock

REHABILITATIONS

<u>Date</u>	<u>Toxicant</u>	<u>Success</u>
09/11/61	not known	- %

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	rt	4000	750
1970	rt	4000	425
1971	rt	5000	750
1972	rt	2500	750
1973	rt	5000	750
1974	rt	3000	750
1975	rt	3000	300
1976	rt	3000	
1977	rt	3000	

No Information On: temperaturc-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

IMERON

Region 4

management unit 32

Elevation 3280' Lat. 50°18'55" Long. 118°0'0" NTS map 82K/05.  
This lake was most recently surveyed 08/28/70, by HARDING.

Watershed: inlets 0 outlets 0  
Columbia R-> -> -> -> ->

Access: The distance of the lake from Nakusp is 18 miles . Distance from nearest paved road is 10 miles by truck.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 10085'	TDS 300ppm
forested 100	private cabins 1	area:full 87acres	pH 7.4
	resort cabins 0		secchi disc 17'
	camper sites 0		
<u>OWNERSHIP(%)</u>		litt. area 59acres	
		volume 1214acre-ft	
		mean depth 14'	
crown 100			winterkill 0%

Biogeoclimatic zone: interior western hemlock

PROFILE August 28th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	--	7.0
4	--	7.0
8	--	2.0

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	rt	3000	750
1970	rt	2000	425
1971	rt	5000	750
1972	rt	2500	750
1973	rt	5000	750
1974	rt	3000	750
1975	rt	3000	300
1976	rt	3000	
1977	rt	3000	

No Information On: littoral-substrate.

Comments. Require permit for access from Celgar.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

CARIBOU 1

Region 4

management unit 32

Elevation 3350'      Lat. 50°13'10"      Long. 118°2'0"      NTS map 82L/01.  
This lake was most recently surveyed 08/27/70, by HARDING.

Watershed: inlets 0 outlets 1  
Whatshan R-> Whatshan L-> Columbia R-> -> ->

Access: The distance of the lake from Nakusp is 27 miles . Distance from nearest paved road is 19 miles by truck.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 1	perimeter 5190'	TDS 169ppm
	private cabins 0	area:full 27acres	pH 7.4
forested 100	resort cabins 0		secchi disc 19'
	camper sites 0		
<u>OWNERSHIP(%)</u>		litt. area 15acres	
		volume 942acre-ft	
		mean depth 35'	
crown 100			winterkill 0%

Biogeoclimatic zone: interior western hemlock

PROFILE August 27th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	--	7.0
4	--	7.0
8	--	8.0

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1970	rt	7000	425
1971	rt	6000	750
1972	rt	3000	750
1973	rt	5000	750
1974	rt	5000	750
1975	rt	3000	300
1977	rt	3000	

No Information On: littoral-substrate.

Comments. Permit for access from Celgar.

\*\*\*\*\*

August 8, 1983

RIBOU 2

Region 4

management unit 32

Elevation 3400' Lat. 50°13'30" Long. 118°1'35" NTS map 82L/01.  
This lake was most recently surveyed 08/27/70, by HARDING.

Watershed: inlets 1 outlets 1

Whatshan R-&gt; Whatshan L-&gt; Columbia R-&gt; -&gt; -&gt;

Access: The distance of the lake from Nakusp is 27 miles . Distance from  
nearest paved road is 19 miles by truck.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 5010'	TDS 169ppm
forested 100	private cabins 0	area:full 28acres	
	resort cabins 0		
	camper sites 0		
<u>OWNERSHIP(%)</u>		volume 524acre-ft	
crown 100		mean depth 19'	winterkill 0%

Biogeoclimatic zone: interior western hemlockPROFILE August 27th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	--	7.0
4	--	7.0
8	--	4.0

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1971	rt	4000	750
1972	rt	2000	750
1973	rt	3000	750
1974	rt	3000	750
1975	rt	2000	300
1976	rt	2000	
1977	rt	2000	

No Information On: littoral-substrate.Comments. Permit for access from Celgar.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

CARIBOU 3

Region 4

management unit 32

Elevation 3600'      Lat. 50°13'55"      Long. 118°0'30"      NTS map 82L/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Whatshan R-&gt; Caribou 2 -&gt; Caribou 1 -&gt; Whatshan R-&gt; -&gt;

Access: The distance of the lake from Nakusp is 28 miles . Distance from  
nearest paved road is 20 miles by truck.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
forested 100	govt.campsites 0 private cabins 0 resort cabins 0 camper sites 0	area:full 10acres	
<u>OWNERSHIP(%)</u> crown 100			winterkill 0%

Biogeoclimatic zone: interior western hemlockSTOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1973	rt	4000	750
1974	rt	3000	750
1975	rt	2000	300

No Information On: temperature-oxygen-profile, littoral-substrate.Comments. Permit for access from Celgar.

\*\*\*\*\*

August 8, 1983

THERINE

Region 4

management unit 32

Elevation 2840' Lat. 50°24'10" Long. 117°58'0" NTS map 82K/05.  
This lake was most recently surveyed 08/28/70, by HARDING.

Watershed: inlets 0 outlets 1  
Columbia R-> -> -> -> ->

Access: The distance of the lake from Nakusp is 22 miles . Distance from nearest paved road is 14 miles by truck.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 7620'	
forested 100	private cabins 0	area:full 71acres	pH 8.0
	resort cabins 0		secchi disc 49'
<u>OWNERSHIP(%)</u>	camper sites 0	litt. area 14acres	alkalin 315 mg/l
		volume 4522acre-ft	
crown 100		mean depth 64'	winterkill 0%

Biogeoclimatic zone: interior western hemlock

PROFILE August 28th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	--	7.0
8	--	6.0
10	--	6.0

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	rt	5000	750
1970	rt	4000	425
1971	rt	6000	750
1972	rt	3000	750
1973	rt	5000	750
1974	rt	5000	750
1975	rt	3000	300
1976	rt	3000	
1977	rt	3000	

No Information On: littoral-substrate.

Comments. Require permit for access from Celgar.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

COURSIER

Region 4

management unit 32

Elevation 4200' Lat. 50°43'0" Long. 118°7'0" NTS map 82L/09E.  
This lake is also known as Cranberry. This lake was most recently  
surveyed 07/01/70, by HARDING.

Watershed: inlets 1 outlets 1  
Cranberry -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 25 miles . Distance  
from nearest paved road is 16 miles by truck. The lake is 5 miles from  
gravel road by foot.

Structures: dam.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 30840'	TDS 33ppm
forested 100	private cabins 0	area:full 353acres	pH 7.0
	resort cabins 0		secchi disc 8'
<u>OWNERSHIP(%)</u>	camper sites 0	litt. area 81acres	
		volume 11637acre-ft	
crown 100		mean depth 33'	
			winterkill 0%

Biogeoclimatic zone: interior western hemlock

PROFILE July 1st

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	17.2	8.0
4	15.0	--
6	--	8.0
8	7.2	--

STOCKING HISTORY This lake has never been stocked.

No Information On: littoral-substrate.

\*\*\*\*\*

August 8, 1983

IPRESS

Region 4

management unit 32

Elevation 6850' Lat. 50°28'10" Long. 118°4'50" NTS map 82L/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Nakusp is 22 miles . Distance from nearest paved road is 14 miles by car. The lake is 2 miles from gravel road by truck.

PHYSICAL

area:full 4acres

Biogeoclimatic zone: alpine tundra

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

HOLMES

Region 4

management unit 32

Elevation 4550' Lat. 50°51'50" Long. 118°18'20" NTS map 82L/01.  
No survey or date not recorded.

Watershed: inlets 4 outlets 1

Kettle R -> Keefer L -> Kettle R -> -> ->

Access: The distance of the lake from Nakusp is 71 miles . Distance from nearest paved road is 10 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 84acres

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

ICEBOUND

Region 4

management unit 32

Elevation 6850'      Lat. 50°31'0"      Long. 118°12'0"      NTS map 82L/09.  
No survey or date not recorded.

Watershed: inlets 3 outlets 1  
Ledge C -> Pingston C-> U Arrow L -> -> ->

Access: The distance of the lake from Revelstoke is 62 miles . Distance from nearest paved road is 33 miles by truck. The lake is 15 miles from gravel road by walk.

PHYSICAL

area:full 43acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

RSON

Region 4

management unit 32

Elevation 2300' Lat. 50°16'40" Long. 118°2'10" NTS map 82L/08.  
This lake was most recently surveyed 08/27/70, by HARDING.

Watershed: inlets 0 outlets 1

Columbia R-> -> -> -> ->

Access: The distance of the lake from Nakusp is 23 miles . Distance from nearest paved road is 15 miles by truck.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 1	perimeter 4435'	TDS 257ppm
	private cabins 0	area:full 18acres	pH 8.5
forested 100	resort cabins 0		
	camper sites 0	litt. area 18acres	
<u>OWNERSHIP(%)</u>		volume 93acre-ft	
		mean depth 5'	
crown 100			winterkill 0%

Biogeoclimatic zone: interior western hemlock

PROFILE August 27th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	--	9.0

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
rainbow trout	

#### STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	rt	3000	750
1970	rt	3000	425
1971	rt	3000	750
1972	rt	1500	750
1974	rt	2000	750
1975	rt	1500	300

No Information On: littoral-substrate.

Comments. Access by permit from Celgar.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

LITTE ARROW PK.

Region 4

management unit 32

Elevation 2360' Lat. 50°20'10" Long. 118°4'10" NTS map 82L/08.  
This lake is also known as Little Mosquito. This lake was most recently  
surveyed 08/27/70, by HARDING.

Watershed: inlets 1 outlets 1

Arrow Pk C-&gt; U. Arrow -&gt; Columbia R-&gt; -&gt; -&gt;

Access: The distance of the lake from Nakusp is 38 miles . Distance from  
nearest paved road is 24 miles by truck.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

govt.campsites 0  
private cabins 0  
resort cabins 0  
camper sites 0

perimeter 4710'  
area:full 26acres

TDS 291ppm  
pH 8.5  
secchi disc 48'

OWNERSHIP(%)

volume 1016acre-ft  
mean depth 39'

crown 100

winterkill 0%

Biogeoclimatic zone: interior western hemlockPROFILE August 27th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	--	8.0
10	--	9.0

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1971	rt	4000	750
1972	rt	2000	750
1973	rt	4000	750
1974	rt	4000	750
1977	rt	3000	

No Information On: littoral-substrate.Comments. Require permit for access from Celgar.

\*\*\*\*\*

August 8, 1983

RGIE

Region 4

management unit 32

Elevation 6100'      Lat. 50°28'20"      Long. 118°10'15"      NTS map 82L/08.  
No survey or date not recorded.

Watershed: inlets 4 outlets 1  
Fosthall C-> U Arrow L -> -> -> ->

Access: The distance of the lake from Nakusp is 29 miles . The lake is 6 miles from gravel road by truck.

PHYSICAL

area:full 40acres

Biogeoclimatic zone: alpine tundra

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

PAINT

Region 4

management unit 32

Elevation 6750'      Lat. 50°27'30"      Long. 118°6'10"      NTS map 82L/08.  
No survey or date not recorded.

Watershed:  
Unnamed C -> Fosthall C-> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 27 miles . The lake is 6 miles from gravel road by truck.

PHYSICAL

area:full 9acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

PINGSTON

Region 4

management unit 32

Elevation 4400' Lat. 50°40'15"

Long. 118°7'20"

NTS map 82L/09.

No survey or date not recorded.

Watershed: inlets 2 outlets 1

Pingston C-&gt; Columbia R-&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Revelstoke is 28 miles . Distance from nearest paved road is 19 miles by truck. The lake is 9 miles from gravel road by foot.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 100

govt.campsites 0

private cabins 0

area:full 56acres

resort cabins 0

camper sites 0

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: subalpine engelmann spruce-subalpine firSTOCKING HISTORY

year	spec	num	approx no/lb.
1973	rt	10000	750
1974	rt	5000	750
1975	rt	4000	300

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

NOVSHOE

Region 4

management unit 32

Elevation 2200' Lat. 49°55'0" Long. 118°10'45" NTS map 82E/16.  
No survey or date not recorded.

Watershed: inlets 1 outlets 0

Closed -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Burton is 26 miles . Distance from  
nearest paved road is 12 miles by truck. The lake is 1 miles from gravel  
road by foot.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 1	perimeter 6864'	TDS 280ppm
forested 100	private cabins 0	area:full 47acres	pH 8.5
	resort cabins 0		secchi disc 28'
	camper sites 0		
		litt. area 19acres	
<u>OWNERSHIP(%)</u>		volume 1349acre-ft	
		mean depth 29'	
crown 100			winterkill 0%

Biogeoclimatic zone: interior western hemlockREHABILITATIONS

<u>Date</u>	<u>Toxicant</u>	<u>Success</u>
07/27/58	toxaphene	- %

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	rt	3000	750
1970	rt	4000	425
1971	rt	5000	750
1972	rt	2500	750
1973	rt	5000	750
1975	rt	2500	300
1976	rt	2500	
1977	rt	2500	

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 1

Region 4

management unit 32

Elevation 6000' Lat. 50°16'45" Long. 118°15'30" NTS map 82L/07.  
This lake is also known as Cussion. No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Cusson C -> Arrow Park-> -> -> ->

Access: The distance of the lake from Cherryville is 27 miles . The lake is 12 miles from gravel road by truck.

PHYSICAL  
area:full 9acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

UNNAMED LK 2

Region 4

management unit 32

Elevation 6750' Lat. 50°28'40" Long. 118°6'30" NTS map 82L/08.  
No survey or date not recorded.

Watershed:  
Unnamed C -> Ledge C -> Pingston C-> U Arrow -> ->

Access: The distance of the lake from Nakusp is 23 miles .

PHYSICAL  
area:full 19acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 3

Region 4

management unit 32

Elevation 5750'      Lat. 50°31'50"      Long. 118°7'20"      NTS map 82L/09.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Ledge C -> Pingston C -> U Arrow -> -> ->

Access: The distance of the lake from Revelstoke is 59 miles . Distance from nearest paved road is 30 miles by truck. The lake is 12 miles from gravel road by walk.

PHYSICAL

area:full 32acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

UNNAMED LK 4

Region 4

management unit 32

Elevation 5300'      Lat. 50°1'0"      Long. 118°9'0"      NTS map 82L/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Barnes C -> L Arrow L -> -> ->

Access: The distance of the lake from Hilton is 36 miles . Distance from nearest paved road is 22 miles by car. The lake is 2 miles from gravel road by truck.

PHYSICAL

area:full 10acres

Biogeoclimatic zone: interior western hemlock

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 5

Region 4

management unit 32

Elevation 2150'      Lat. 50°22'50"      Long. 117°59'30"      NTS map 82K/05.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> U Arrow L -> -> -> ->

Access: The distance of the lake from Nakusp is 20 miles . Distance from nearest paved road is 12 miles by truck.

---

PHYSICAL  
area:full 20acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Require permit for access from Celgar.

\*\*\*\*\*



August 8, 1983

UNAMED LK 7

Region 4

management unit 32

Elevation 2400'      Lat. 50°48'20"      Long. 118°4'0"      NTS map 82L/16.  
No survey or date not recorded.

Watershed:

Penstock -&gt; Power Hous-&gt; Columbia R-&gt; -&gt; -&gt;

Access: The distance of the lake from Revelstoke is 18 miles . Distance from nearest paved road is 9 miles by car. The lake is 9 miles from gravel road by truck.

Structures: dam.PHYSICAL

area:full 30acres

Biogeoclimatic zone: interior western hemlock

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map. Area and access are estimated off a map.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 8

Region 4

management unit 32

Elevation 6530'      Lat. 50°49'30"      Long. 118°14'50"      NTS map 82L/16.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Blanket C -> U Arrow L -> -> -> ->

Access: The distance of the lake from Revelstoke is 22 miles . Distance from nearest paved road is 9 miles by car. The lake is 5 miles from gravel road by truck.

PHYSICAL

area:full 20acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

UNNAMED LK 9

Region 4

management unit 32

Elevation 5950'      Lat. 50°48'0"      Long. 118°14'0"      NTS map 82L/16.  
No survey or date not recorded.

Watershed:  
Blanket C -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 21 miles . Distance from nearest paved road is 9 miles by car. The lake is 5 miles from gravel road by truck.

PHYSICAL

area:full 38acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

August 8, 1983

INAMED LK 10

Region 4

management unit 32

Elevation 6250' Lat. 50°46'50" Long. 118°13'0" NTS map 82L/16.  
No survey or date not recorded.

Watershed:

Blanker C -&gt; Columbia R-&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Revelstoke is 21 miles . Distance from nearest paved road is 9 miles by car. The lake is 9 miles from gravel road by truck.

PHYSICAL

area:full 34acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

UNNAMED LK 11

Region 4

management unit 32

Elevation 6530' Lat. 50°40'35" Long. 118°10'50" NTS map 82L/09.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Unnamed C -&gt; Pingston L-&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Revelstoke is 43 miles . Distance from nearest paved road is 9 miles by car. The lake is 23 miles from gravel road by truck.

PHYSICAL

area:full 76acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 12

Region 4

management unit 32

Elevation 6520' Lat. 50°39'0" Long. 118°10'25" NTS map 82L/09.  
No survey or date not recorded.

Watershed: inlets 3 outlets 1  
Unnamed113-> -> -> -> ->

Access: The distance of the lake from Revelstoke is 41 miles . Distance from nearest paved road is 9 miles by car. The lake is 23 miles from gravel road by truck.

PHYSICAL  
area:full 32acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

UNNAMED LK 13

Region 4

management unit 32

Elevation 5050' Lat. 50°38'25" Long. 118°7'35" NTS map 82L/09.  
No survey or date not recorded.

Watershed: inlets 4 outlets 1  
Thor C -> Pingston C-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 39 miles . Distance from nearest paved road is 9 miles by car. The lake is 23 miles from gravel road by truck.

PHYSICAL  
area:full 40acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

August 8, 1983

NAMED LK 14

Region 4

management unit 32

Elevation 6500' Lat. 50°13'0" Long. 118°13'50" NTS map 82L/01.  
This lake is also known as Rioulx. No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Rioulx C -> Mosquito C-> U Arrow L -> -> ->

Access: The distance of the lake from Arrow Park Lake is 13 miles . The lake is 3 miles from gravel road by truck.

PHYSICAL  
area:full 17acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

UNNAMED LK 15

Region 4

management unit 32

Elevation 5350' Lat. 50°15'40" Long. 118°15'40" NTS map 82L/07.  
No survey or date not recorded.

Watershed: inlets 5 outlets 1  
Cusson C -> Arrow Park-> -> -> ->

Access: The distance of the lake from Arrow Park Lake is 11 miles . The lake is 7 miles from gravel road by truck.

PHYSICAL  
area:full 17acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 16

Region 4

management unit 32

Elevation 4650' Lat. 50°15'45" Long. 118°13'15" NTS map 82L/08.  
No survey or date not recorded.

Watershed: inlets 4 outlets 1

Outlet C -> Cusson C -> Arrow Pk C -> Columbia R -> ->

Access: The distance of the lake from Nakusp is 46 miles . Distance from nearest paved road is 32 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 64acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 17

Region 4

management unit 32

Elevation 6150' Lat. 50°16'20" Long. 118°15'45" NTS map 82L/08.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Cusson C -> Unnamed 1 -> Cusson C -> Arrow Pk C -> Columbia R ->

Access: The distance of the lake from Cherryville is 28 miles . Distance from nearest paved road is 13 miles by truck.

PHYSICAL

area:full 15acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

NAMED LK 18

Region 4

management unit 32

Elevation 6750'      Lat. 50°16'10"      Long. 118°15'40"      NTS map 82L/08.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Cusson C -> Unnamed 17-> Unnamed 1 -> Cusson C -> Arrow Pk C-> Columbia R

Access: The distance of the lake from Cherryville is 28 miles . Distance from nearest paved road is 13 miles by truck.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 19

Region 4

management unit 32

Elevation 5350'      Lat. 50°20'40"      Long. 118°14'0"      NTS map 82L/08.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Plant C -> Arrow Pk L-> Arrow Pk C-> Columbia R->

Access: The distance of the lake from Nakusp is 46 miles . Distance from nearest paved road is 32 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 20

Region 4

management unit 32

Elevation 6850' Lat. 50°25'55" Long. 118°15'0" NTS map 82L/08.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> S Fosthall-> Fosthall C-> U Arrow L -> ->

Access: The distance of the lake from Nakusp is 55 miles . Distance from nearest paved road is 41 miles by truck. The lake is 12 miles from gravel road by walk.

PHYSICAL

area:full 57acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 21

Region 4

management unit 32

Elevation 6850' Lat. 50°25'55" Long. 118°15'45" NTS map 82L/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 20-> Outlet C -> S Fosthall-> Fosthall C-> U Arrow L

Access: The distance of the lake from Nakusp is 56 miles . Distance from nearest paved road is 42 miles by truck. The lake is 13 miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

UNAMED LK 22

Region 4

management unit 32

Elevation 6250'      Lat. 50°28'45"      Long. 118°5'40"      NTS map 82L/08.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -&gt; Ledge C -&gt; Pingston C-&gt; U Arrow L -&gt; -&gt;

Access: The distance of the lake from Nakusp is 28 miles . Distance from  
nearest paved road is 7 miles by truck. The lake is 2 miles from gravel  
road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNAMED LK 23

Region 4

management unit 32

Elevation 6250'      Lat. 50°32'0"      Long. 118°10'50"      NTS map 82L/09.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Ledge C -&gt; Pingston C-&gt; U Arrow L -&gt; -&gt; -&gt;

Access: The distance of the lake from Revelstoke is 62 miles . Distance  
from nearest paved road is 32 miles by truck. The lake is 14 miles from  
gravel road by walk.

PHYSICAL

area:full 19acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 24

Region 4

management unit 32

Elevation 5950'      Lat. 50°30'20"      Long. 118°10'30"      NTS map 82L/09.  
No survey or date not recorded.

Watershed: inlets 3 outlets 1

Outlet C -> Ledge C -> Pingston C-> U Arrow L -> ->

Access: The distance of the lake from Revelstoke is 60 miles . Distance from nearest paved road is 31 miles by truck. The lake is 13 miles from gravel road by walk.

PHYSICAL

area:full 14acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 25

Region 4

management unit 32

Elevation 4950'      Lat. 50°7'0"      Long. 118°37'30"      NTS map 82L/09.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Thor C -> Pingston C-> U Arrow L -> -> ->

Access: The distance of the lake from Revelstoke is 37 miles . Distance from nearest paved road is 12 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 17acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

NAMED LK 26

Region 4

management unit 32

Elevation 6350'      Lat. 50°37'50"      Long. 118°10'0"      NTS map 82L/09.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Thor C -> Unnamed 25-> Thor C -> Pingston C-> U Arrow L ->

Access: The distance of the lake from Revelstoke is 40 miles . Distance from nearest paved road is 15 miles by truck. The lake is 6 miles from gravel road by walk.

PHYSICALarea:full 30acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 27

Region 4

management unit 32

Elevation 5950'      Lat. 50°41'20"      Long. 118°9'0"      NTS map 82L/09.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Coursier L-> S Cranberry-> Cranberry -> U Arrow L ->

Access: The distance of the lake from Revelstoke is 41 miles . Distance from nearest paved road is 16 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICALarea:full 35acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 28

Region 4

management unit 32

Elevation 5750' Lat. 50°41'10" Long. 118°8'20" NTS map 82L/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Coursier L-> S Cranberry-> Cranberry -> U Arrow L ->

Access: The distance of the lake from Revelstoke is 40 miles . Distance from nearest paved road is 15 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 29

Region 4

management unit 32

Elevation 6950' Lat. 50°42'0" Long. 118°10'10" NTS map 82L/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 27-> Unnamed 26-> Outlet C -> Coursier L-> S Cranberry

Access: The distance of the lake from Revelstoke is 43 miles . Distance from nearest paved road is 18 miles by truck. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

INAMED LK 30

Region 4

management unit 32

Elevation 5950'      Lat. 50°42'0"      Long. 118°8'45"      NTS map 82L/09.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

S Cranberry-> Coursier L-> S Cranberry-> Cranberry -> U Arrow L ->

Access: The distance of the lake from Revelstoke is 43 miles . Distance from nearest paved road is 18 miles by truck. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 31

Region 4

management unit 32

Elevation 7250'      Lat. 50°43'15"      Long. 118°10'5"      NTS map 82L/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> S Cranberry-> Cranberry -> U Arrow L -> ->

Access: The distance of the lake from Revelstoke is 44 miles . Distance from nearest paved road is 19 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 17acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 32

Region 4

management unit 32

Elevation 5850' Lat. 50°47'50" Long. 118°14'40" NTS map 82L/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Unnamed 9 -> Blanket C -> U Arrow L -> ->

Access: The distance of the lake from Revelstoke is 22 miles . Distance from nearest paved road is 10 miles by truck.

PHYSICAL  
area:full 20acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 33

Region 4

management unit 32

Elevation 6250' Lat. 50°47'30" Long. 118°15'30" NTS map 82L/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Revelstoke is 23 miles . Distance from nearest paved road is 11 miles by truck. The lake is 1 miles from gravel road by walk..

PHYSICAL  
area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 34

Region 4

management unit 32

Elevation 6750'      Lat. 50°51'40"      Long. 118°17'10"      NTS map 82L/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Mulvehill -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 22 miles . Distance  
from nearest paved road is 8 miles by walk.

PHYSICAL  
area:full 20acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 35

Region 4

management unit 32

Elevation 6050'      Lat. 50°52'15"      Long. 118°16'50"      NTS map 82L/16.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Mulvehill -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 22 miles . Distance  
from nearest paved road is 8 miles by walk.

PHYSICAL  
area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 36

Region 4

management unit 32

Elevation 6050'      Lat. 50°52'20"      Long. 118°17'5"      NTS map 82L/16.  
No survey or date not recorded.

Watershed:

Unnamed 35-> Mulvehill -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 23 miles . Distance from nearest paved road is 9 miles by walk.

---

No Information On: shoreline-use, shoreline-ownership, accomodation, physical, water-chemistry, temperature-oxygen-profile, littoral-substrate, stocking-history.

\*\*\*\*\*

UNNAMED LK 37

Region 4

management unit 32

Elevation 6550'      Lat. 50°50'55"      Long. 118°14'40"      NTS map 82L/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Mulvehill -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 22 miles . Distance from nearest paved road is 8 miles by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

INAMED LK 38

Region 4

management unit 32

Elevation 6750'      Lat. 50°54'10"      Long. 118°18'30"      NTS map 82L/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Begbie C -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 13 miles . Distance  
from nearest paved road is 5 miles by walk.

PHYSICAL  
area:full 19acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 39

Region 4

management unit 32

Elevation 6150'      Lat. 50°55'15"      Long. 118°15'0"      NTS map 82L/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Begbie C -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 13 miles . Distance  
from nearest paved road is 5 miles by walk.

PHYSICAL  
area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UPPER ARROW

Region 4

management unit 32

Elevation 1500' Lat. 50°17'0"

Long. 117°31'0"

NTS map 82K/12.

No survey or date not recorded.

Watershed:

Columbia R-&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Nakusp is 0 miles . Distance from nearest paved road is 0 miles by car.

PHYSICALWATER-CHEMISTRY

TDS 127ppm

area:full 73600acres

Biogeoclimatic zone: interior western hemlockSPECIES: Census method- not recorded.SpeciesAbundance

kokanee

rainbow trout

dolly varden

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u>			<u>approx</u>
			<u>no/lb.</u>	<u>spec</u>	<u>num</u>	<u>no/lb.</u>
1938	rt	40000				
1939	rt	50000				
1950	rt	10000				
1951	rt	25000				
1952	rt	25000				
1953	rt	25000		rt	10000	

No Information On: shoreline-use, shoreline-ownership, accomodation, temperature-oxygen-profile, littoral-substrate.

Comments. For more detail refer to Fish and Wildlife Br Nelson. Drawdown = 66 feet.

\*\*\*\*\*

August 8, 1983

TASK

Region 4

management unit 32

Elevation 1650'      Lat. 50°48'15"      Long. 118°19'50"      NTS map 82L/16.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Tonkawatla-> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 7 miles . Distance  
from nearest paved road is 0 miles .

PHYSICAL  
area:full 5acres

---

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

WHATSHAN

Region 4

management unit 32

Elevation 2140'      Lat. 50°3'0"      Long. 118°6'0"  
This lake was most recently surveyed 06/23/59, by JAB.

NTS map 82L/01.

Watershed: inlets 6 outlets 1  
Whatshan R-> Columbia R-> -> -> ->

Access: The distance of the lake from Needles is 8 miles . Distance from nearest paved road is 2 miles by truck.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 168000'	TDS 58ppm
	private cabins 3	area:full 4180acres	
forested 100	resort cabins 6		
	camper sites 0		
<u>OWNERSHIP(%)</u>		volume 661062acre-ft	
private 30		mean depth 158'	
crown 70			winterkill 0%

Biogeoclimatic zone: interior western hemlock

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
rainbow trout	
mountain whitefish	
coarse scale sucker	
redsided shiner	
kokanee	

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1959	rt	11500	37
1960	rt	16165	300
1962	rt	22043	100
1963	rt	8000	100
1964	rt	40000	200

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

CHO Region 4 management unit 33

Elevation 2200' Lat. 50°51'20" Long. 118°3'55" NTS map 82L/16E.  
This lake was most recently surveyed 07/01/70, by HARDING.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Revelstoke is 15 miles . Distance  
from nearest paved road is 4 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 10	perimeter 2534'	TDS 50ppm
	private cabins 0	area:full 8acres	pH 7.0
forested 100	resort cabins 0		secchi disc 12'
	camper sites 0	litt. area 8acres	
<u>OWNERSHIP(%)</u>		volume 82acre-ft	
		mean depth 10'	
crown 100			winterkill 0%

Biogeoclimatic zone: interior western hemlock

PROFILE July 1st

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	20.5	7.0
4	17.2	--
6	9.4	--
8	--	5.0

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1970	rt	5000	425
1971	rt	8000	750
1972	rt	4000	750
1974	rt	3000	750
1975	rt	3000	300
1977	rt	2000	

No Information On: littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

MONTANA

Region 4

management unit 33

Elevation 1450'      Lat. 50°56'40"      Long. 118°9'35"      NTS map 82L/16.  
No survey or date not recorded.

Watershed: inlets 1 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Revelstoke is 4 miles . Distance from nearest paved road is 4 miles by car.

PHYSICAL  
area:full 12acres

Biogeoclimatic zone: interior western hemlock

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Area and access are estimated off a map.

\*\*\*\*\*

STYGIAN

Region 4

management unit 33

Elevation 6550'      Lat. 50°54'40"      Long. 117°25'55"      NTS map 82K/14.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Kellie C -> Incomapple-> U Arrow L -> -> ->

Access: The distance of the lake from Revelstoke is 67 miles . Distance from nearest paved road is 35 miles by truck. The lake is 16 miles from gravel road by walk.

PHYSICAL  
area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 1

Region 4

management unit 33

Elevation 6250'      Lat. 50°44'0"      Long. 117°38'15"      NTS map 82K/12.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Johnson C -> Incomapple-> U Arrow L -> -> ->

Access: The distance of the lake from Nakusp is 40 miles . Distance from nearest paved road is 13 miles by car. The lake is 6 miles from gravel road by walk.

PHYSICALarea:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 2

Region 4

management unit 33

Elevation 6450'      Lat. 50°57'0"      Long. 117°33'10"      NTS map 82K/13.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Incomapple-> U Arrow L -> -> ->

Access: The distance of the lake from Revelstoke is 65 miles . Distance from nearest paved road is 31 miles by truck. The lake is 12 miles from gravel road by walk.

PHYSICALarea:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 3

Region 4

management unit 33

Elevation 6550' Lat. 50°52'45" Long. 117°45'20" NTS map 82K/13.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Boyd C -> Incomapple-> U Arrow L -> ->

Access: The distance of the lake from Revelstoke is 65 miles . Distance from nearest paved road is 31 miles by truck. The lake is 12 miles from gravel road by walk.

PHYSICAL

area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 4

Region 4

management unit 33

Elevation 6450' Lat. 50°49'15" Long. 117°55'45" NTS map 82K/13.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Akolkolex -> U Arrow L -> -> ->

Access: The distance of the lake from Revelstoke is 21 miles . Distance from nearest paved road is 13 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 27acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

NAMED LK 5

Region 4

management unit 33

Elevation 5750'      Lat. 50°49'45"      Long. 117°57'50"      NTS map 82K/13.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> -> -> -> ->

Access: The distance of the lake from Revelstoke is 19 miles . Distance from nearest paved road is 11 miles by car. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Swampy.

\*\*\*\*\*

UNNAMED LK 6

Region 4

management unit 33

Elevation 5950'      Lat. 50°49'35"      Long. 117°54'25"      NTS map 82K/13.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Holyk C -> Akolkolex -> U Arrow L -> ->

Access: The distance of the lake from Revelstoke is 26 miles . Distance from nearest paved road is 16 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 23acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 7

Region 4

management unit 33

Elevation 6050'      Lat. 50°49'40"      Long. 117°53'25"      NTS map 82K/13.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Holyk C -> Akolkolex -> U Arrow L -> ->

Access: The distance of the lake from Revelstoke is 26 miles . Distance from nearest paved road is 16 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 8

Region 4

management unit 33

Elevation 6350'      Lat. 50°55'40"      Long. 117°57'50"      NTS map 82K/13.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Standfast -> Akolkolex -> U Arrow L -> ->

Access: The distance of the lake from Revelstoke is 27 miles . Distance from nearest paved road is 19 miles by truck. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 9

Region 4

management unit 33

Elevation 6950' Lat. 50°56'50" Long. 117°58'15" NTS map 82K/13.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Revelstoke is 27 miles . Distance from nearest paved road is 19 miles by truck. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 10

Region 4

management unit 33

Elevation 5950' Lat. 50°59'45" Long. 117°52'0" NTS map 82K/13.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Akolkolex -> U Arrow L -> -> ->

Access: The distance of the lake from Revelstoke is 29 miles . Distance from nearest paved road is 20 miles by truck. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 17acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 11

Region 4

management unit 33

Elevation 6250'      Lat. 50°59'20"      Long. 117°52'30"      NTS map 82K/13.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Unnamed 10-> Outlet C -> Akolkolex -> U Arrow L ->

Access: The distance of the lake from Revelstoke is 30 miles . Distance from nearest paved road is 21 miles by truck. The lake is 6 miles from gravel road by walk.

PHYSICAL

area:full 40acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 12

Region 4

management unit 33

Elevation 6650'      Lat. 50°55'30"      Long. 118°1'30"      NTS map 82L/16.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 12 miles . Distance from nearest paved road is 5 miles by walk.

PHYSICAL

area:full 15acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 13

Region 4

management unit 33

Elevation 6750'      Lat. 50°55'15"      Long. 118°1'15"      NTS map 82L/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 12-> Outlet C -> Columbia R-> ->

Access: The distance of the lake from Revelstoke is 12 miles . Distance from nearest paved road is 5 miles by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 14

Region 4

management unit 33

Elevation 6750'      Lat. 50°55'10"      Long. 118°1'40"      NTS map 82L/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 12 miles . Distance from nearest paved road is 5 miles by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 15

Region 4

management unit 33

Elevation 6950'      Lat. 51°1'50"      Long. 117°26'20"      NTS map 82N/03.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Revelstoke is 35 miles . Distance from nearest paved road is 35 miles by plane.

PHYSICAL

area:full 30acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 16

Region 4

management unit 33

Elevation 6650'      Lat. 51°1'5"      Long. 117°51'40"      NTS map 82N/04.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Revelstoke is 17 miles . Distance from nearest paved road is 17 miles by walk.

PHYSICAL

area:full 37acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 17

Region 4

management unit 33

Elevation 5650' Lat. 50°56'50" Long. 117°59'40" NTS map 82K/13.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Greeley C -> Illecillew-> U Arrow L -> -> ->

Access: The distance of the lake from Revelstoke is 12 miles . Distance  
from nearest paved road is 11 miles by walk.

PHYSICAL  
area:full 14acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

WILLIAMSON

Region 4

management unit 33

Elevation 1000' Lat. 50°58'0" Long. 118°10'30" NTS map 82L/16E.  
This lake was most recently surveyed 07/01/70, by HARDING.

Watershed: inlets 2 outlets 1  
Columbia R-> -> -> -> ->

Access: The distance of the lake from Revelstoke is 2 miles . Distance  
from nearest paved road is 0 miles .

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 3900'	
	private cabins 0	area:full 11acres	
forested 100	resort cabins 0		
	camper sites 0		
<u>OWNERSHIP(%)</u>		volume 75acre-ft	
		mean depth 7'	
crown 100			winterkill 0%

Biogeoclimatic zone: interior western hemlock

PROFILE July 1st  

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	18.9	--
4	13.3	--
6	8.9	--

STOCKING HISTORY This lake has never been stocked.

No Information On: littoral-substrate.

\*\*\*\*\*



August 8, 1983

PERYSTWYTH

Region 4

management unit 34

Elevation 7550'      Lat. 50°37'35"      Long. 116°30'30"      NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Unnamed Lk-> Welsh C -> Forster C -> Columbia R->

Access: The distance of the lake from Invermere is 27 miles . Distance from nearest paved road is 24 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 15acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

BAIRD

Region 4

management unit 34

Elevation 5950'      Lat. 51°10'40"      Long. 117°14'0"      NTS map 82N/03.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Spillimach-> Columbia R-> -> ->

Access: The distance of the lake from Parson is 37 miles . Distance from nearest paved road is 37 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

BIG FISH

Region 4

management unit 34

Elevation 3700' Lat. 50°47'10" Long. 116°23'5" NTS map 82K/16.  
This lake is also known as Dunbar. No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -&gt; Dunbar C -&gt; Columbia R-&gt; -&gt; -&gt;

Access: The distance of the lake from Invermere is 27 miles . Distance  
from nearest paved road is 24 miles by truck.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 8	perimeter 6600'	TDS 157ppm
	private cabins 10	area:full 52acres	
forested 100	resort cabins 0		
	camper sites 0	litt. area 24acres	
<u>OWNERSHIP(%)</u>			
private 65			
crown 35			winterkill 0%

Biogeoclimatic zone: interior douglas firSTOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	ct	25000	>3500
1969	ct	5000	200
1970	ct	5000	100
1971	ct	25000	2500
1972	ct	10000	1250
1973	ct	18000	2500
1974	ct	20000	>3500
1976	ct	15000	>3500
1977	ct	10000	200

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

COTTS

Region 4

management unit 34

Elevation 3550' Lat. 50°47'50" Long. 116°21'45" NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1.  
Dunbar C -> Columbia R-> -> -> ->

Access: The distance of the lake from Brisco is 6 miles . Distance from  
nearest paved road is 6 miles by car.

PHYSICAL

area:full 15acres

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
cutthroat	

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

CABIN

Region 4

management unit 34

Elevation 3550' Lat. 51°20'30"

Long. 117°3'15"

NTS map 82N/06.

No survey or date not recorded.

Watershed:

Swamp -> -> -> -> ->

Access: The distance of the lake from Golden is 17 miles . Distance from nearest paved road is 12 miles by car. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

CANYON 1

Region 4

management unit 34

Elevation 3700'      Lat. 51°12'50"      Long. 116°56'30"      NTS map 82N/02.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Columbia R-&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Golden is 10 miles . Distance from  
nearest paved road is 6 miles by car. The lake is 2 miles from gravel  
road by foot.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

govt.campsites 0  
private cabins 0      area:full 10acres  
resort cabins 0  
camper sites 0

TDS 180ppm

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: interior douglas firSTOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1958	ct	5000	>3500
1969	ct	5000	>3500
1971	ct	12000	2500
1976	ct	10000	>3500

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

CANYON 2

Region 4

management unit 34

Elevation 3700' Lat. 51°12'0" Long. 116°56'30" NTS map 82N/02.  
No survey or date not recorded.

Watershed:

Twelve Mi.-&gt; Columbia R-&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Golden is 11 miles . Distance from  
nearest paved road is 7 miles by car. The lake is 2 miles from gravel  
road by foot.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

govt.campsites 0  
private cabins 0 area:full 7acres  
resort cabins 0  
camper sites 0

TDS 180ppm

forested 100

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: interior douglas firSTOCKING HISTORY

year	spec	num	approx no/lb.
1971	ct	4000	2500
1976	ct	4000	>3500

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

RTWRIGHT

Region 4

management unit 34

Elevation 3900' Lat. 50°48'40" Long. 116°25'45" NTS map 82K/16.  
 This lake was most recently surveyed 06/02/71, by ERICKSON.

Watershed:

Closed -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Brisco is 19 miles . Distance from  
 nearest paved road is 19 miles by car.

SHORELINE(%)	ACCOMODATION	PHYSICAL	WATER-CHEMISTRY
	govt.campsites 17	perimeter 10877'	TDS 350ppm
forested 100	private cabins 0	area:full 109acres	pH 8.5
	resort cabins 0		secchi disc 22'
	camper sites 0	litt. area 88acres	
OWNERSHIP(%)			
crown 100			winterkill 0%

Biogeoclimatic zone: interior douglas fir

## REHABILITATIONS

Date	Toxicant	Success
/ /56	not known	- %

## PROFILE June 2nd

Depth(m)	Temp(C°)	Oxygen(ppm)
0	19.4	9.0
6	18.3	--
8	11.7	--
10	5.0	10.0

SPECIES: Census method- not recorded.

Species	Abundance
rainbow trout	

## STOCKING HISTORY

year	spec	num	approx no/lb.	spec	num	approx no/lb.
1968	rt	15000	100			
1969	rt	10000	100	rt	8000	425
1970	rt	10000	200			
1971	rt	8000	100			
1972	rt	12000	100			
1973	rt	10000	100			
1974	rt	10000	2500	rt	12000	37
1975	rt	15000	100			
1976	rt	10000	200			
1977	rt	10000	100			

No Information On: littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

CEDAR 1

Region 4

management unit 34

Elevation 3400' Lat. 51°15'0" Long. 116°58'30" NTS map 82N/07.  
This lake was most recently surveyed 05/28/73, by BURNS.

Watershed: inlets 0 outlets 2  
Cedar C -> Columbia R -> -> -> ->

Access: The distance of the lake from Golden is 10 miles . Distance from nearest paved road is 6 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
forested 100	govt.campsites 4 private cabins 0 resort cabins 0 camper sites 0	perimeter 2850' area:full 12acres  litt. area 9acres volume 468acre-ft mean depth 38'	TDS 182ppm pH 8.3 secchi disc 11'
<u>OWNERSHIP(%)</u>			
crown 100			winterkill 0%

Biogeoclimatic zone: interior douglas fir

REHABILITATIONS

<u>Date</u>	<u>Toxicant</u>	<u>Success</u>
10/7/58	rotenone	- %

PROFILE May 28th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	13.9	10.0
2	13.7	--
4	8.3	6.0
6	--	1.0
8	5.0	--
20	5.3	.0

SPECIES: Census method- gillnet

<u>Species</u>	<u>Abundance</u>
cutthroat	
rainbow trout	
redsided shiner	

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	rt	4000	100			
1969	rt	4000	425	rt	5000	100
1971	rt	3000	100	rt	7000	750
1972	rt	5000	100			
1973	rt	10500	1250			
1974	rt	3200	2500			

No Information On: littoral-substrate.

\*\*\*\*\*



August 8, 1983

CEDAR 2

Region 4

management unit 34

Elevation 3400' Lat. 50°15'10" Long. 116°58'30" NTS map 82N/07.  
This lake was most recently surveyed 05/28/73, by BURNS.

Watershed: inlets 1

Cedar3 -&gt; Canyon C -&gt; Columbia R-&gt; -&gt; -&gt;

Access: The distance of the lake from Golden is 8 miles . Distance from  
nearest paved road is 4 miles by car. The lake is 1 miles from gravel  
road by foot.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0		TDS 203ppm
forested 100	private cabins 0	area:full 5acres	
	resort cabins 0		
	camper sites 0		
<u>OWNERSHIP(%)</u>			
crown 100			winterkill 0%

Biogeoclimatic zone: interior douglas firREHABILITATIONS

<u>Date</u>	<u>Toxicant</u>	<u>Success</u>
10/758	rotenone	- %

PROFILE May 28th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	15.4	11.0

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1971	rt	3000	750
1973	rt	4500	1250
1974	rt	3200	2500

No Information On: littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

CEDAR 3

Region 4

management unit 34

Elevation 3400'      Lat. 51°15'30"      Long. 116°57'30"      NTS map 82N/07.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Canyon C -> Columbia R-> -> -> ->

Access: The distance of the lake from Golden is 7 miles . Distance from  
nearest paved road is 3 miles by car. The lake is 1 miles from gravel  
road by foot.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 100

govt.campsites 0  
private cabins 0  
resort cabins 0  
camper sites 0

area:full 22acres

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: interior douglas firSTOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1969	rt	2000	425			
1970	rt	2000	200			
1971	rt	2000	100	rt	3000	750
1973	rt	3000	1250			

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

ELAND

Region 4

management unit 34

Elevation 3800'      Lat. 50°50'0"      Long. 116°23'20"      NTS map 82K/16.  
 This lake was most recently surveyed 06/07/69, by HARDING.

Watershed:

Outlet C -> Jade L -> Dunbar C -> Columbia R-> ->

Access: The distance of the lake from Brisco is 7 miles . Distance from nearest paved road is 7 miles by car.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

govt.campsites 5

perimeter 7814'

TDS 742ppm

private cabins 0

area:full 57acres

forested 100

resort cabins 0

camper sites 0

litt. area 22acres

OWNERSHIP(%)

volume 1081acre-ft

mean depth 19'

crown 100

winterkill 40%

Biogeoclimatic zone: interior douglas fir

PROFILE June 7th

Depth(m)      Temp(C°)      Oxygen(ppm)

SPECIES: Census method- gillnetSpeciesAbundance

0      18.3      5.0

rainbow trout

2      --      3.0

4      17.2      --

6      13.3      3.0

8      10.0      --

10      7.8      --

STOCKING HISTORY

year	spec	num	approx no/lb.	spec	num	approx no/lb.
1968	rt	12000	100			
1969	rt	6000	100	rt	2000	425
1970	rt	6000	200			
1971	rt	18000	100			
1972	rt	5500	100			
1973	rt	5000	100			
1974	rt	8000	37			
1975	rt	10000	100			
1976	rt	10000	200			
1977	rt	10000	100			

No Information On: littoral-substrate.

Comments. Rehab in late 50's or early 60's - no data.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

CLIMAX

Region 4

management unit 34

Elevation 5550' Lat. 50°45'45" Long. 116°31'15" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Dunbar C -> Columbia R-> -> -> ->

Access: The distance of the lake from Invermere is 33 miles . Distance from nearest paved road is 25 miles by truck. The lake is 5 miles from gravel road by foot.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 100

govt.campsites 0  
private cabins 0  
resort cabins 0  
camper sites 0

area:full 29acres

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: subalpine engelmann spruce-subalpine fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1971	ct	15000	2500

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

OBALT

Region 4

management unit 34

Elevation 7600' Lat. 50°45'45" Long. 116°45'25" NTS map 82K/15.  
This lake is also known as Blue. No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Bugaboo C -> Columbia R-> -> ->

Access: The distance of the lake from Spillimacheen is 26 miles .  
Distance from nearest paved road is 26 miles by truck. The lake is 3  
miles from gravel road by foot.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 30

govt.campsites 0

private cabins 0

resort cabins 0

camper sites 0

area:full 49acres

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: alpine tundraSTOCKING HISTORY

year	spec	num	approx no/lb.
1971	ct	15000	2500

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

CUB

Region 4

management unit 34

Elevation 3800' Lat. 50°49'45" Long. 116°22'30" NTS map 82K/16.  
This lake was most recently surveyed 06/01/71, by ERICKSON.

Watershed:

Closed -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Brisco is 8 miles . Distance from  
nearest paved road is 8 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 2	perimeter 1584'	TDS 175ppm
	private cabins 0	area:full 4acres	pH 7.3
forested 100	resort cabins 0		secchi disc 35'
	camper sites 0		
		litt. area 2acres	
<u>OWNERSHIP(%)</u>		volume 65acre-ft	
		mean depth 16'	
crown 100			hyd.sulph. Nil
			winterkill 0%

Biogeoclimatic zone: interior douglas fir

PROFILE June 1st

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	18.3	7.0
2	16.1	--
4	10.0	--
10	5.8	1.6

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1962	rt	1750	750
1963	rt	1025	200
1964	rt	1087	750
1965	rt	1000	750
1966	rt	880	425
1968	rt	2000	100
1971	rt	4000	750
1972	rt	1500	100
1973	rt	3000	1250
1976	rt	3000	200

No Information On: littoral-substrate.

Comments. Previous stocking records date back to 1960.

\*\*\*\*\*

August 8, 1983

INSERTED

Region 4

management unit 34

Elevation 3650'      Lat. 51°21'10"      Long. 117°4'0"      NTS map 82N/06.  
No survey or date not recorded.

Watershed:

Swamp -> -> -> -> ->

Access: The distance of the lake from Golden is 18 miles . Distance from  
nearest paved road is 13 miles by car. The lake is 3 miles from gravel  
road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

DOGSLEG

Region 4

management unit 34

Elevation 3230' Lat. 50°38'0" Long. 116°13'45" NTS map 82K/09E.  
This lake was most recently surveyed 06/26/70, by HARDING.

Watershed: inlets 1 outlets 1

Outlet C -&gt; Forster C -&gt; Columbia R-&gt; -&gt; -&gt;

Access: The distance of the lake from Invermere is 27 miles . Distance  
from nearest paved road is 24 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 1	perimeter 9134'	TDS 600ppm
forested 100	private cabins 0	area:full 23acres	pH 8.5
	resort cabins 0		
	camper sites 0	litt. area 20acres	
<u>OWNERSHIP(%)</u>		volume 190acre-ft	
		mean depth 8'	
crown 100			hyd.sulph. Pres
			winterkill 90%

Biogeoclimatic zone: interior douglas firPROFILE June 26th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	22.2	6.0
2	21.1	--
4	12.2	--
6	6.7	1.0

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1953	rt	15000	
1954	rt	15052	
1961	bt	32200	>3500
1962	bt	19950	2500
1969	bt	2000	300
1970	bt	2000	425
1971	bt	2000	750

No Information On: littoral-substrate.

\*\*\*\*\*



August 8, 1983

RE Region 4 management unit 34

Elevation 7750' Lat. 50°37'0" Long. 116°27'50" NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Invermere is 26 miles . Distance  
from nearest paved road is 24 miles by truck. The lake is 2 miles from  
gravel road by walk.

---

PHYSICAL

area:full 4acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

FINGER

Region 4

management unit 34

Elevation 4100' Lat. 50°48'10" Long. 116°26'30" NTS map 82K/16.  
This lake is also known as Slide. No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -&gt; Dunbar C -&gt; Columbia R-&gt; -&gt; -&gt;

Access: The distance of the lake from Invermere is 30 miles . Distance  
from nearest paved road is 25 miles by truck. The lake is 2 miles from  
gravel road by foot.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 100

govt.campsites 0

private cabins 0

resort cabins 0

camper sites 0

area:full 26acres

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: interior douglas firSTOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1962	rt	8000	>3500
1963	rt	8500	>3500
1970	rt	3000	425
1972	rt	3000	1250

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

ANCIS

Region 4

management unit 34

Elevation 4100'      Lat. 50°41'0"      Long. 116°29'40"      NTS map 82K/09.  
No survey or date not recorded.

Watershed:

Francis C -> Columbia R-> -> -> ->

Access: The distance of the lake from Invermere is 33 miles . Distance from nearest paved road is 33 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 19acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Barren lake. For more detail refer to Upper Columbia Strategic Plan.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

GAVIA

Region 4

management unit 34

Elevation 3300' Lat. 50°57'50" Long. 116°35'40" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Spillimach-> Columbia R-> -> ->

Access: The distance of the lake from Spillimacheen is 15 miles .  
Distance from nearest paved road is 15 miles by truck.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
forested 50	govt.campsites 0 private cabins 0 resort cabins 0 camper sites 0	area:full 10acres	
<u>OWNERSHIP(%)</u> crown 100			winterkill 0%

Biogeoclimatic zone: interior douglas fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1971	rt	5000	750
1972	rt	4000	1250
1973	rt	6000	1250
1976	rt	4000	
1977	rt	4000	

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

ALFWAY

Region 4

management unit 34

Elevation 3650' Lat. 50°46'10" Long. 116°22'10" NTS map 82K/16.  
 This lake was most recently surveyed 06/24/70, by HARDING.

Watershed: inlets 1 outlets 1

Swamp -> -> -> -> ->

Access: The distance of the lake from Invermere is 33 miles . Distance  
 from nearest paved road is 30 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 3240'	
forested 100	private cabins 0	area:full 11acres	pH 8.5
	resort cabins 0		
<u>OWNERSHIP(%)</u>	camper sites 0	litt. area 8acres	
		volume 140acre-ft	
crown 100		mean depth 12'	hyd.sulph. Nil
			winterkill 20%

Biogeoclimatic zone: interior douglas fir

PROFILE June 24th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	21.7	7.0
2	16.0	16.0
6	10.5	--
8	--	6.0
10	--	1.0

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1939	ct	10000	
1958	rt	3560	
1961	rt	1600	
1962	rt	1925	
1963	rt	1025	
1964	rt	1087	
1971	rt	20000	750

No Information On: littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

HALGRAVE, LOWER

Region 4

management unit 34

Elevation 3550' Lat. 50°43'40" Long. 116°17'0" NTS map 82K/09.  
No survey or date not recorded.

Watershed:

Frances C -> Columbia R-> -> -> ->

Access: The distance of the lake from Edgewater is 22 miles . Distance  
from nearest paved road is 3 miles by car. The lake is 19 miles from  
gravel road by car.

PHYSICAL

area:full 20acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
cutthroat	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

\*\*\*\*\*

August 8, 1983

LGRAVE, UPPER

Region 4

management unit 34

Elevation 3670' Lat. 50°44'0" Long. 116°16'40" NTS map 82K/09.  
 This lake was most recently surveyed 06/08/69, by HARDING.

Watershed: inlets 0 outlets 1

U Halgr. C-> Frances C -> Forster C -> Columbia R-> ->

Access: The distance of the lake from Invermere is 22 miles . Distance from nearest paved road is 19 miles by car. The lake is 1 miles from gravel road by foot.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 4	perimeter 4140'	TDS 377ppm
	private cabins 0	area:full 16acres	
forested 100	resort cabins 0		secchi disc 19'
	camper sites 0	litt. area 13acres	
<u>OWNERSHIP(%)</u>		volume 174acre-ft	
		mean depth 11'	
crown 100			winterkill 0%

Biogeoclimatic zone: interior douglas fir

PROFILE June 8th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	--	12.0
10	--	4.0

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1976	ct	10000	>3500
1949	ct	6000	
1950	ct	1000	
1962	ct	20000	>3500
1963	ct	10500	>3500
1964	ct	11357	>3500
1968	ct	10000	>3500
1969	ct	8000	425
1970	ct	2000	100
1972	ct	20000	1250
1976	ct	10000	>3500

No Information On: littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

HALL 1

Region 4

management unit 34

Elevation 3280' Lat. 50°44'50" Long. 116°18'55" NTS map 82K/09.  
This lake was most recently surveyed 06/24/70, by HARDING.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Invermere is 24 miles . Distance  
from nearest paved road is 21 miles by car.

Structures: dam on outlet.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 3	perimeter 3000'	TDS 298ppm
	private cabins 0	area:full 7acres	pH 8.5
forested 100	resort cabins 0		secchi disc 10'
	camper sites 0	litt. area 7acres	
<u>OWNERSHIP(%)</u>		volume 21acre-ft	
		mean depth 3'	
crown 100			winterkill 30%

Biogeoclimatic zone: interior douglas fir

PROFILE June 24th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	21.7	--
2	--	8.0
4	21.1	--

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	ct	5000	>3500
1969	ct	2000	425
1970	ct	2000	100

No Information On: littoral-substrate.

\*\*\*\*\*



August 8, 1983

ALL 2

Region 4

management unit 34

Elevation 3280'      Lat. 50°44'50"      Long. 116°19'0"      NTS map 82K/09.  
This lake was most recently surveyed 06/24/70, by HARDING.

Watershed:

Closed -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Invermere is 24 miles . Distance  
from nearest paved road is 21 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 1380'	TDS 298ppm
	private cabins 0	area:full 2acres	
forested 100	resort cabins 0		
	camper sites 0	litt. area 2acres	
<u>OWNERSHIP(%)</u>		volume 5acre-ft	
		mean depth 3'	
crown 100			winterkill 30%

Biogeoclimatic zone: interior douglas firSTOCKING HISTORY This lake has never been stocked.No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

HOREB 1

Region 4

management unit 34

Elevation 7250'      Lat. 50°45'0"      Long. 116°32'40"      NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Horeb 1 C -&gt; Climax L -&gt; Dunbar C -&gt; Columbia R -&gt; -&gt;

Access: The distance of the lake from Invermere is 34 miles . Distance  
from nearest paved road is 26 miles by truck. The lake is 6 miles from  
gravel road by foot.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 10

govt.campsites 0  
private cabins 0  
resort cabins 0  
camper sites 0

area:full 63acres

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: alpine tundraSTOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1971	ct	8000	2500

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

HOREB 2

Region 4

management unit 34

Elevation 7275' Lat. 50°45'15" Long. 116°33'20" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Horeb 2 -> Horeb 1 -> Horeb 1 C -> Climax L -> Dunbar C -> Columbia R

Access: The distance of the lake from Invermere is 34 miles . Distance from nearest paved road is 26 miles by truck. The lake is 6 miles from gravel road by foot.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 10

govt. campsites 0

private cabins 0

resort cabins 0

camper sites 0

area:full 43acres

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: alpine tundraSTOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1971	ct	8000	2500

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

HOREB 3

Region 4

management unit 34

Elevation 7300' Lat. 50°45'30" Long. 116°32'50" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Horeb 3 C -&gt; Climax L -&gt; Dunbar C -&gt; Columbia R-&gt; -&gt;

Access: The distance of the lake from Invermere is 34 miles . Distance  
from nearest paved road is 26 miles by truck. The lake is 6 miles from  
gravel road by foot.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 10

govt.campsites 0  
private cabins 0  
resort cabins 0  
camper sites 0

area:full 7acres

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: alpine tundraSTOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1971	ct	15000	2500

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

OREB 4

Region 4

management unit 34

Elevation 7250' Lat. 50°45'15" Long. 116°32'40" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Climax L -> Dunbar C -> Columbia R-> ->

Access: The distance of the lake from Invermere is 34 miles . Distance from nearest paved road is 26 miles by truck. The lake is 6 miles from gravel road by foot.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 10

govt.campsites 0

private cabins 0

resort cabins 0

camper sites 0

area:full 14acres

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: alpine tundra

STOCKING HISTORY

approx

<u>year</u>	<u>spec</u>	<u>num</u>	<u>no/lb.</u>
1971	ct	8000	2500

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

HOREB 5

Region 4

management unit 34

Elevation 7350' Lat. 50°44'40" Long. 116°27'45" NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Horeb 1 -> Horeb 1 C -> Climax L -> Dunbar C -> Columbia R

Access: The distance of the lake from Invermere is 35 miles . Distance from nearest paved road is 27 miles by truck. The lake is 7 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

IRISH

Region 4

management unit 34

Elevation 7250' Lat. 50°36'35" Long. 116°27'5" NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Irish C -> Tara L -> Irish C -> Forster C -> Columbia R->

Access: The distance of the lake from Invermere is 26 miles . Distance from nearest paved road is 24 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 16acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

LAKE

Region 4

management unit 34

Elevation 3700' Lat. 50°49'20" Long. 116°22'30" NTS map 82K/16.  
 This lake was most recently surveyed 06/01/71, by ERICKSON.

Watershed: inlets 0 outlets 0

Outlet C -> Dunbar C C-> Olumbia R -> .-> ->

Access: The distance of the lake from Brisco is 8 miles . Distance from nearest paved road is 8 miles by car. The lake is 1 miles from gravel road by foot.

SHORELINE(%)	ACCOMODATION	PHYSICAL	WATER-CHEMISTRY
	govt.campsites 1	perimeter 6810'	TDS 400ppm
forested 100	private cabins 0	area:full 34acres	pH 8.1
	resort cabins 0		secchi disc 36'
	camper sites 0		
		litt. area 25acres	
		volume 422acre-ft	
		mean depth 12'	
			winterkill 0%

Biogeoclimatic zone: interior douglas fir

PROFILE June 1st			SPECIES: Census method- gillnet	
Depth(m)	Temp(C°)	Oxygen(ppm)	Species	Abundance
0	18.1	8.0	rainbow trout	
2	17.2	--		
4	13.9	--		
6	10.6	--		
8	8.3	--		
10	7.8	7.0		

STOCKING HISTORY

year	spec	num	approx no/lb.
1968	rt	8000	100
1969	rt	8000	100
1970	rt	8000	200
1971	rt	12000	100
1972	rt	8000	100
1973	rt	6000	100
1974	rt	8000	37
1975	rt	10000	100
1976	rt	5000	200
1977	rt	5000	100

No Information On: littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

JORDAN

Region 4

management unit 34

Elevation 3250' Lat. 50°53'45" Long. 116°28'50" NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Spillimach-> Columbia R-> -> ->

Access: The distance of the lake from Spillimacheen is 6 miles . Distance from nearest paved road is 6 miles by car. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 4acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

ANG Region 4 management unit 34

Elevation 3550' Lat. 50°50'30" Long. 116°25'30" NTS map 82K/16.  
No survey or date not recorded.

Watershed:

Templeton -&gt; Columbia R-&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Brisco is 10 miles . Distance from  
nearest paved road is 10 miles by car.

PHYSICAL

area:full 21acres

Biogeoclimatic zone: interior douglas firSPECIES: Census method- not recorded.Species  
cutthroatAbundanceSTOCKING HISTORY

year	spec	num	approx no/lb.
1958	rt	2000	300

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. This lake is surrounded by private property.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

LEAD QUEEN

Region 4

management unit 34

Elevation 3500'      Lat. 50°45'40"      Long. 116°22'50"      NTS map 82K/16.  
No survey or date not recorded.

Watershed:

Lead Que C-&gt; Frances C -&gt; Columbia R-&gt; -&gt; -&gt;

Access: The distance of the lake from Brisco is 11 miles . Distance from  
nearest paved road is 11 miles by car.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 100

govt.campsites 1  
private cabins 0      area:full 11acres  
resort cabins 0  
camper sites 0

TDS 330ppm

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: interior douglas firSPECIES: Census method- not recorded.SpeciesAbundance

cutthroat

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1955	ct	10000	
1957	ct	8968	>3500
1958	ct	15000	>3500
1959	ct	9200	>3500
1962	ct	3750	>3500
1963	ct	4500	>3500
1966	ct	3250	>3500
1968	ct	5000	>3500
1969	ct	2000	425
1976	ct	2000	>3500

No Information On: temperature-oxygen-profile, littoral-substrate.

Comments. Previous stocking records date back to 1938.

\*\*\*\*\*

August 8, 1983

COON

Region 4

management unit 34

Elevation 3400' Lat. 51°3'30" Long. 116°48'30" NTS map 82N/02.  
 This lake was most recently surveyed 06/04/71, by ERICKSON.

Watershed: inlets 0 outlets 1  
 Spillimach-> Columbia R-> -> -> ->

Access: The distance of the lake from Parson is 15 miles . Distance from  
 nearest paved road is 15 miles by car.

SHORELINE(%)	ACCOMODATION	PHYSICAL	WATER-CHEMISTRY
	govt.campsites 0	perimeter 3960'	TDS 250ppm
	private cabins 1	area:full 22acres	pH 8.0
forested 100	resort cabins 0		secchi disc 27'
	camper sites 0	litt. area 12acres	
OWNERSHIP(%)		mean depth 15'	hyd.sulph. Nil
crown 100			winterkill 0%

Biogeoclimatic zone: interior douglas fir

PROFILE June 4th			SPECIES: Census method- gillnet	
Depth(m)	Temp(C°)	Oxygen(ppm)	Species	Abundance
0	14.4	10.0	rainbow trout	
2	11.4	--		
4	10.0	--		
6	8.3	--		
10	7.2	1.0		

## STOCKING HISTORY

year	spec	num	approx no/lb.	spec	num	approx no/lb.
1968	rt	6000	100			
1969	rt	6000	100			
1970	rt	6000	200			
1971	rt	2500	100	rt	8000	750
1973	rt	15000	1250			
1975	rt	9000	300			

No Information On: littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

MCCLAIN

Region 4

management unit 34

Elevation 3200' Lat. 50°57'10" Long. 116°34'25" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Spillimacheen is 13 miles .  
Distance from nearest paved road is 13 miles by truck.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

govt.campsites 0  
private cabins 1 area:full 24acres  
forested 70 resort cabins 0  
camper sites 0

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: interior douglas fir

STOCKING HISTORY

year	spec	num	approx no/lb.
1971	rt	4000	750
1972	rt	3000	1250
1973	rt	6000	1250
1975	rt	3000	300
1976	rt	3000	
1977	rt	3000	

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

MCLEAN

Region 4

management unit 34

Elevation 6750' Lat. 50°41'0"

Long. 116°34'0"

NTS map 82K/10.

No survey or date not recorded.

Watershed:

McLean C -> Frances C -> Columbia R-> -> ->

Access: The distance of the lake from Radium Hot Spr is 31 miles .  
Distance from nearest paved road is 31 miles by truck. The lake is 1  
miles from gravel road by walk.

PHYSICAL

area:full 19acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. For more detail refer to Upper Columbia Strategic Plan.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

MITTEN

Region 4

management unit 34

Elevation 3200' Lat. 50°57'50" Long. 116°34'10" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Spillimach-> Columbia R-> -> ->

Access: The distance of the lake from Spillimacheen is 13 miles .  
Distance from nearest paved road is 13 miles by truck. The lake is 2  
miles from gravel road by foot.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 12725'	TDS 300ppm
	private cabins 0	area:full 154acres	
forested 30	resort cabins 0		
	camper sites 0	litt. area 111acres	
<u>OWNERSHIP(%)</u>			
crown 100			winterkill 0%

Biogeoclimatic zone: interior douglas fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1968	rt	12000	425			
1969	rt	12000	100			
1970	rt	13000	200			
1971	rt	7000	100	rt	15000	750
1973	rt	18000	1250			
1977	rt	10000				

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

DOOSE

Region 4

management unit 34

Elevation 3150'      Lat. 50°55'0"      Long. 116°30'0"      NTS map 82K/15.  
No survey or date not recorded.

Watershed:

Spillimach-&gt; Columbia R-&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Spillimacheen is 9 miles . Distance  
from nearest paved road is 9 miles by car.

PHYSICAL

area:full 24acres

Biogeoclimatic zone: interior douglas firSPECIES: Census method- not recorded.SpeciesAbundance

rainbow trout

No Information On:      shoreline-use,      shoreline-ownership,      accomodation,  
water-chemistry,      temperature-oxygen-profile,      littoral-substrate,  
stocking-history.

Comments. For more detail refer to Upper Columbia Strategic Plan.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

NINE BAY

Region 4

management unit 34

Elevation 3200' Lat. 50°56'55" Long. 116°32'10" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Spillimach-> Columbia R-> -> ->

Access: The distance of the lake from Spillimacheen is 11 miles .  
Distance from nearest paved road is 11 miles by truck. The lake is 3  
miles from gravel road by foot.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0		
	private cabins 0	area:full 49acres	
forested 100	resort cabins 0		
	camper sites 0		
<u>OWNERSHIP(%)</u>			
crown 100			winterkill 0%

Biogeoclimatic zone: interior douglas fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1971	rt	15000	750
1972	rt	11500	1250
1973	rt	18000	1250
1975	rt	10000	300
1976	rt	10000	
1977	rt	8000	

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

XON

Region 4

management unit 34

Elevation 4200' Lat. 51°6'40"

Long. 116°57'0"

NTS map 82N/02.

No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Parson is 20 miles . Distance from nearest paved road is 20 miles by car.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 100

govt.campsites 0

private cabins 0

resort cabins 0

camper sites 0

area:full 4acres

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: interior douglas firSTOCKING HISTORY

year	spec	num	approx no/lb.
1968	rt	7000	100
1969	rt	7000	100
1970	rt	7000	200
1971	rt	12000	750
1973	rt	18000	1250
1975	rt	9000	300
1976	rt	9000	
1977	rt	7000	

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

NORTHCOTE

Region 4

management unit 34

Elevation 3300'      Lat. 50°37'0"      Long. 116°10'0"      NTS map 82K/09.  
No survey or date not recorded.

Watershed:

Francisc -> Columbia R-> -> -> ->

Access: The distance of the lake from Invermere is 10 miles . Distance from nearest paved road is 10 miles by car.

PHYSICAL

area:full 19acres

Biogeoclimatic zone: interior douglas fir

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. Barren lake. For more detail refer to Upper Columbia Strategic Plan.

\*\*\*\*\*

REDCLIFF

Region 4

management unit 34

Elevation 4350'      Lat. 51°7'0"      Long. 116°58'0"      NTS map 82N/02.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Spillimach-> Columbia R-> -> ->

Access: The distance of the lake from Golden is 43 miles . Distance from nearest paved road is 22 miles by car.

PHYSICAL

area:full 14acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership; accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UCKY POINT

Region 4

management unit 34

Elevation 4900'      Lat. 51°1'0"      Long. 116°46'0"      NTS map 82N/02.  
 This lake was most recently surveyed 06/03/71, by CHUDYK.

Watershed:

Closed -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Parson is 19 miles . Distance from nearest paved road is 19 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
agricultural 0	govt.campsites 0	perimeter 9451'	TDS 110ppm
rangeland 0	private cabins 0	area:full 69acres	pH 7.7
forested 100	resort cabins 0		secchi disc 15'
logged 0			
residential 0		litt. area 46acres	
<u>OWNERSHIP(%)</u>			
municipal 0		volume 1065acre-ft	
private 0			hyd.sulph. Nil
reserve 0			
crown 100			winterkill 0%

Biogeoclimatic zone: interior douglas fir

PROFILE June 3rd

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	13.3	9.0
2	13.3	--
4	8.3	9.0
6	6.7	--
8	6.1	--
10	5.6	3.0

SPECIES: Census method- gillnet

<u>Species</u>	<u>Abundance</u>
rainbow trout	

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	rt	15000	100			
1969	rt	15000	100			
1970	rt	7000	200			
1971	rt	5000	100	rt	15000	750
1972	rt	11500	1250			
1973	rt	12000	1250			
1975	rt	10000	300			
1976	rt	10000				
1977	rt	8000				

No Information On: littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

SAMS FOLLY

Region 4

management unit 34

Elevation 3450' Lat. 50°39'55" Long. 116°15'35" NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Francis C -> Columbia R-> -> ->

Access: The distance of the lake from Invermere is 16 miles . Distance  
from nearest paved road is 13 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0		
	private cabins 0	area:full 21acres	
forested 100	resort cabins 0		
	camper sites 0		

OWNERSHIP(%)

private 10  
crown 90

winterkill 0%

Biogeoclimatic zone: interior douglas fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1961	rt	6000	425
1962	rt	7000	750
1963	rt	3485	200
1971	rt	10000	750
1973	rt	7500	1250
1974	rt	7000	2500
1975	rt	5000	100
1976	rt	6000	200

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

RPENT

Region 4

management unit 34

Elevation 3550'      Lat. 50°54'45"      Long. 116°33'5"      NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Spillimach-> Columbia R-> -> ->

Access: The distance of the lake from Spillimacheen is 13 miles .  
Distance from nearest paved road is 13 miles by truck. The lake is 2  
miles from gravel road by walk.

PHYSICAL

area:full 4acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

SILENT

Region 4

management unit 34

Elevation 6750'      Lat. 51°3'0"      Long. 117°11'0"      NTS map 82N/03.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Mcmurdo C -> Spillimach-> Columbia R-> -> ->

Access: The distance of the lake from Parson is 34 miles . Distance from  
nearest paved road is 34 miles by truck. The lake is 4 miles from gravel  
road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

SNOWMAN

Region 4

management unit 34

Elevation 7250'      Lat. 50°53'40"      Long. 117°3'50"      NTS map 82K/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Crystallin-> Vowell C -> Bobbie Bur-> Spillimach-> Columbia R

Access: The distance of the lake from Spillimacheen is 42 miles .  
Distance from nearest paved road is 42 miles by truck. The lake is 8  
miles from gravel road by walk.

---

PHYSICAL

area:full 21acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

PECK

Region 4

management unit 34

Elevation 3700'      Lat. 51°1'0"      Long. 116°42'30"      NTS map 82N/02.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Spillimach-> -> -> ->

Access: The distance of the lake from Parson is 8 miles . Distance from nearest paved road is 5 miles by truck. The lake is 1 miles from gravel road by walk.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0		
	private cabins 0	area:full 3acres	
forested 100	resort cabins 0		
	camper sites 0		
<u>OWNERSHIP(%)</u>			
crown 100			winterkill 0%

Biogeoclimatic zone: interior douglas fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1971	rt	3000	750
1972	rt	2500	1250
1973	rt	4000	1250
1976	rt	3000	

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

STEAMBOAT

Region 4

management unit 34

Elevation 3565' Lat. 50°44'50" Long. 116°17'30" NTS map 82K/09W.  
This lake was most recently surveyed 06/23/70, by HARDING.

Watershed:

Closed -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Invermere is 25 miles . Distance  
from nearest paved road is 22 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 2		TDS 415ppm
	private cabins 0	area:full 7acres	pH 8.5
forested 70	resort cabins 0		secchi disc 21'
	camper sites 0		
<u>OWNERSHIP(%)</u>			hyd.sulph. Nil
crown 100			winterkill 0%

Biogeoclimatic zone: interior douglas firPROFILE June 23rd

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	23.3	8.0
2	22.2	--
6	14.4	--
8	12.2	10.0

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1976	rt	8000	200
1964	rt	2900	750
1965	rt	2000	750
1966	rt	880	425
1968	rt	3000	100
1969	rt	3000	100
1970	rt	3000	200
1971	rt	10000	750
1972	rt	8000	1250
1973	rt	12000	1250
1976	rt	8000	200

No Information On: littoral-substrate.Comments. Previous stocking records date back to 1961.

\*\*\*\*\*



FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

IMMIT

Region 4

management unit 34

Elevation 5000' Lat. 51°1'30" Long. 116°48'30" NTS map 82N/02.  
This lake was most recently surveyed 06/05/71, by ERICKSON.

Watershed: inlets 2 outlets 1

Closed -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Parson is 18 miles . Distance from  
nearest paved road is 18 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 5861'	TDS 120ppm
	private cabins 0	area:full 30acres	pH 7.7
forested 90	resort cabins 0		secchi disc 17'
	camper sites 0	litt. area 29acres	
<u>OWNERSHIP(%)</u>		volume 198acre-ft	
		mean depth 6'	
crown 100			winterkill 0%

Biogeoclimatic zone: subalpine engelman spruce-subalpine fir

<u>PROFILE June 5th</u>			<u>SPECIES: Census method- not recorded.</u>	
<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>	<u>Species</u>	<u>Abundance</u>
0	13.6	10.0	brook trout	
2	11.1	--	rainbow trout	
4	7.8	--		
6	7.0	15.0		
8	6.7	--		

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	bt	5000	100
1969	bt	4000	300
1974	bt	3000	200
1975	bt	5000	200
1976	bt	5000	300

No Information On: littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

TARA

Region 4

management unit 34

Elevation 6050' Lat. 50°37'15" Long. 116°26'50" NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Irish C -> Forster C -> Columbia R-> -> ->

Access: The distance of the lake from Invermere is 25 miles . Distance from nearest paved road is 23 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL  
area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

TEMPLETON

Region 4

management unit 34

Elevation 6350' Lat. 50°47'20" Long. 116°34'30" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Templeton -> Columbia R-> -> -> ->

Access: The distance of the lake from Brisco is 17 miles . Distance from nearest paved road is 17 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL  
area:full 24acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

HREE ISLAND

Region 4

management unit 34

Elevation 4900'      Lat. 51°1'0"      Long. 116°47'0"      NTS map 82N/02.  
No survey or date not recorded.

Watershed:

Vowel C -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Parson is 20 miles . Distance from  
nearest paved road is 20 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 4500'	
	private cabins 0	area:full 22acres	
forested 100	resort cabins 0		
	camper sites 0	litt. area 12acres	
<u>OWNERSHIP(%)</u>		volume 343acre-ft	
crown 100			winterkill 0%

Biogeoclimatic zone: interior douglas fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	rt	10000	100
1969	rt	12000	100
1970	rt	19000	200
1971	rt	15000	750
1972	rt	11500	1250
1973	rt	18000	1250
1974	rt	15000	2500
1975	rt	10000	300
1976	rt	10000	
1977	rt	8000	

No Information On: temperature-oxygen-profile, littoral-substrate.

Comments. Previous stocking records date back to 1959.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

THUNDERWATER

Region 4

management unit 34

Elevation 6950'      Lat. 50°39'30"      Long. 116°34'30"      NTS map 82K/10.  
No survey or date not recorded.

Watershed:

Forster C -> Columbia R-> -> -> ->

Access: The distance of the lake from Invermere is 30 miles . Distance from nearest paved road is 27 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 73acres

Biogeoclimatic zone: alpine tundra

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

PAZ

Region 4

management unit 34

Elevation 3310' Lat. 50°50'0" Long. 116°24'25" NTS map 82K/16.  
This lake was most recently surveyed 06/25/70, by HARDING.

Watershed: inlets 0 outlets 1

Outlet C -&gt; Lang L -&gt; Templeton -&gt; Columbia R-&gt; -&gt;

Access: The distance of the lake from Radium Hot Spr is 24 miles .  
Distance from nearest paved road is 6 miles by car. The lake is 5 miles  
from gravel road by foot.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
forested 100	govt.campsites 1 private cabins 0 resort cabins 0 camper sites 0	perimeter 6810' area:full 23acres litt. area 23acres volume 137acre-ft mean depth 6'	TDS 375ppm pH 8.0 secchi disc 13'  hyd.sulph. Nil winterkill 10%
<u>OWNERSHIP(%)</u>			
crown 100			

Biogeoclimatic zone: interior douglas firPROFILE June 25th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	22.2	8.0
4	--	7.0
6	17.8	--

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1962	rt	5600	750
1965	rt	11700	300
1966	bt	10000	300
1969	rt	5000	100
1972	rt	5000	100
1973	rt	5000	100
1974	rt	5000	37
1975	rt	5000	100
1976	rt	5000	
1977	rt	5000	

No Information On: littoral-substrate.Comments. Previous stocking records date back to 1960.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

TWIN 1

Region 4

management unit 34

Elevation 3550' Lat. 50°47'10" Long. 116°21'40" NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Dunbar C -> Columbia R -> -> ->

Access: The distance of the lake from Brisco is 7 miles . Distance from  
nearest paved road is 7 miles by car.

PHYSICAL

area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

TWIN 2

Region 4

management unit 34

Elevation 3550' Lat. 50°47'0" Long. 116°21'45" NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Twin 1 L. -> Dunbar C -> Botts L -> Dunbar C -> Columbia R

Access: The distance of the lake from Brisco is 7 miles . Distance from  
nearest paved road is 7 miles by car.

PHYSICAL

area:full 2acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

INAMED LK 1

Region 4

management unit 34

Elevation 7150' Lat. 50°37'30" Long. 116°29'35" NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Welsh C -> Forster C -> Columbia R-> -> ->

Access: The distance of the lake from Invermere is 26 miles . Distance from nearest paved road is 23 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 2

Region 4

management unit 34

Elevation 7250' Lat. 50°37'5" Long. 116°29'35" NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Welsh C -> Unnamed 1 -> Welsh C -> Forster C -> Columbia R->

Access: The distance of the lake from Invermere is 27 miles . Distance from nearest paved road is 24 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 19acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 3

Region 4

management unit 34

Elevation 7550' Lat. 50°36'25" Long. 116°24'15" NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Forster C -> Columbia R-> -> ->

Access: The distance of the lake from Invermere is 25 miles . Distance from nearest paved road is 22 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL  
area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 4

Region 4

management unit 34

Elevation 3350' Lat. 50°40'45" Long. 116°14'50" NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Invermere is 17 miles . Distance from nearest paved road is 14 miles by truck.

PHYSICAL  
area:full 54acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

NAMED LK 5

Region 4

management unit 34

Elevation 7950'      Lat. 50°36'50"      Long. 116°30'35"      NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Welsh C -> Unnamed Ls-> Welsh C -> Forster C -> Columbia R->

Access: The distance of the lake from Invermere is 28 miles . Distance from nearest paved road is 25 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 6

Region 4

management unit 34

Elevation 7550'      Lat. 50°38'5"      Long. 116°32'15"      NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Forster C -> Columbia R-> -> ->

Access: The distance of the lake from Invermere is 30 miles . Distance from nearest paved road is 27 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 7

Region 4

management unit 34

Elevation 7550'      Lat. 50°40'10"      Long. 116°34'25"      NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Invermere is 31 miles . Distance from nearest paved road is 28 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 8

Region 4

management unit 34

Elevation 6850'      Lat. 50°40'45"      Long. 116°33'40"      NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Mclean C -> Frances C -> Columbia R-> -> ->

Access: The distance of the lake from Invermere is 34 miles . Distance from nearest paved road is 31 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 19acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 9

Region 4

management unit 34

Elevation 7150' Lat. 50°40'30" Long. 116°31'0" NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Frances C -> Columbia R-> -> ->

Access: The distance of the lake from Invermere is 30 miles . Distance from nearest paved road is 27 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 10

Region 4

management unit 34

Elevation 7250' Lat. 50°40'30" Long. 116°30'35" NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 9 -> Outlet C -> Frances C -> Columbia R->

Access: The distance of the lake from Invermere is 30 miles . Distance from nearest paved road is 27 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 19acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 11

Region 4

management unit 34

Elevation 7750' Lat. 50°41'20" Long. 116°39'40" NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Bugaboo C -> Columbia R-> -> ->

Access: The distance of the lake from Brisco is 31 miles . Distance from nearest paved road is 31 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 12

Region 4

management unit 34

Elevation 7550' Lat. 50°42'50" Long. 116°35'40" NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Septet C -> Bugaboo C -> Columbia R-> -> ->

Access: The distance of the lake from Brisco is 28 miles . Distance from nearest paved road is 28 miles by truck. The lake is 7 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

INAMED LK 13

Region 4

management unit 34

Elevation 7650'      Lat. 50°44'25"      Long. 116°35'5"      NTS map 82K/10.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -&gt; Septet C -&gt; Bugaboo C -&gt; Columbia R-&gt; -&gt;

Access: The distance of the lake from Brisco is 28 miles . Distance from nearest paved road is 28 miles by truck. The lake is 7 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 14

Region 4

management unit 34

Elevation 7450'      Lat. 50°54'50"      Long. 117°3'40"      NTS map 82K/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -&gt; Crystallin-&gt; Vowell C -&gt; Bobbie Bur-&gt; Spillimach-&gt; Columbia R

Access: The distance of the lake from Spillimacheen is 42 miles . Distance from nearest paved road is 42 miles by truck. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 19acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 15

Region 4

management unit 34

Elevation 7650'      Lat. 50°55'25"      Long. 117°3'30"      NTS map 82K/14.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Crystallin-> Vowell C -> Bobbie Bur-> Spillimach-> Columbia R

Access: The distance of the lake from Spillimacheen is 43 miles .  
Distance from nearest paved road is 43 miles by truck. The lake is 9  
miles from gravel road by walk.

PHYSICAL

area:full 24acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 16

Region 4

management unit 34

Elevation 6550'      Lat. 50°59'25"      Long. 117°5'0"      NTS map 82K/14.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Carbonate -> Bobbie Bur-> Spillimach-> Columbia R-> ->

Access: The distance of the lake from Spillimacheen is 40 miles .  
Distance from nearest paved road is 40 miles by truck. The lake is 2  
miles from gravel road by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 17

Region 4

management unit 34

Elevation 3750' Lat. 50°59'25" Long. 116°32'40" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Spillimach-> Columbia R-> -> ->

Access: The distance of the lake from Spillimacheen is 12 miles .  
Distance from nearest paved road is 12 miles by truck. The lake is 1  
miles from gravel road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 18

Region 4

management unit 34

Elevation 3550' Lat. 50°59'40" Long. 116°35'10" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Mitten L -> Spillimach-> Columbia R-> ->

Access: The distance of the lake from Spillimacheen is 17 miles .  
Distance from nearest paved road is 17 miles by truck.

PHYSICAL

area:full 14acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Intermittent lake.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 19

Region 4

management unit 34

Elevation 3350' Lat. 50°59'0" Long. 116°35'15" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Hobo C -> Mitten L -> Hobo C -> Spillimach-> Columbia R->

Access: The distance of the lake from Spillimacheen is 17 miles .  
Distance from nearest paved road is 17 miles by truck. The lake is 1  
miles from gravel road by walk.

PHYSICAL  
area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Intermittent lake.

\*\*\*\*\*

UNNAMED LK 20

Region 4

management unit 34

Elevation 3250' Lat. 50°58'35" Long. 116°35'45" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Hobo C -> Mitten L -> Hobo C -> Spillimach-> Columbia R

Access: The distance of the lake from Spillimacheen is 16 miles .  
Distance from nearest paved road is 16 miles by truck.

PHYSICAL  
area:full 38acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

NAMED LK 21

Region 4

management unit 34

Elevation 3250'      Lat. 50°58'5"      Long. 116°35'15"      NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Spillimacheen is 18 miles .  
Distance from nearest paved road is 18 miles by truck. The lake is 1  
miles from gravel road by walk.

PHYSICAL

area:full 20acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 22

Region 4

management unit 34

Elevation 3250'      Lat. 50°57'55"      Long. 116°35'0"      NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Mitten L -> Hobo C -> Spillimach-> Columbia R->

Access: The distance of the lake from Spillimacheen is 18 miles .  
Distance from nearest paved road is 18 miles by truck. The lake is 1  
miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Intermittent lake.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 23

Region 4

management unit 34

Elevation 3350' Lat. 50°58'0" Long. 116°36'10" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Gavia L -> Outlet C -> Spillimach-> Columbia R->

Access: The distance of the lake from Spillimacheen is 13 miles .  
Distance from nearest paved road is 13 miles by truck. The lake is 2  
miles from gravel road by walk.

PHYSICAL

area:full 14acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Intermittent lake.

\*\*\*\*\*

UNNAMED LK 24

Region 4

management unit 34

Elevation 3350' Lat. 50°58'10" Long. 116°36'45" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Unnamed 23-> Gavia L -> Outlet C -> Spillimach-> Columbia R->

Access: The distance of the lake from Spillimacheen is 14 miles .  
Distance from nearest paved road is 14 miles by truck. The lake is 3  
miles from gravel road by walk.

PHYSICAL

area:full 31acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNAMED LK 25

Region 4

management unit 34

Elevation 3150'      Lat. 50°56'40"      Long. 116°30'45"      NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Spillimacheen is 8 miles . Distance  
from nearest paved road is 8 miles by truck.

PHYSICAL

area:full 17acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNAMED LK 26

Region 4

management unit 34

Elevation 3250'      Lat. 50°57'5"      Long. 116°31'0"      NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Spillimacheen is 9 miles . Distance  
from nearest paved road is 9 miles by truck.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Intermittent lake.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 27

Region 4

management unit 34

Elevation 3250'      Lat. 50°57'50"      Long. 116°31'40"      NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Spillimach-> Columbia R-> -> ->

Access: The distance of the lake from Spillimacheen is 10 miles .  
Distance from nearest paved road is 10 miles by truck. The lake is 1  
miles from gravel road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Intermittent lake.

\*\*\*\*\*

UNNAMED LK 28

Region 4

management unit 34

Elevation 3250'      Lat. 50°57'45"      Long. 116°32'5"      NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Spillimacheen is 10 miles .  
Distance from nearest paved road is 10 miles by truck. The lake is 1  
miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 29

Region 4

management unit 34

Elevation 3250' Lat. 50°57'35" Long. 116°32'35" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Spillimach-> Columbia R-> -> ->

Access: The distance of the lake from Spillimacheen is 10 miles .  
Distance from nearest paved road is 10 miles by truck. The lake is 1  
miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 30

Region 4

management unit 34

Elevation 3250' Lat. 50°57'55" Long. 116°33'25" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Spillimacheen is 19 miles .  
Distance from nearest paved road is 19 miles by truck.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 31

Region 4

management unit 34

Elevation 3350'      Lat. 50°57'0"      Long. 116°36'0"      NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Spillimach-> Columbia R-> -> ->

Access: The distance of the lake from Spillimacheen is 23 miles .  
Distance from nearest paved road is 23 miles by truck.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 32

Region 4

management unit 34

Elevation 3350'      Lat. 50°57'10"      Long. 116°36'10"      NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Spillimach-> Columbia R-> -> ->

Access: The distance of the lake from Spillimacheen is 23 miles .  
Distance from nearest paved road is 23 miles by truck. The lake is 1  
miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 33

Region 4

management unit 34

Elevation 7550' Lat. 50°54'10" Long. 116°42'25" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Bobbie Bur-> Spillimach-> Columbia R-> ->

Access: The distance of the lake from Spillimacheen is 19 miles .  
Distance from nearest paved road is 19 miles by truck. The lake is 4  
miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 34

Region 4

management unit 34

Elevation 6250' Lat. 50°48'5" Long. 116°52'0" NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Malloy C -> Vowell C -> Bobbie Bur-> Spillimach-> Columbia R->

Access: The distance of the lake from Spillimacheen is 43 miles .  
Distance from nearest paved road is 43 miles by truck. The lake is 1  
miles from gravel road by walk.

PHYSICAL

area:full 22acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. At end of glacier.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 35

Region 4

management unit 34

Elevation 6750'      Lat. 50°47'0"      Long. 116°47'30"      NTS map 82K/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Vowell C -> Spillimach-> Columbia R-> -> ->

Access: The distance of the lake from Spillimacheen is 48 miles .  
Distance from nearest paved road is 48 miles by truck. The lake is 3  
miles from gravel road by walk.

PHYSICAL

area:full 16acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 36

Region 4

management unit 34

Elevation 3650'      Lat. 50°49'35"      Long. 116°24'30"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Lang L -> Templeton -> Columbia R-> ->

Access: The distance of the lake from Brisco is 11 miles . Distance from  
nearest paved road is 11 miles by truck. The lake is 2 miles from gravel  
road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

UNNAMED LK 37

Region 4

management unit 34

Elevation 3650'      Lat. 50°50'15"      Long. 116°25'0"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 3 outlets 1

Outlet C -> Lang L -> Templeton -> Columbia R-> ->

Access: The distance of the lake from Brisco is 10 miles . Distance from nearest paved road is 10 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Swampy.

\*\*\*\*\*

UNNAMED LK 38

Region 4

management unit 34

Elevation 3650'      Lat. 50°48'55"      Long. 116°23'50"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Dunbar C -> Columbia R-> -> ->

Access: The distance of the lake from Brisco is 8 miles . Distance from nearest paved road is 8 miles by car. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 39

Region 4

management unit 34

Elevation 3650' Lat. 50°48'45" Long. 116°23'55" NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 38-> Dunbar C -> Columbia R-> ->

Access: The distance of the lake from Brisco is 8 miles . Distance from nearest paved road is 8 miles by car. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 40

Region 4

management unit 34

Elevation 3550' Lat. 50°49'0" Long. 116°21'40" NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Dunbar C -> Columbia R-> -> ->

Access: The distance of the lake from Brisco is 7 miles . Distance from nearest paved road is 7 miles by car. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNAMED LK 41

Region 4

management unit 34

Elevation 3650'      Lat. 50°49'10"      Long. 116°21'10"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Brisco is 5 miles . Distance from  
nearest paved road is 5 miles by car. The lake is 1 miles from gravel  
road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 42

Region 4

management unit 34

Elevation 3650'      Lat. 50°48'0"      Long. 116°22'20"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -&gt; Botts L -&gt; Dunbar C -&gt; Columbia R-&gt; -&gt;

Access: The distance of the lake from Brisco is 8 miles . Distance from  
nearest paved road is 8 miles by car. The lake is 1 miles from gravel  
road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 43

Region 4

management unit 34

Elevation 3650'      Lat. 50°48'0"      Long. 116°23'40"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Dunbar C -> Botts L -> Dunbar C -> Columbia R->

Access: The distance of the lake from Brisco is 10 miles . Distance from nearest paved road is 10 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 44

Region 4

management unit 34

Elevation 3650'      Lat. 50°47'50"      Long. 116°23'15"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Dunbar C -> Botts L -> Dunbar C -> Columbia R->

Access: The distance of the lake from Brisco is 10 miles . Distance from nearest paved road is 10 miles by truck. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 45

Region 4

management unit 34

Elevation 3750'      Lat. 50°48'25"      Long. 116°23'15"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 44-> Dunbar C -> Botts L -> Dunbar C -> Columbia R

Access: The distance of the lake from Brisco is 11 miles . Distance from nearest paved road is 11 miles by truck. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 46

Region 4

management unit 34

Elevation 3850'      Lat. 50°46'30"      Long. 116°23'45"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Halfway L -> Outlet C -> -> ->

Access: The distance of the lake from Brisco is 12 miles . Distance from nearest paved road is 12 miles by car.

PHYSICAL

area:full 14acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 47

Region 4

management unit 34

Elevation 3150'      Lat. 50°51'5"      Long. 116°22'50"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Brisco is 6 miles . Distance from nearest paved road is 6 miles by car.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 48

Region 4

management unit 34

Elevation 3150'      Lat. 50°51'5"      Long. 116°22'10"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Brisco is 6 miles . Distance from nearest paved road is 6 miles by car. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

NAMED LK 49

Region 4

management unit 34

Elevation 3050'      Lat. 50°53'10"      Long. 116°25'40"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Bugaboo C -> Columbia R-> -> ->

Access: The distance of the lake from Spillimacheen is 4 miles . Distance from nearest paved road is 4 miles by car.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 50

Region 4

management unit 34

Elevation 3350'      Lat. 50°52'35"      Long. 116°26'25"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Spillimacheen is 5 miles . Distance from nearest paved road is 5 miles by car. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Intermittent lake.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 51

Region 4

management unit 34

Elevation 3250'      Lat. 50°52'20"      Long. 116°26'20"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Swamp -> -> -> -> ->

Access: The distance of the lake from Spillimacheen is 6 miles . Distance from nearest paved road is 6 miles by car. The lake is 2 miles from gravel road by walk.

PHYSICAL  
area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 52

Region 4

management unit 34

Elevation 4850'      Lat. 51°1'30"      Long. 116°48'20"      NTS map 82N/02.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Bobby Burn-> Spillimach-> Columbia R-> ->

Access: The distance of the lake from Golden is 35 miles . Distance from nearest paved road is 14 miles by truck.

PHYSICAL  
area:full 34acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

UNNAMED LK 53

Region 4

management unit 34

Elevation 3750'      Lat. 51°14'25"      Long. 117°21'30"      NTS map 82N/03.  
No survey or date not recorded.

Watershed:

Swamp -&gt; Beaver R -&gt; Mcnaughton-&gt; Columbia R-&gt; -&gt;

Access: The distance of the lake from Revelstoke is 52 miles . Distance  
from nearest paved road is 10 miles by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 54

Region 4

management unit 34

Elevation 5850'      Lat. 51°10'20"      Long. 117°23'10"      NTS map 82N/03.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -&gt; Beaver R -&gt; Mcnaughton-&gt; Columbia R-&gt; -&gt;

Access: The distance of the lake from Revelstoke is 59 miles . Distance  
from nearest paved road is 17 miles by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 55

Region 4

management unit 34

Elevation 7250'      Lat. 51°19'0"      Long. 117°10'40"      NTS map 82N/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Holt C -> Columbia R-> -> -> ->

Access: The distance of the lake from Golden is 20 miles . Distance from  
nearest paved road is 15 miles by car. The lake is 5 miles from gravel  
road by walk.

PHYSICAL  
area:full 17acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 56

Region 4

management unit 34

Elevation 6950'      Lat. 51°20'50"      Long. 117°11'45"      NTS map 82N/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Gorman C -> Holt C -> Columbia R-> -> ->

Access: The distance of the lake from Golden is 21 miles . Distance from  
nearest paved road is 16 miles by car. The lake is 5 miles from gravel  
road by walk.

PHYSICAL  
area:full 38acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 57

Region 4

management unit 34

Elevation 6450'      Lat. 51°25'50"      Long. 117°17'30"      NTS map 82N/06.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Quartz C -> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 31 miles . Distance from nearest paved road is 6 miles by car. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 23acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 58

Region 4

management unit 34

Elevation 7350'      Lat. 51°25'0"      Long. 117°16'40"      NTS map 82N/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 57-> Outlet C -> Quartz C -> Mcnaughton-> Columbia R

Access: The distance of the lake from Golden is 33 miles . Distance from nearest paved road is 8 miles by car. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

WHIRLPOOL

Region 4

management unit 34

Elevation 7150'      Lat. 50°39'25"      Long. 116°35'30"      NTS map 82K/10.  
No survey or date not recorded.

Watershed:

Forster C -> Thunderwat-> Forster C -> Columbia R-> ->

Access: The distance of the lake from Invermere is 31 miles . Distance from nearest paved road is 28 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 24acres

Biogeoclimatic zone: alpine tundra

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

ILBUR

Region 4

management unit 34

Elevation 4150'      Lat. 51°0'40"      Long. 116°40'40"      NTS map 82N/02.  
This lake was most recently surveyed 07/28/67 .

Watershed: inlets 0 outlets 1  
Outlet C -> Spillimach-> -> -> ->

Access: The distance of the lake from Parsons is 10 miles . Distance from nearest paved road is 10 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0	perimeter 6600'	TDS 320ppm
forested 90	private cabins 0	area:full 35acres	pH 8.1
	resort cabins 0		secchi disc 18'
	camper sites 0		
<u>OWNERSHIP(%)</u>		litt. area 28acres	
		volume 378acre-ft	
crown 100		mean depth 11'	hyd.sulph. Nil
			winterkill 0%

Biogeoclimatic zone: interior douglas fir

PROFILE July 28th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	20.0	9.0
2	18.5	--
4	15.0	--
6	15.0	--
8	15.0	5.0

SPECIES: Census method- gillnet

<u>Species</u>	<u>Abundance</u>
rainbow trout	

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	rt	6000	100
1969	rt	6000	100
1970	rt	6000	200
1971	rt	8000	750
1972	rt	6000	1250
1973	rt	9000	1250
1974	rt	5000	2500
1975	rt	4000	300
1976	rt	4000	
1977	rt	3000	

No Information On: littoral-substrate.

Comments. Previous stocking records date back to 1958.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

WISEMAN

Region 4

management unit 34

Elevation 3300' Lat. 51°26'30" Long. 117°17'30" NTS map 82N/06E.  
This lake was most recently surveyed 05/30/73, by BURNS.

Watershed: inlets 0 outlets 1  
Oldman C -> Columbia R-> -> -> ->

Access: The distance of the lake from Golden is 24 miles . Distance from nearest paved road is 4 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 1	perimeter 1700'	TDS 152ppm
	private cabins 0	area:full 4acres	pH 8.0
forested 30	resort cabins 0		secchi disc 22'
logged 70	camper sites 0	litt. area 1acres	
<u>OWNERSHIP(%)</u>		volume 44acre-ft	
		mean depth 10'	hyd.sulph. Nil
crown 100			winterkill 30%

Biogeoclimatic zone: interior western hemlock

PROFILE July 29th

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	18.0	11.0
2	12.0	--
6	10.0	6.0
8	5.5	--

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1952	ct	10000				
1953	ct	20000				
1954	rt	25000				
1957	rt	18184				
1962	ct	5000				
1963	ct	6000		rt	2090	
1968	ct	8000	>3500			
1974	ct	5000	2500			
1976	ct	5000	>3500			
1977	ct	2000	300			

No Information On: littoral-substrate.

Comments. Previous stocking records date back to 1938.

\*\*\*\*\*

August 8, 1983

APTISTE

Region 4

management unit 35

Elevation 3250' Lat. 50°41'20" Long. 116°5'30" NTS map 82K/09.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Macaulay C-> Columbia R-> -> ->

Access: The distance of the lake from Radium Hot Spr is 6 miles .  
Distance from nearest paved road is 3 miles by truck.

PHYSICAL

area:full 27acres

Biogeoclimatic zone: interior douglas fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1940	ct	20000	
1941	ct	21535	
1942	ct	15000	
1943	ct	17045	
1944	ct	15000	
1945	ct	26555	
1946	ct	15000	
1947	ct	30000	
1948	ct	10000	
1949	ct	5916	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Previous stocking records date back to 1933. This lake is a  
community water supply.

\*\*\*\*\*

August 8, 1983

CATHEDRAL 1

Region 4

management unit 35

Elevation 7050'      Lat. 51°22'10"      Long. 116°23'35"      NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 3 outlets 1

Duchesnay -> Vera L -> Duchesnay -> Cataract C-> Wapta L -> K Horse R

Access: The distance of the lake from Golden is 49 miles . Distance from nearest paved road is 8 miles by car. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

DAINARD 1

Region 4

management unit 35

Elevation 5850'      Lat. 51°5'50"      Long. 116°16'15"      NTS map 82N/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Kootenay R-> -> -> ->

Access: The distance of the lake from Golden is 45 miles . Distance from nearest paved road is 25 miles by car. The lake is 5 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

DAINARD 2

Region 4

management unit 35

Elevation 5850'      Lat. 51°5'55"      Long. 116°16'0"      NTS map 82N/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Dainard 1 -> Outlet C -> Kootenay R -> ->

Access: The distance of the lake from Golden is 45 miles . Distance from nearest paved road is 25 miles by car. The lake is 5 miles from gravel road by walk.

---

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

DIANA

Region 4

management unit 35

Elevation 7100' Lat. 50°53'45" Long. 116°14'10" NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Pinnacle C-> Luxor C -> Columbia R-> -> ->

Access: The distance of the lake from Radium Hot Spr is 26 miles .  
Distance from nearest paved road is 16 miles by car. The lake is 3 miles  
from gravel road by foot.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 0		
	private cabins 1	area:full 16acres	
forested 30	resort cabins 0		
	camper sites 0		
<u>OWNERSHIP(%)</u>			
private 5			
crown 95			winterkill 0%

Biogeoclimatic zone: subalpine engelmann spruce-subalpine fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1970	rt	5000	425
1973	rt	15000	1250

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

LOE Region 4 management unit 35

Elevation 6650' Lat. 51°3'10" Long. 116°8'30" NTS map 82N/01.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Floe C -> Vermilion -> Kootenay R-> -> ->

Access: The distance of the lake from Radium is 49 miles . Distance from nearest paved road is 5 miles by walk.

PHYSICAL  
area:full 95acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

HIGH Region 4 management unit 35

Elevation 7250' Lat. 51°6'0" Long. 116°15'30" NTS map 82N/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Golden is 46 miles . Distance from nearest paved road is 26 miles by car. The lake is 6 miles from gravel road by walk.

PHYSICAL  
area:full 33acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

HUNGABEE

Region 4

management unit 35

Elevation 7350' Lat. 51°20'35" Long. 116°19'5" NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> O'hara L -> Cataract C-> Wapta L -> K Horse R -> C

Access: The distance of the lake from Golden is 49 miles . Distance from nearest paved road is 8 miles by car. The lake is 1 miles from gravel road by walk.

PHYSICAL  
area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

KAUFMANN

Region 4

management unit 35

Elevation 6750' Lat. 51°16'10" Long. 116°14'10" NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Tokumm C -> Vermilion -> Kootenay R-> ->

Access: The distance of the lake from Radium is 62 miles . Distance from nearest paved road is 8 miles by walk.

PHYSICAL  
area:full 24acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

NOTENAY POND

Region 4

management unit 35

Elevation 3950'      Lat. 50°53'35"      Long. 116°3'35"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Radium Hot Spr is 28 miles .  
Distance from nearest paved road is 0 miles .

PHYSICAL

area:full 4acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

LINDA

Region 4

management unit 35

Elevation 6850'      Lat. 51°22'15"      Long. 116°22'20"      NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Duchesnay -> Cataract C-> Wapta L -> K Horse R -> Columbia R

Access: The distance of the lake from Golden is 48 miles . Distance from  
nearest paved road is 7 miles by car. The lake is 1 miles from gravel  
road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

MARION

Region 4

management unit 35

Elevation 4200'      Lat. 51°3'0"      Long. 116°21'0"      NTS map 82N/01.  
No survey or date not recorded.

Watershed:

Outlet C -&gt; Kootenay R-&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Golden is 36 miles . Distance from  
nearest paved road is 16 miles by car.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

forested 30      govt.campsites 1  
logged 70      private cabins 0      area:full 44acres  
                resort cabins 0  
                camper sites 0

OWNERSHIP(%)

crown 100

winterkill 30%

Biogeoclimatic zone: interior douglas firSTOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1968	ct	8000	>3500
1969	ct	5000	>3500
1974	ct	5000	2500
1976	ct	5000	>3500

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

CARTHUR

Region 4

management unit 35

Elevation 7350'      Lat. 51°20'0"      Long. 116°20'20"      NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Golden is 50 miles . Distance from nearest paved road is 9 miles by car. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 200acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

MORNING GLORY 1

Region 4

management unit 35

Elevation 6550'      Lat. 51°21'45"      Long. 116°22'10"      NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Morn Glory-> Cataract C-> Wapta L -> K Horse R -> Columbia R->

Access: The distance of the lake from Golden is 48 miles . Distance from nearest paved road is 7 miles by car. The lake is 1 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

NARDO

Region 4

management unit 35

Elevation 5650'      Lat. 51°25'30"      Long. 116°20'45"      NTS map 82N/08.  
No survey or date not recorded.

Watershed:

Swamp -> -> -> -> ->

Access: The distance of the lake from Golden is 41 miles . Distance from nearest paved road is 1 miles by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

O'HARA

Region 4

management unit 35

Elevation 6650'      Lat. 51°21'20"      Long. 116°19'45"      NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Cataract C-> Wapta L -> K Horse R -> Columbia R-> ->

Access: The distance of the lake from Golden is 48 miles . Distance from nearest paved road is 7 miles by car.

PHYSICAL

area:full 72acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

Comments. Lodge at lake.

\*\*\*\*\*



FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

SA

Region 4

management unit 35

Elevation 7450'      Lat. 51°21'15"      Long. 116°18'10"      NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Golden is 49 miles . Distance from  
nearest paved road is 8 miles by car. The lake is 1 miles from gravel  
road by walk.

---

PHYSICAL

area:full 34acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

OPABIN

Region 4

management unit 35

Elevation 7450'      Lat. 51°20'25"      Long. 116°18'40"      NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> O'hara L -> Cataract C-> Wapta L -> K Horse R -> Columbia R

Access: The distance of the lake from Golden is 50 miles . Distance from  
nearest paved road is 9 miles by car. The lake is 2 miles from gravel  
road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

ROSS

Region 4

management unit 35

Elevation 5650'      Lat. 51°26'15"      Long. 116°18'0"      NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> -> -> -> ->

Access: The distance of the lake from Golden is 43 miles . Distance from nearest paved road is 2 miles by car. The lake is 1 miles from gravel road by walk.

PHYSICAL  
area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 1

Region 4

management unit 35

Elevation 6850'      Lat. 50°55'15"      Long. 116°13'30"      NTS map 82K/16.  
No survey or date not recorded.

Watershed:  
Outlet C -> Kootenay R-> -> -> ->

Access: The distance of the lake from Radium Hot Spr is 40 miles . Distance from nearest paved road is 11 miles by car. The lake is 5 miles from gravel road by walk.

PHYSICAL  
area:full 14acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

NAMED LK 2

Region 4

management unit 35

Elevation 3950'      Lat. 50°54'10"      Long. 116°2'15"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Radium Hot Spr is 30 miles .  
Distance from nearest paved road is 1 miles by walk.

PHYSICALarea:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 3

Region 4

management unit 35

Elevation 4150'      Lat. 50°52'20"      Long. 116°3'15"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 0  
Swamp -> Outlet C -> Kootenay R-> -> ->

Access: The distance of the lake from Radium Hot Spr is 26 miles .  
Distance from nearest paved road is 1 miles by walk.

PHYSICALarea:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 4

Region 4

management unit 35

Elevation 6650'      Lat. 51°3'0"      Long. 116°8'40"      NTS map 82N/01.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Floe C -> Vermilion -> Kootenay R-> ->

Access: The distance of the lake from Radium is 50 miles . Distance from nearest paved road is 6 miles by walk.

PHYSICAL

area:full 19acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 5

Region 4

management unit 35

Elevation 6350'      Lat. 51°1'0"      Long. 116°7'15"      NTS map 82N/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Symond C -> Kootenay R-> -> ->

Access: The distance of the lake from Radium is 31 miles . Distance from nearest paved road is 13 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 20acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNAMED LK 6

Region 4

management unit 35

Elevation 6450'      Lat. 51°10'15"      Long. 116°16'30"      NTS map 82N/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Helmet C -> Ochre C -> Vermilion -> Kootenay R->

Access: The distance of the lake from Radium is 64 miles . Distance from nearest paved road is 10 miles by walk.

PHYSICALarea:full 28acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNAMED LK 7

Region 4

management unit 35

Elevation 6650'      Lat. 51°21'5"      Long. 116°19'50"      NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Golden is 48 miles . Distance from nearest paved road is 7 miles by car.

PHYSICALarea:full 18acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

VERA

Region 4

management unit 35

Elevation 6950'      Lat. 51°22'25"      Long. 116°23'5"      NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Duchesnay -> Cataract C-> Wapta L -> K Horse R -> Columbia R->

Access: The distance of the lake from Golden is 49 miles . Distance from nearest paved road is 8 miles by car. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

WELLS

Region 4

management unit 35

Elevation 4150'      Lat. 50°59'10"      Long. 116°14'15"      NTS map 82K/16.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Kootenay R-> -> -> ->

Access: The distance of the lake from Radium Hot Spr is 41 miles . Distance from nearest paved road is 12 miles by car. The lake is 6 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

AMISKWI

Region 4

management unit 36

Elevation 6850'      Lat. 51°35'30"      Long. 116°38'30"      NTS map 82N/10.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Rit C -> Amiskwi R -> K Horse R -> Columbia R-> ->

Access: The distance of the lake from Golden is 51 miles . Distance from nearest paved road is 18 miles by walk.

PHYSICAL

area:full 15acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

BETIBIE

Region 4

management unit 36

Elevation 3150'      Lat. 51°31'5"      Long. 117°9'15"      NTS map 82N/11.  
 No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Waitabit C-> Columbia R-> -> ->

Access: The distance of the lake from Golden is 19 miles . Distance from nearest paved road is 3 miles by truck.

PHYSICAL

area:full 15acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

AID

Region 4

management unit 36

Elevation 3200'      Lat. 51°39'30"      Long. 117°27'30"      NTS map 82N/11.  
 No survey or date not recorded.

Watershed: inlets 1 outlets 1

Succour C -> Columbia R-> -> -> ->

Access: The distance of the lake from Golden is 36 miles . Distance from nearest paved road is 20 miles by car.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

	govt.campsites 0	perimeter 8514'	
forested 20	private cabins 0	area:full 22acres	
	resort cabins 0		
	camper sites 0		

OWNERSHIP(%)

volume 134acre-ft  
 mean depth 6'

crown 100

winterkill 0%

Biogeoclimatic zone: interior douglas fir

STOCKING HISTORY

			approx
<u>year</u>	<u>spec</u>	<u>num</u>	<u>no/lb.</u>
1974	rt	8000	2500
1975	rt	5000	1250



August 8, 1983

ACKWATER

Region 4

management unit 36

Elevation 3200' Lat. 51°37'30" Long. 117°24'30" NTS map 82N/11.  
This lake was most recently surveyed 08/15/53, by MAYER.

Watershed: inlets 0 outlets 1  
Columbia R-> -> -> -> ->

Access: The distance of the lake from Golden is 32 miles . Distance from  
nearest paved road is 16 miles by car.

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt. campsites 2	perimeter 9082'	TDS 48ppm
forested 50	private cabins 0	area:full 40acres	
	resort cabins 0		secchi disc 20'
	camper sites 0	litt. area 40acres	
<u>OWNERSHIP(%)</u>		volume 314acre-ft	
		mean depth 8'	
crown 100			winterkill 0%

Biogeoclimatic zone: interior douglas fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1950	rt	20000	
1951	rt	25000	
1952	rt	28730	
1954	rt	4500	
1962	rt	2040	100
1963	rt	2200	100
1964	rt	2175	750
1974	rt	8000	2500
1975	rt	5000	300
1977	rt	4000	

No Information On: temperature-oxygen-profile, littoral-substrate.

Comments. Previous stocking records date back to 1938.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

CELESTE

Region 4

management unit 36

Elevation 6550'      Lat. 51°31'0"      Long. 116°30'50"      NTS map 82N/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Yoho R -> K Horse R -> Columbia R-> ->

Access: The distance of the lake from Golden is 56 miles . Distance from nearest paved road is 8 miles by car. The lake is 4 miles from gravel road by walk.

---

PHYSICAL

area:full 4acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

MFORT

Region 4

management unit 36

Elevation 3300' Lat. 51°38'30" Long. 117°26'0"  
This lake was most recently surveyed / /53, by MAYER.

NTS map 82N/11W.

Watershed: inlets 2 outlets 1

Help L -&gt; Aid L -&gt; Succour C -&gt; Columbia R-&gt; -&gt;

Access: The distance of the lake from Golden is 34 miles . Distance from  
nearest paved road is 18 miles by car.

SHORELINE(%)ACCOMODATIONPHYSICALWATER-CHEMISTRY

	govt. campsites 0	perimeter 4620'	
forested 50	private cabins 0	area:full 18acres	
	resort cabins 0		
	camper sites 0	litt. area 18acres	
		volume 132acre-ft	
		mean depth 7'	

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: interior douglas firSTOCKING HISTORY

year	spec	num	approx no/lb.
1974	rt	8000	2500
1975	rt	5000	300

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

COOPER

Region 4

management unit 36

Elevation 2950'      Lat. 51°24'25"      Long. 117°1'40"      NTS map 82N/06.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Golden is 9 miles . Distance from nearest paved road is 1 miles by car.

PHYSICAL

area:full 3acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

DUCHESNAY

Region 4

management unit 36

Elevation 5250'      Lat. 51°31'20"      Long. 116°30'0"      NTS map 82N/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Yoho R -> K Horse R -> Columbia R-> ->

Access: The distance of the lake from Golden is 54 miles . Distance from nearest paved road is 6 miles by car. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

EMERALD

Region 4

management unit 36

Elevation 4250' Lat. 51°26'40" Long. 116°31'45" NTS map 82N/07.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Emerald R -> K Horse R -> Columbia R -> -> ->

Access: The distance of the lake from Golden is 36 miles . Distance from nearest paved road is 0 miles .

PHYSICALarea:full 240acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FAIRY

Region 4

management unit 36

Elevation 7350' Lat. 51°32'50" Long. 116°28'40" NTS map 82N/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Fairy C -> -> -> -> ->

Access: The distance of the lake from Golden is 57 miles . Distance from nearest paved road is 9 miles by car. The lake is 5 miles from gravel road by walk.

PHYSICALarea:full 30acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

FRIGID

Region 4

management unit 36

Elevation 7450'      Lat. 51°33'5"      Long. 116°42'20"      NTS map 82N/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Golden is 49 miles . Distance from nearest paved road is 16 miles by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

HAMILTON

Region 4

management unit 36

Elevation 7050'      Lat. 51°27'20"      Long. 116°34'30"      NTS map 82N/07.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Hamilton C-> Emerald R -> K Horse R -> Columbia R-> ->

Access: The distance of the lake from Golden is 38 miles . Distance from nearest paved road is 2 miles by walk.

PHYSICAL

area:full 14acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

ELP Region 4 management unit 36

Elevation 3250' Lat. 51°39'10" Long. 117°26'20" NTS map 82N/11.  
No survey or date not recorded.Watershed: inlets 1 outlets 1  
Succour C -> Columbia R-> -> -> ->Access: The distance of the lake from Golden is 35 miles . Distance from  
nearest paved road is 19 miles .

<u>SHORELINE(%)</u>	<u>ACCOMODATION</u>	<u>PHYSICAL</u>	<u>WATER-CHEMISTRY</u>
	govt.campsites 1		
forested 50	private cabins 0	area:full 23acres	
	resort cabins 0		
	camper sites 0		
<u>OWNERSHIP(%)</u>			
crown 100			winterkill 0%

Biogeoclimatic zone: interior douglas fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx</u> <u>no/lb.</u>
1974	rt	8000	2500
1975	rt	5000	300

No Information On: temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

HIDDEN LKS

Region 4

management unit 36

Elevation 5550'      Lat. 51°29'0"      Long. 116°28'55"      NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Yoho R -> K Horse R -> Columbia R -> ->

Access: The distance of the lake from Golden is 43 miles . Distance from  
nearest paved road is 4 miles by car. The lake is 1 miles from gravel  
road by walk.

---

PHYSICAL

area:full 2acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

LB

Region 4

management unit 36

Elevation 4800'      Lat. 51°35'45"      Long. 117°24'55"      NTS map 82N/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Jeb C -> Columbia R-> -> -> ->

Access: The distance of the lake from Golden is 42 miles . Distance from  
nearest paved road is 26 miles by car.

ACCOMODATIONPHYSICALWATER-CHEMISTRY

govt.campsites 1

TDS 500ppm

private cabins 0

area:full 29acres

resort cabins 0

camper sites 0

OWNERSHIP(%)

crown 100

winterkill 0%

Biogeoclimatic zone: subalpine engelman spruce-subalpine fir

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1972	bt	7000	200
1974	bt	3000	200
1975	bt	5000	200
1976	bt	5000	300

No Information On: shoreline-use, temperature-oxygen-profile, littoral-  
substrate.

Comments. Fire burned surrounding area.

\*\*\*\*\*

August 8, 1983

KIWETINOK

Region 4

management unit 36

Elevation 8050'      Lat. 51°31'10"      Long. 116°36'0"      NTS map 82N/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

L Yoho R -> Yoho R -> K Horse R -> Columbia R-> ->

Access: The distance of the lake from Golden is 0 miles .

PHYSICALarea:full 16acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

LITTLE GEM

Region 4

management unit 36

Elevation 6250'      Lat. 51°24'20"      Long. 116°43'40"      NTS map 82N/07.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Otterhead -> K Horse R -> Columbia R-> -> ->

Access: The distance of the lake from Golden is 43 miles . Distance from  
nearest paved road is 11 miles by car. The lake is 10 miles from gravel  
road by walk.

PHYSICALarea:full 21acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

ONE DUCK

Region 4

management unit 36

Elevation 4150'      Lat. 51°25'50"      Long. 116°31'45"      NTS map 82N/07.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Emerald R -> K Horse R -> Columbia R -> -> ->

Access: The distance of the lake from Golden is 35 miles . Distance from nearest paved road is 0 miles .

PHYSICAL

area:full 2acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

MARPOLE

Region 4

management unit 36

Elevation 5750'      Lat. 51°32'35"      Long. 116°31'40"      NTS map 82N/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Golden is 56 miles . Distance from nearest paved road is 8 miles by car. The lake is 4 miles from gravel road by walk..

PHYSICAL

area:full 3acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

PEACEFUL POND

Region 4

management unit 36

Elevation 4250' Lat. 51°26'15" Long. 116°32'5" NTS map 82N/07.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Golden is 36 miles . Distance from nearest paved road is 0 miles .

PHYSICAL

area:full 1acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

SHERBROOKE

Region 4

management unit 36

Elevation 5950' Lat. 51°27'30" Long. 116°23'10" NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Sherbrooke-> K Horse R -> Columbia R-> -> ->

Access: The distance of the lake from Golden is 42 miles . Distance from nearest paved road is 2 miles by walk.

PHYSICAL

area:full 83acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate. .

\*\*\*\*\*

August 8, 1983

NK Region 4 management unit 36Elevation 5350' Lat. 51°27'0" Long. 116°18'30" NTS map 82N/08.  
No survey or date not recorded.Watershed: inlets 1 outlets 0  
Closed -> -> -> -> ->Access: The distance of the lake from Golden is 42 miles . Distance from nearest paved road is 0 miles .PHYSICAL  
area:full 11acresSTOCKING HISTORY This lake has never been stocked.No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

SNOWDRIFT Region 4 management unit 36Elevation 6650' Lat. 51°23'20" Long. 116°42'0" NTS map 82N/07.  
No survey or date not recorded.Watershed: inlets 0 outlets 1  
Snowdrif C-> Otterhead -> K Horse R -> Columbia R-> ->Access: The distance of the lake from Golden is 42 miles . Distance from nearest paved road is 10 miles by car. The lake is 9 miles from gravel road by walk.PHYSICAL  
area:full 1acresSTOCKING HISTORY This lake has never been stocked.No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

SUMMIT

Region 4

management unit 36

Elevation 5350' Lat. 51°27'5" Long. 116°17'30" NTS map 82N/08.  
No survey or date not recorded.

Watershed:

Closed -> -> -> -> ->

Access: The distance of the lake from Golden is 43 miles . Distance from  
nearest paved road is 0 miles .

---

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCHLAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

ISAN

Region 4

management unit 36

Elevation 5000' Lat. 51°34'20" Long. 117°24'30" NTS map 82N/11W.  
This lake was most recently surveyed 05/31/73, by BURNS.

Watershed: inlets 2 outlets 1  
Outlet C -> Columbia R -> -> -> ->

Access: The distance of the lake from Golden is 40 miles . Distance from nearest paved road is 24 miles by car.

ACCOMODATION

govt.campsites 3  
private cabins 0  
resort cabins 0  
camper sites 0

PHYSICAL

perimeter 11850'  
area:full 113acres  
litt. area 72acres  
volume 4384acre-ft  
mean depth 39'

WATER-CHEMISTRY

TDS 110ppm  
pH 7.2  
secchi disc 11'  
hyd.sulph. Nil  
winterkill 0%

OWNERSHIP(%)

crown 100

Biogeoclimatic zone: subalpine engelman spruce-subalpine fir

PROFILE May 31st

<u>Depth(m)</u>	<u>Temp(C°)</u>	<u>Oxygen(ppm)</u>
0	6.6	10.0
4	6.5	--
8	--	9.0
10	6.3	--
20	--	4.4

SPECIES: Census method- gillnet

<u>Species</u>	<u>Abundance</u>
brook trout	

STOCKING HISTORY

<u>year</u>	<u>spec</u>	<u>num</u>	<u>approx no/lb.</u>
1968	bt	10000	100
1969	bt	10000	300
1970	bt	10000	300
1972	bt	10000	200
1974	bt	6000	200
1975	bt	10000	200
1976	bt	10000	300

No Information On: shoreline-use, littoral-substrate.

Comments. Series of chutes and falls 800' downstream. Fire burned surrounding area.

\*\*\*\*\*

August 8, 1983

TWIN 1

Region 4

management unit 36

Elevation 6950'      Lat. 51°32'20"      Long. 116°43'5"      NTS map 82N/10.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Martin C -> Blaeberry -> Columbia R-> -> ->

Access: The distance of the lake from Golden is 31 miles . Distance from nearest paved road is 23 miles by car. The lake is 7 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

TWIN 2

Region 4

management unit 36

Elevation 7050'      Lat. 51°32'30"      Long. 116°42'50"      NTS map 82N/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Martin C -> Twin 1 L -> Martin C -> Blaeberry -> Columbia R->

Access: The distance of the lake from Golden is 31 miles . Distance from nearest paved road is 23 miles by car. The lake is 7 miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

NAMED LK 1

Region 4

management unit 36

Elevation 6850'      Lat. 51°24'35"      Long. 116°44'30"      NTS map 82N/07.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Otterhead -> K Horse R -> Columbia R-> ->

Access: The distance of the lake from Golden is 44 miles . Distance from nearest paved road is 12 miles by car. The lake is 11 miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 2

Region 4

management unit 36

Elevation 7850'      Lat. 51°35'30"      Long. 116°28'40"      NTS map 82N/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Golden is 60 miles . Distance from nearest paved road is 12 miles by car. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 3

Region 4

management unit 36

Elevation 8050'      Lat. 51°35'35"      Long. 116°28'20"      NTS map 82N/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Golden is 60 miles . Distance from nearest paved road is 12 miles by car. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 4

Region 4

management unit 36

Elevation 7750'      Lat. 51°41'45"      Long. 116°54'20"      NTS map 82N/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Waitabit C-> Waitabit L-> Waitabit C-> Columbia R-> ->

Access: The distance of the lake from Golden is 29 miles . Distance from nearest paved road is 22 miles by car. The lake is 21 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

INAMED LK 5

Region 4

management unit 36

Elevation 3650'      Lat. 51°33'45"      Long. 117°13'20"      NTS map 82N/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Marl C -> Columbia R-> -> ->

Access: The distance of the lake from Golden is 23 miles . Distance from nearest paved road is 7 miles by 4x4.

PHYSICAL

area:full 25acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 6

Region 4

management unit 36

Elevation 3050'      Lat. 51°30'15"      Long. 117°8'40"      NTS map 82N/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Colepitts -> Columbia R-> -> ->

Access: The distance of the lake from Golden is 18 miles . Distance from nearest paved road is 2 miles by car.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 7

Region 4

management unit 36

Elevation 7150'      Lat. 51°41'5"      Long. 117°21'0"      NTS map 82N/11.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Clearwater-> Blackwater-> Bluewater -> Columbia R-> ->

Access: The distance of the lake from Golden is 38 miles . Distance from  
nearest paved road is 22 miles by car. The lake is 6 miles from gravel  
road by walk.

PHYSICAL  
area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 8

Region 4

management unit 36

Elevation 7650'      Lat. 51°55'55"      Long. 117°34'30"      NTS map 82N/13.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Golden is 57 miles . Distance from  
nearest paved road is 57 miles .

PHYSICAL  
area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 9

Region 4

management unit 36

Elevation 5450' Lat. 51°53'55" Long. 117°30'0" NTS map 82N/13.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Prattle C -> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 53 miles . Distance from nearest paved road is 53 miles by plane.

PHYSICAL

area:full 28acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 10

Region 4

management unit 36

Elevation 6750' Lat. 51°51'20" Long. 117°23'15" NTS map 82N/14.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Prattle C -> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 43 miles . Distance from nearest paved road is 43 miles by plane.

PHYSICAL

area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 11

Region 4

management unit 36

Elevation 6150' Lat. 51°57'30" Long. 117°28'45" NTS map 82N/14.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Prattle C -> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 51 miles . Distance from nearest paved road is 51 miles by plane.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 12

Region 4

management unit 36

Elevation 7150' Lat. 51°56'40" Long. 117°25'55" NTS map 82N/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Bush R -> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 49 miles . Distance from nearest paved road is 49 miles by plane.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 13

Region 4

management unit 36

Elevation 6650' Lat. 51°45'45" Long. 117°9'15" NTS map 82N/14.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Navy C -> Valencienn-> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 32 miles . Distance from nearest paved road is 32 miles by plane.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 14

Region 4

management unit 36

Elevation 5950' Lat. 51°45'40" Long. 117°4'45" NTS map 82N/14.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Valencienn-> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 31 miles . Distance from nearest paved road is 31 miles by plane.

PHYSICAL

area:full 16acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 15

Region 4

management unit 36

Elevation 7150'      Lat. 51°49'20"      Long. 117°0'45"      NTS map 82N/14.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Mons C -> Icefall Br-> Valencienn-> Mcnaughton-> Columbia R->

Access: The distance of the lake from Golden is 35 miles . Distance from nearest paved road is 35 miles by plane.

---

PHYSICAL  
area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 16

Region 4

management unit 36

Elevation 7450'      Lat. 51°49'35"      Long. 117°0'0"      NTS map 82N/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Mons C -> Unnamed 15-> Mons C -> Icefall Br-> Valencienn-> Mcnaughton

Access: The distance of the lake from Golden is 36 miles . Distance from nearest paved road is 36 miles by plane.

---

PHYSICAL  
area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

NAMED LK 17

Region 4

management unit 36

Elevation 7450' Lat. 51°49'30" Long. 117°0'10" NTS map 82N/14.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Golden is 36 miles . Distance from  
nearest paved road is 36 miles by plane.

PHYSICAL

area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 18

Region 4

management unit 36

Elevation 6850' Lat. 51°30'25" Long. 116°27'40" NTS map 82N/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -&gt; Yoho R -&gt; K Horse R -&gt; Columbia R-&gt; -&gt;

Access: The distance of the lake from Golden is 53 miles . Distance from  
nearest paved road is 5 miles by car. The lake is 2 miles from gravel  
road by walk.

PHYSICAL

area:full 15acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 19

Region 4

management unit 36

Elevation 6650' Lat. 51°30'30" Long. 116°46'40" NTS map 82N/10.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Martin C -> Blaeberry -> Columbia R-> ->

Access: The distance of the lake from Golden is 31 miles . Distance from nearest paved road is 23 miles by car. The lake is 7 miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 20

Region 4

management unit 36

Elevation 7450' Lat. 51°36'30" Long. 116°41'40" NTS map 82N/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Golden is 34 miles . Distance from nearest paved road is 26 miles by car. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

VNAMED LK 21

Region 4

management unit 36

Elevation 7150'      Lat. 51°37'50"      Long. 116°37'0"      NTS map 82N/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Collie C -> Blaeberry -> Columbia R-> -> ->

Access: The distance of the lake from Golden is 44 miles . Distance from nearest paved road is 36 miles by car. The lake is 6 miles from gravel road by walk.

PHYSICAL

area:full 35acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

WAITABIT

Region 4

management unit 36

Elevation 7050'      Lat. 51°41'10"      Long. 116°54'50"      NTS map 82N/10.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Waitabit C-> Columbia R-> -> -> ->

Access: The distance of the lake from Golden is 28 miles . Distance from nearest paved road is 21 miles by car. The lake is 20 miles from gravel road by walk.

PHYSICAL

area:full 124acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

WAPTA

Region 4

management unit 36

Elevation 5250'      Lat. 51°26'20"      Long. 116°20'50"      NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 4 outlets 1  
K Horse R -> Columbia R-> -> -> ->

Access: The distance of the lake from Golden is 40 miles . Distance from nearest paved road is 0 miles .

PHYSICAL

area:full 52acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

YOHO

Region 4

management unit 36

Elevation 5950'      Lat. 51°28'20"      Long. 116°29'0"      NTS map 82N/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Hidden Ls -> Yoho R -> K Horse R -> Columbia R->

Access: The distance of the lake from Golden is 44 miles . Distance from nearest paved road is 5 miles by car. The lake is 2 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNBEAM

Region 4

management unit 37

Elevation 6750'      Lat. 51°35'30"      Long. 117°39'20"      NTS map 82N/12.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Spinster C-> Gold R -> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 59 miles . Distance from nearest paved road is 30 miles by car. The lake is 7 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 1

Region 4

management unit 37

Elevation 7050'      Lat. 51°37'45"      Long. 117°37'0"      NTS map 82N/12.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Mcnaughton-> Columbia R-> -> ->

Access: The distance of the lake from Golden is 46 miles . Distance from nearest paved road is 17 miles by car. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 17acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 2

Region 4

management unit 37

Elevation 7250'      Lat. 51°38'10"      Long. 117°39'20"      NTS map 82N/12.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Gold R -> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 48 miles . Distance from nearest paved road is 19 miles by car. The lake is 6 miles from gravel road by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 3

Region 4

management unit 37

Elevation 6750'      Lat. 51°35'25"      Long. 117°35'15"      NTS map 82N/12.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Schlichtin-> Mcnaughton-> Columbia R-> -> ->

Access: The distance of the lake from Golden is 42 miles . Distance from nearest paved road is 13 miles by car. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 4

Region 4

management unit 37

Elevation 7450'      Lat. 51°31'15"      Long. 117°39'15"      NTS map 82N/12.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Twilight C-> Cupola C -> Beaver R -> Mcnaughton-> Columbia R->

Access: The distance of the lake from Golden is 46 miles . Distance from nearest paved road is 13 miles by car. The lake is 10 miles from gravel road by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 5

Region 4

management unit 37

Elevation 7550'      Lat. 51°31'30"      Long. 117°39'20"      NTS map 82N/12.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Unnamed 4 -> Twilight C-> Cupola C -> Beaver R -> Mcnaughton

Access: The distance of the lake from Golden is 46 miles . Distance from nearest paved road is 13 miles by car. The lake is 10 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 6

Region 4

management unit 37

Elevation 6550'      Lat. 51°31'40"      Long. 117°38'10"      NTS map 82N/12.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Twilight C-> Cupola C -> Beaver R -> Mcnaughton-> Columbia R->

Access: The distance of the lake from Golden is 45 miles . Distance from nearest paved road is 12 miles by car. The lake is 9 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 7

Region 4

management unit 37

Elevation 6650'      Lat. 51°31'45"      Long. 117°38'25"      NTS map 82N/12.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Unnamed 6 -> Twilight C-> Cupola C -> Beaver R -> Mcnaughton

Access: The distance of the lake from Golden is 45 miles . Distance from nearest paved road is 12 miles by car. The lake is 9 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

INAMED LK 8

Region 4

management unit 37

Elevation 7250'      Lat. 51°31'30"      Long. 117°38'45"      NTS map 82N/12.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Unnamed 7 -> Unnamed 6 -> Twilight C-> Cupola C -> Beaver R

Access: The distance of the lake from Golden is 45 miles . Distance from nearest paved road is 12 miles by car. The lake is 9 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 9

Region 4

management unit 37

Elevation 7550'      Lat. 51°33'15"      Long. 117°40'50"      NTS map 82N/12.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Comedy C -> Cupola C -> Beaver R -> Mcnaughton-> Columbia R->

Access: The distance of the lake from Golden is 48 miles . Distance from nearest paved road is 15 miles by car. The lake is 12 miles from gravel road by walk.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 10

Region 4

management unit 37

Elevation 7550'      Lat. 51°34'40"      Long. 117°52'20"      NTS map 82N/12.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Bachelor C-> Gold R -> Mcnaughton-> Columbia R->

Access: The distance of the lake from Golden is 67 miles . Distance from nearest paved road is 38 miles by car. The lake is 14 miles from gravel road by walk.

PHYSICAL

area:full 25acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 11

Region 4

management unit 37

Elevation 7450'      Lat. 51°34'20"      Long. 117°52'20"      NTS map 82N/12.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Bachelor C-> Gold R -> Mcnaughton-> Columbia R->

Access: The distance of the lake from Golden is 67 miles . Distance from nearest paved road is 38 miles by car. The lake is 14 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

VENTEGO

Region 4

management unit 37

Elevation 7150' Lat. 51°26'40" Long. 117°43'15" NTS map 82N/05.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Ventego C -> Cupola C -> Beaver R -> Mcnaughton-> Columbia R->

Access: The distance of the lake from Revelstoke is 68 miles . Distance from nearest paved road is 15 miles by car. The lake is 13 miles from gravel road by walk.

---

PHYSICAL

area:full 214acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

DOWNIE

Region 4

management unit 38

Elevation 6550'      Lat. 51°21'30"      Long. 117°58'15"      NTS map 82N/05.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Revelstoke is 43 miles . Distance from nearest paved road is 22 miles by car. The lake is 16 miles from gravel road by walk.

PHYSICAL

area:full 56acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

EVA

Region 4

management unit 38

Elevation 6350'      Lat. 51°4'55"      Long. 118°6'30"      NTS map 82M/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Coursier C-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 18 miles . Distance from nearest paved road is 16 miles by truck. The lake is 4 miles from gravel road by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

ANNER

Region 4

management unit 38

Elevation 1750'      Lat. 51°2'0"      Long. 118°0'45"      NTS map 82M/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -&gt; Illecillew-&gt; Columbia R-&gt; -&gt; -&gt;

Access: The distance of the lake from Revelstoke is 5 miles . Distance  
from nearest paved road is 0 miles .

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

LOWER JADE

Region 4

management unit 38

Elevation 5750'      Lat. 51°4'30"      Long. 118°4'5"      NTS map 82M/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -&gt; Clachnacud-&gt; Illecillew-&gt; Columbia R-&gt; -&gt;

Access: The distance of the lake from Revelstoke is 11 miles . Distance  
from nearest paved road is 5 miles by walk.

PHYSICAL

area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

MILLAR

Region 4

management unit 38

Elevation 6250'      Lat. 51°4'15"      Long. 118°6'10"      NTS map 82M/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Coursier C-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 17 miles . Distance from nearest paved road is 15 miles by truck. The lake is 3 miles from gravel road by walk.

PHYSICAL  
area:full 19acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

SCHUSS

Region 4

management unit 38

Elevation 6150'      Lat. 51°14'25"      Long. 117°42'20"      NTS map 82N/04.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Bostock C -> Illecillew-> Columbia R-> ->

Access: The distance of the lake from Revelstoke is 33 miles . Distance from nearest paved road is 3 miles by walk.

PHYSICAL  
area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 1

Region 4

management unit 38

Elevation 0' Lat. 51°21'40" Long. 118°10'0" NTS map 82M/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Burke C -> Kelly C -> Carnes C -> Columbia R-> ->

Access: The distance of the lake from Revelstoke is 23 miles . Distance from nearest paved road is 7 miles by walk.

PHYSICAL

~~area:full 51acres~~

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 2

Region 4

management unit 38

Elevation 6050' Lat. 51°10'20" Long. 118°7'50" NTS map 82M/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Forme C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 25 miles . Distance from nearest paved road is 8 miles by walk.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 3

Region 4

management unit 38

Elevation 6350'      Lat. 51°8'50"      Long. 118°3'30"      NTS map 82M/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Forme C -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 27 miles . Distance  
from nearest paved road is 10 miles by walk.

---

PHYSICAL  
area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 4

Region 4

management unit 38

Elevation 6350'      Lat. 51°8'40"      Long. 118°7'0"      NTS map 82M/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Martha C -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 16 miles . Distance  
from nearest paved road is 4 miles by walk.

PHYSICAL  
area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

NAMED LK 5

Region 4

management unit 38

Elevation 5550'      Lat. 51°22'10"      Long. 118°11'35"      NTS map 82M/08.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Kelly C -> Carnes C -> Columbia R-> ->

Access: The distance of the lake from Revelstoke is 23 miles . Distance from nearest paved road is 7 miles by walk.

PHYSICALarea:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 6

Region 4

management unit 38

Elevation 7250'      Lat. 51°26'20"      Long. 118°3'30"      NTS map 82M/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Downie C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 31 miles . Distance from nearest paved road is 31 miles by plane.

PHYSICALarea:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 7

Region 4

management unit 38

Elevation 6250'      Lat. 51°23'0"      Long. 118°8'55"      NTS map 82M/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Downie C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 26 miles . Distance  
from nearest paved road is 10 miles by walk.

PHYSICAL  
area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 8

Region 4

management unit 38

Elevation 6750'      Lat. 51°22'30"      Long. 118°9'30"      NTS map 82M/08.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Revelstoke is 25 miles . Distance  
from nearest paved road is 9 miles by walk.

PHYSICAL  
area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

NNAMED LK 9

Region 4

management unit 38

Elevation 6650'      Lat. 51°34'40"      Long. 118°24'10"      NTS map 82M/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Goldstream-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 56 miles . Distance from nearest paved road is 13 miles by 4x4. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 17acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 10

Region 4

management unit 38

Elevation 6250'      Lat. 51°34'45"      Long. 118°23'20"      NTS map 82M/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Goldstream-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 56 miles . Distance from nearest paved road is 13 miles by 4x4. The lake is 3 miles from gravel road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 11

Region 4

management unit 38

Elevation 6150'      Lat. 51°33'15"      Long. 118°26'0"      NTS map 82M/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Brewster C-> Goldstream-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 56 miles . Distance from nearest paved road is 13 miles by 4x4. The lake is 6 miles from gravel road by walk.

PHYSICAL  
area:full 13acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 12

Region 4

management unit 38

Elevation 6550'      Lat. 51°33'10"      Long. 118°19'50"      NTS map 82M/09.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Boulder C -> Downie C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 44 miles . Distance from nearest paved road is 10 miles by walk.

PHYSICAL  
area:full 27acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 13

Region 4

management unit 38

Elevation 4850'      Lat. 51°44'45"      Long. 118°27'10"      NTS map 82M/09.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Bigmouth C-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 69 miles . Distance from nearest paved road is 11 miles by walk.

PHYSICALarea:full 14acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 14

Region 4

management unit 38

Elevation 5850'      Lat. 51°45'40"      Long. 118°14'0"      NTS map 82M/16.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

French C -> Goldstream-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 68 miles . Distance from nearest paved road is 20 miles by 4x4. The lake is 14 miles from gravel road by walk.

PHYSICALarea:full 20acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 15

Region 4

management unit 38

Elevation 5950' Lat. 51°45'45" Long. 118°13'50" NTS map 82M/16.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

French C -> Unnamed 14-> French C -> Goldstream-> Columbia R->

Access: The distance of the lake from Revelstoke is 68 miles . Distance from nearest paved road is 20 miles by 4x4. The lake is 14 miles from gravel road by walk.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 16

Region 4

management unit 38

Elevation 6550' Lat. 51°53'10" Long. 118°13'0" NTS map 82M/16.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Bigmouth C-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 82 miles . Distance from nearest paved road is 24 miles by walk.

PHYSICAL

area:full 31acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

NNAMED LK 17

Region 4

management unit 38

Elevation 6950'      Lat. 52°1'25"      Long. 118°26'0"      NTS map 83D/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Potlatch C-> Mcnaughton-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 92 miles . Distance from nearest paved road is 8 miles by car. The lake is 6 miles from gravel road by walk.

PHYSICAL

area:full 28acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UPPER JADE

Region 4

management unit 38

Elevation 5950'      Lat. 51°4'15"      Long. 118°4'30"      NTS map 82M/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> L Jade L -> Clachnacud-> Illecillew-> Columbia R->

Access: The distance of the lake from Revelstoke is 11 miles . Distance from nearest paved road is 5 miles by walk.

PHYSICAL

area:full 16acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

KIRBYVILLE

Region 4

management unit 39

Elevation 4550' Lat. 51°34'15" Long. 118°47'50" NTS map 82M/10.  
No survey or date not recorded.

Watershed: inlets 5 outlets 1  
Kirbyville-> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 50 miles . Distance  
from nearest paved road is 50 miles by plane.

PHYSICAL  
area:full 167acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

PARMATER

Region 4

management unit 39

Elevation 4650' Lat. 51°25'15" Long. 118°34'0" NTS map 82M/07.  
No survey or date not recorded.

Watershed: inlets 3 outlets 1  
Seymour C -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelestoke is 38 miles . Distance  
from nearest paved road is 38 miles by plane.

PHYSICAL  
area:full 53acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

ETTIPIECE

Region 4

management unit 39

Elevation 5250' Lat. 51°45'45" Long. 118°51'10" NTS map 82M/07.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Outlet C -> Parmater C -> Seymour C -> Columbia R -> ->

Access: The distance of the lake from Revelstoke is 38 miles . Distance from nearest paved road is 38 miles by plane.

PHYSICAL

area:full 87acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 1

Region 4

management unit 39

Elevation 5450' Lat. 51°46'0" Long. 118°52'30" NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Ruddock C -> Columbia R -> -> -> ->

Access: The distance of the lake from Revelstoke is 60 miles . Distance from nearest paved road is 60 miles by plane.

PHYSICAL

area:full 48acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 2

Region 4

management unit 39

Elevation 4950'      Lat. 51°39'30"      Long. 118°48'0"      NTS map 82M/10.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Sibley C -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 56 miles . Distance  
from nearest paved road is 56 miles by plane.

PHYSICAL

area:full 62acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 4

Region 4

management unit 39

Elevation 6650'      Lat. 51°33'0"      Long. 118°43'10"      NTS map 82M/10.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Kirbyville-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 49 miles . Distance  
from nearest paved road is 49 miles by plane.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 5

Region 4

management unit 39

Elevation 5950'      Lat. 51°6'30"      Long. 118°26'0"      NTS map 82M/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Hiren C -> Jordan R -> Columbia R -> ->

Access: The distance of the lake from Revelstoke is 16 miles . Distance from nearest paved road is 13 miles by 4x4. The lake is 6 miles from gravel road by walk.

PHYSICAL

area:full 31acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 6

Region 4

management unit 39

Elevation 3950'      Lat. 51°5'15"      Long. 118°26'0"      NTS map 82M/01.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Hiren C -> Jordan R -> -> -> ->

Access: The distance of the lake from Revelstoke is 16 miles . Distance from nearest paved road is 13 miles by 4x4. The lake is 6 miles from gravel road by walk.

PHYSICAL

area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 7

Region 4

management unit 39

Elevation 5950'      Lat. 51°4'5"      Long. 118°25'20"      NTS map 82M/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Hiren C -> Jordan R -> Columbia R-> ->

Access: The distance of the lake from Revelstoke is 16 miles . Distance from nearest paved road is 13 miles by 4x4. The lake is 6 miles from gravel road by walk.

PHYSICAL

area:full 21acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 8

Region 4

management unit 39

Elevation 6150'      Lat. 51°5'0"      Long. 118°27'30"      NTS map 82M/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Revelstoke is 18 miles . Distance from nearest paved road is 15 miles by 4x4. The lake is 8 miles from gravel road by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

NAMED LK 9

Region 4

management unit 39

Elevation 5850' Lat. 51°0'45" Long. 118°23'20" NTS map 82M/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Kirkup C -> Jordan R -> Columbia R-> ->

Access: The distance of the lake from Revelstoke is 13 miles . Distance from nearest paved road is 10 miles by 4x4. The lake is 6 miles from gravel road by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 10

Region 4

management unit 39

Elevation 4050' Lat. 51°13'0" Long. 118°17'30" NTS map 82M/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Jordan R -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 20 miles . Distance from nearest paved road is 17 miles by 4x4. The lake is 10 miles from gravel road by walk.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 11

Region 4

management unit 39

Elevation 7250' Lat. 51°23'45" Long. 118°34'0" NTS map 82M/07.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Revelstoke is 37 miles . Distance from nearest paved road is 37 miles by plane.

PHYSICAL

area:full 25acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 12

Region 4

management unit 39

Elevation 5350' Lat. 51°26'40" Long. 118°37'10" NTS map 82M/07.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Seymour C -> Parmater L-> Seymour C -> Columbia R-> ->

Access: The distance of the lake from Revelstoke is 41 miles . Distance from nearest paved road is 41 miles by plane.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

INAMED LK 13

Region 4

management unit 39

Elevation 5550'      Lat. 51°34'10"      Long. 118°49'0"      NTS map 82M/10.  
No survey or date not recorded.

Watershed: inlets 4 outlets 1

Outlet C -> Kirbyville-> Kirbyville-> Columbia R-> ->

Access: The distance of the lake from Revelstoke is 50 miles . Distance from nearest paved road is 50 miles by plane.

PHYSICAL

area:full 66acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 14

Region 4

management unit 39

Elevation 5750'      Lat. 51°34'0"      Long. 118°46'0"      NTS map 82M/10.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Kirbyville-> Kirbyville-> Columbia R-> ->

Access: The distance of the lake from Revelstoke is 50 miles . Distance from nearest paved road is 50 miles by plane.

PHYSICAL

area:full 22acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 15

Region 4

management unit 39

Elevation 5750' Lat. 51°33'30" Long. 118°46'0" NTS map 82M/10.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Unnamed 14-> Outlet C -> Kirbyville-> Kirbyville-> Columbia R

Access: The distance of the lake from Revelstoke is 49 miles . Distance from nearest paved road is 49 miles by plane.

PHYSICAL

area:full 48acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 16

Region 4

management unit 39

Elevation 5750' Lat. 51°33'40" Long. 118°45'30" NTS map 82M/10.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Kirbyville-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 49 miles . Distance from nearest paved road is 49 miles by plane.

PHYSICAL

area:full 29acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

INAMED LK 17

Region 4

management unit 39

Elevation 4550'      Lat. 51°35'0"      Long. 118°47'30"      NTS map 82M/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Kirbyville-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 51 miles . Distance from nearest paved road is 51 miles by plane.

PHYSICALarea:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 18

Region 4

management unit 39

Elevation 4450'      Lat. 51°35'10"      Long. 118°46'25"      NTS map 82M/10.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Kirbyville-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 51 miles . Distance from nearest paved road is 51 miles by plane.

PHYSICALarea:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 19

Region 4

management unit 39

Elevation 5850' Lat. 51°34'10" Long. 118°45'40" NTS map 82M/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Kirbyville-> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 49 miles . Distance from nearest paved road is 49 miles by plane.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 20

Region 4

management unit 39

Elevation 5950' Lat. 51°38'45" Long. 118°49'25" NTS map 82M/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 2 -> Sibley C -> Columbia R-> ->

Access: The distance of the lake from Revelstoke is 53 miles . Distance from nearest paved road is 53 miles by plane.

PHYSICAL

area:full 19acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 21

Region 4

management unit 39

Elevation 5950' Lat. 51°38'40" Long. 118°49'0" NTS map 82M/10.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Unnamed 2 -> Sibley C -> Columbia R-> ->

Access: The distance of the lake from Revelstoke is 53 miles . Distance from nearest paved road is 53 miles by plane.

PHYSICALarea:full 15acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 22

Region 4

management unit 39

Elevation 6550' Lat. 51°42'10" Long. 118°54'40" NTS map 82M/10.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Hoskins C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 58 miles . Distance from nearest paved road is 58 miles by plane.

PHYSICALarea:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 23

Region 4

management unit 39

Elevation 6450' Lat. 51°48'10" Long. 118°56'40" NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Horne C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 63 miles . Distance from nearest paved road is 63 miles by plane.

PHYSICAL

area:full 26acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 24

Region 4

management unit 39

Elevation 6450' Lat. 51°49'25" Long. 118°54'40" NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Horne C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 65 miles . Distance from nearest paved road is 65 miles by plane.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNAMED LK 25

Region 4

management unit 39

Elevation 4950'      Lat. 51°48'20"      Long. 118°54'10"      NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Horne C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 63 miles . Distance from nearest paved road is 63 miles by plane.

PHYSICAL  
area:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNAMED LK 26

Region 4

management unit 39

Elevation 5450'      Lat. 51°49'50"      Long. 118°51'30"      NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Horne C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 65 miles . Distance from nearest paved road is 65 miles by plane.

PHYSICAL  
area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 27

Region 4

management unit 39

Elevation 6350' Lat. 51°50'0" Long. 118°52'35" NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Horne C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 65 miles . Distance  
from nearest paved road is 65 miles by plane.

PHYSICAL  
area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 28

Region 4

management unit 39

Elevation 6550' Lat. 51°51'15" Long. 118°57'15" NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Horne C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 67 miles . Distance  
from nearest paved road is 67 miles by plane.

PHYSICAL  
area:full 16acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

INAMED LK 29

Region 4

management unit 39

Elevation 5350' Lat. 51°52'15" Long. 118°54'30" NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Scrip C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 68 miles . Distance from nearest paved road is 68 miles by plane.

PHYSICALarea:full 27acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 30

Region 4

management unit 39

Elevation 5950' Lat. 51°55'40" Long. 118°57'40" NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Scrip C -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 72 miles . Distance from nearest paved road is 72 miles by plane.

PHYSICALarea:full 19acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 31

Region 4

management unit 39

Elevation 6050' Lat. 51°55'45" Long. 118°57'20" NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Scrip C -> Unnamed 30-> Scrip C -> Columbia R-> ->

Access: The distance of the lake from Revelstoke is 72 miles . Distance  
from nearest paved road is 72 miles by plane.

PHYSICAL  
area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 32

Region 4

management unit 39

Elevation 6750' Lat. 51°56'40" Long. 118°53'40" NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Pat C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 73 miles . Distance  
from nearest paved road is 73 miles by plane.

PHYSICAL  
area:full 21acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNAMED LK 33

Region 4

management unit 39

Elevation 5450' Lat. 51°55'55" Long. 118°50'40" NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Pat C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 72 miles . Distance  
from nearest paved road is 72 miles by plane.

PHYSICAL

area:full 6acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNAMED LK 34

Region 4

management unit 39

Elevation 6350' Lat. 51°55'45" Long. 118°50'5" NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Revelstoke is 72 miles . Distance  
from nearest paved road is 72 miles by plane.

PHYSICAL

area:full 14acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 35

Region 4

management unit 39

Elevation 5250' Lat. 51°57'45" Long. 118°53'30" NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Pat C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 75 miles . Distance  
from nearest paved road is 75 miles by plane.

PHYSICAL

area:full 15acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 36

Region 4

management unit 39

Elevation 5150' Lat. 51°49'10" Long. 118°44'45" NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1  
Outlet C -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 62 miles . Distance  
from nearest paved road is 62 miles by plane.

PHYSICAL

area:full 22acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 37

Region 4

management unit 39

Elevation 5450'      Lat. 51°52'30"      Long. 118°42'30"      NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Scrip C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 66 miles . Distance from nearest paved road is 66 miles by plane.

PHYSICAL

area:full 19acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 38

Region 4

management unit 39

Elevation 5950'      Lat. 51°52'45"      Long. 118°43'20"      NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 37-> Outlet C -> Scrip C -> Columbia R->

Access: The distance of the lake from Revelstoke is 66 miles . Distance from nearest paved road is 66 miles by plane.

PHYSICAL

area:full 19acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 39

Region 4

management unit 39

Elevation 6050'      Lat. 51°54'10"      Long. 118°42'0"      NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Columbia R-> -> -> ->

Access: The distance of the lake from Revelstoke is 68 miles . Distance  
from nearest paved road is 68 miles by plane.

PHYSICAL  
area:full 142acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 40

Region 4

management unit 39

Elevation 6050'      Lat. 51°53'40"      Long. 118°43'15"      NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1  
Outlet C -> Scrip C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 67 miles . Distance  
from nearest paved road is 67 miles by plane.

PHYSICAL  
area:full 10acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 41

Region 4

management unit 39

Elevation 6150'      Lat. 51°59'20"      Long. 118°37'10"      NTS map 82M/15.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0  
Closed -> -> -> -> ->

Access: The distance of the lake from Revelstoke is 74 miles . Distance from nearest paved road is 74 miles by plane.

PHYSICAL

area:full 23acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 42

Region 4

management unit 39

Elevation 6750'      Lat. 52°6'50"      Long. 118°37'0"      NTS map 83D/02.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1  
Outlet C -> Encampment-> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Revelstoke is 95 miles . Distance from nearest paved road is 15 miles by car. The lake is 12 miles from gravel road by walk.

PHYSICAL

area:full 37acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 43

Region 4

management unit 39

Elevation 6650'      Lat. 52°7'15"      Long. 118°37'0"      NTS map 83D/02.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Encampment-> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Revelstoke is 95 miles . Distance from nearest paved road is 15 miles by car. The lake is 12 miles from gravel road by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 44

Region 4

management unit 39

Elevation 5950'      Lat. 52°3'30"      Long. 118°50'0"      NTS map 83D/02.  
No survey or date not recorded.

Watershed: inlets 0 outlets 0

Closed -> -> -> -> ->

Access: The distance of the lake from Revelstoke is 93 miles . Distance from nearest paved road is 13 miles by walk.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

NNAMED LK 45

Region 4

management unit 39

Elevation 6350' Lat. 52°2'15"  
No survey or date not recorded.

Long. 118°48'40"

NTS map 83D/02.

Watershed: inlets 1 outlets 1

Outlet C -> Soards C -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 92 miles . Distance from nearest paved road is 12 miles by walk.

PHYSICALarea:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 46

Region 4

management unit 39

Elevation 6550' Lat. 52°2'20"  
No survey or date not recorded.

Long. 118°48'45"

NTS map 83D/02.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 45-> Outlet C -> Soards C -> Columbia R->

Access: The distance of the lake from Revelstoke is 92 miles . Distance from nearest paved road is 12 miles by walk.

PHYSICALarea:full 9acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

WATAN

Region 4

management unit 39

Elevation 6050'      Lat. 51°27'40"      Long. 118°34'30"      NTS map 82M/07.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Fortynine -> Columbia R-> -> ->

Access: The distance of the lake from Revelstoke is 41 miles . Distance  
from nearest paved road is 41 miles by plane.

---

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

ORTRESS

Region 4

management unit 40

Elevation 4384'      Lat. 52°22'0"      Long. 117°47'0"      NTS map 83C/05.  
No survey or date not recorded.

Watershed:

Wood R -> Mcnaughton-> -> -> ->

Access: The distance of the lake from Golden is 82 miles . Distance from nearest paved road is 82 miles by plane.

PHYSICAL

area:full 2127acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
brook trout	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. This lake was historically stocked. For more detail refer to Upper Columbia Strategic Plan. This lake is within Hamber Provincial Park.

\*\*\*\*\*

August 8, 1983

MCNAUGHTON

Region 4

management unit 40

Elevation 2400'      Lat. 51°45'0"      Long. 117°40'0"      NTS map 82N/13.  
This lake is also known as Columbia Reach. No survey or date not recorded.

Watershed:

Columbia R-&gt; -&gt; -&gt; -&gt; -&gt;

Access: The distance of the lake from Golden is 31 miles . Distance from nearest paved road is 4 miles by car.

Structures: dam.

PHYSICAL

area:full 99999acres

Biogeoclimatic zone: interior douglas fir interior western hem

SPECIES: Census method- not recorded.

<u>Species</u>	<u>Abundance</u>
rainbow trout	
dolly varden	
kokanee	

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate,  
stocking-history.

Comments. This lake is a BC Hydro impoundment. Actual surface area = 106700 acres.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 1

Region 4

management unit 40

Elevation 3750'      Lat. 52°9'0"      Long. 118°1'0"      NTS map 83D/01.  
No survey or date not recorded.

Watershed:

Cummins R -&gt; Mcnaughton-&gt; Columbia R-&gt; -&gt; -&gt;

Access: The distance of the lake from Golden is 76 miles . Distance from  
nearest paved road is 76 miles by plane.

PHYSICAL

area:full 95acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 2

Region 4

management unit 40

Elevation 4550'      Lat. 52°9'30"      Long. 118°0'0"      NTS map 83D/01.  
No survey or date not recorded.

Watershed:

Cummins R -&gt; Mcnaughton-&gt; Columbia R-&gt; -&gt; -&gt;

Access: The distance of the lake from Golden is 76 miles . Distance from  
nearest paved road is 76 miles by plane.

PHYSICAL

area:full 160acres

Biogeoclimatic zone: subalpine engelmann spruce subalpine fir

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation,  
water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 3

Region 4

management unit 40

Elevation 6550' Lat. 51°49'10" Long. 117°33'40"  
No survey or date not recorded.

NTS map 82N/13.

Watershed: inlets 2 outlets 1

Outlet C -> Mcnaughton-> Columbia R-> -> ->

Access: The distance of the lake from Golden is 50 miles . Distance from nearest paved road is 50 miles by plane.

PHYSICAL

area:full 58acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 4

Region 4

management unit 40

Elevation 5450' Lat. 51°59'20" Long. 117°54'45"  
No survey or date not recorded.

NTS map 82N/13.

Watershed: inlets 1 outlets 1

Outlet C -> Kinbasket -> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 69 miles . Distance from nearest paved road is 69 miles by plane.

PHYSICAL

area:full 17acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 5

Region 4

management unit 40

Elevation 5950' Lat. 51°59'30" Long. 117°53'50" NTS map 82N/13.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Unnamed 4 -> Outlet C -> Kinbasket -> Mcnaughton -> Columbia R

Access: The distance of the lake from Golden is 69 miles . Distance from nearest paved road is 69 miles by plane.

PHYSICAL~~area:full 21acres~~

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 6

Region 4

management unit 40

Elevation 6650' Lat. 51°59'40" Long. 117°52'40" NTS map 82N/13.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Unnamed 5 -> Unnamed 4 -> Outlet C -> Kinbasket -> Mcnaughton

Access: The distance of the lake from Golden is 69 miles . Distance from nearest paved road is 69 miles by plane.

PHYSICAL

area:full 25acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 7

Region 4

management unit 40

Elevation 7350' Lat. 52°24'35" Long. 117°49'20" NTS map 83C/05.  
No survey or date not recorded.

Watershed: inlets 2 outlets 1

Outlet C -> Fortress L-> Wood R -> Mcnaughton-> Columbia R->

Access: The distance of the lake from Golden is 84 miles . Distance from nearest paved road is 84 miles by plane.

PHYSICAL

area:full 15acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 8

Region 4

management unit 40

Elevation 7150' Lat. 52°24'10" Long. 117°48'10" NTS map 83C/05.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Fortress L-> Wood R -> Mcnaughton-> Columbia R->

Access: The distance of the lake from Golden is 84 miles . Distance from nearest paved road is 84 miles by plane.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 9

Region 4

management unit 40

Elevation 6750' Lat. 51°13'25" Long. 118°19'40" NTS map 83D/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Harvey C -> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 84 miles . Distance from nearest paved road is 84 miles by plane.

PHYSICAL

area:full 17acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 10

Region 4

management unit 40

Elevation 6450' Lat. 52°12'30" Long. 118°18'15" NTS map 83D/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Molson C -> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 82 miles . Distance from nearest paved road is 82 miles by plane.

PHYSICAL

area:full 7acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

FISH AND WILDLIFE BRANCH

LAKE INVENTORY DATA RETRIEVAL SYSTEM

August 8, 1983

UNNAMED LK 11

Region 4

management unit 40

Elevation 6450' Lat. 51°12'35" Long. 118°17'50" NTS map 83D/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Unnamed 10-> Outlet C -> Molson C -> Mcnaughton-> Columbia R

Access: The distance of the lake from Golden is 82 miles . Distance from nearest paved road is 82 miles by plane.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 12

Region 4

management unit 40

Elevation 6350' Lat. 52°12'15" Long. 118°3'10" NTS map 83D/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Cummins R -> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 79 miles . Distance from nearest paved road is 79 miles by plane.

PHYSICAL

area:full 12acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*



August 8, 1983

UNNAMED LK 13

Region 4

management unit 40

Elevation 6950'      Lat. 52°11'30"      Long. 118°1'50"      NTS map 83D/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Cummins R -> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 78 miles . Distance from nearest paved road is 78 miles by plane.

PHYSICAL

area:full 11acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 14

Region 4

management unit 40

Elevation 7250'      Lat. 52°11'45"      Long. 118°2'0"      NTS map 83D/01.  
No survey or date not recorded.

Watershed: inlets 0 outlets 1

Outlet C -> Unnamed 13-> Outlet C -> Cummins R -> Mcnaughton-> Columbia R

Access: The distance of the lake from Golden is 78 miles . Distance from nearest paved road is 78 miles by plane.

PHYSICAL

area:full 5acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

August 8, 1983

UNNAMED LK 15

Region 4

management unit 40

Elevation 6150'      Lat. 52°1'15"      Long. 118°4'30"      NTS map 83D/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Tsar C -> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 72 miles . Distance from nearest paved road is 72 miles by plane.

PHYSICAL

area:full 14acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*

UNNAMED LK 16

Region 4

management unit 40

Elevation 6550'      Lat. 52°5'35"      Long. 118°11'30"      NTS map 83D/01.  
No survey or date not recorded.

Watershed: inlets 1 outlets 1

Outlet C -> Jump Jack -> Mcnaughton-> Columbia R-> ->

Access: The distance of the lake from Golden is 79 miles . Distance from nearest paved road is 79 miles by plane.

PHYSICAL

area:full 8acres

STOCKING HISTORY This lake has never been stocked.

No Information On: shoreline-use, shoreline-ownership, accomodation, water-chemistry, temperature-oxygen-profile, littoral-substrate.

\*\*\*\*\*