



BRITISH  
COLUMBIA



# VEHICLE MAINTENANCE SCHEDULE FOR FOUR-WHEEL-DRIVE VEHICLES





BRITISH  
COLUMBIA



# VEHICLE MAINTENANCE SCHEDULE

UNIT CONTROL	SERIAL NO.	IN-SERVICE DATE	YYYY	MM	DD
--------------	------------	--------------------	------	----	----

***SERVICE THIS VEHICLE AS PRESCRIBED***

NOTE: Labour rate quoted must be based on the Chilton's Flat Rate Time. The B.C. Government does not pay for shop supplies or GST.

When operating under severe conditions  
-wading through streams or extreme dust-  
carry out a MINOR SERVICE as required.

A Minor Service includes a chassis lube,  
a check on the CV boots, steering and suspension  
and a quick visual inspection of the tires and the body.

**MINOR SERVICE DOES NOT SUPERSEDE  
MAINTENANCE PROGRAM SCHEDULE**



## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	5K	Check Off	AFFIX TO INVOICE														
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">     </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">TIRES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">BRAKES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	DATE	YYYY-MM-DD	KILOMETERS			_____ km	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
DATE	YYYY-MM-DD	KILOMETERS																
		_____ km																
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>																	
1	CHANGE OIL AND FILTER	X																
	CHECK STEERING AND SUSPENSION	X																
	CHECK CV BOOTS AND U-JOINTS	X																
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X																
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X																
	CHECK EXHAUST SYSTEM	X																
	CHECK ALL BRAKES	X																
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X																
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X																
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X																
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X																
	CHECK ENGINE FAN AND WATER PUMP	X																
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X																
	CHECK PCV VALVE	X																
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X																
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X																	
VACUUM INTERIOR AND CLEAN WINDOWS	X																	
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>																		
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>5,000 KILOMETERS</b>															

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

*SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS*

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>10K</b>	Check Off	AFFIX TO INVOICE								
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 40%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">     </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km		
DATE	YYYY-MM-DD	KILOMETERS										
		_____ km										
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>											
1	CHANGE OIL AND FILTER	X										
	CHECK STEERING AND SUSPENSION	X										
	CHECK CV BOOTS AND U-JOINTS	X										
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X										
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X										
	CHECK EXHAUST SYSTEM	X										
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X										
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X										
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X										
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X										
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X										
	CHECK ENGINE FAN AND WATER PUMP	X										
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X										
	CHECK PCV VALVE	X										
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X										
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X											
VACUUM INTERIOR AND CLEAN WINDOWS	X											
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center;">TIRES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center;">BRAKES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE			10,000 KILOMETERS									

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>15K</b>	Check Off	AFFIX TO INVOICE														
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; text-align: center;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%; text-align: center;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">   </td> <td style="text-align: center;">_____ km</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">TIRES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">BRAKES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	DATE	YYYY-MM-DD	KILOMETERS			_____ km	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
DATE	YYYY-MM-DD	KILOMETERS																
		_____ km																
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>																	
<b>1</b>	CHANGE OIL AND FILTER	X																
	CHECK STEERING AND SUSPENSION	X																
	CHECK CV BOOTS AND U-JOINTS	X																
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X																
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X																
	CHECK EXHAUST SYSTEM	X																
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X																
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X																
	ROTATE FOUR TIRES · INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X																
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X																
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X																
	CHECK ENGINE FAN AND WATER PUMP	X																
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X																
	CHECK PCV VALVE	X																
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X																
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X																	
VACUUM INTERIOR AND CLEAN WINDOWS	X																	
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>																		
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>15,000 KILOMETERS</b>															



## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

*SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS*

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>20K</b>	Check Off	AFFIX TO INVOICE								
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">   </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km		
DATE	YYYY-MM-DD	KILOMETERS										
		_____ km										
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>											
1	CHANGE OIL AND FILTER	X										
	CHECK STEERING AND SUSPENSION	X										
	CHECK CV BOOTS AND U-JOINTS	X										
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X										
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X										
	CHECK EXHAUST SYSTEM	X										
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X										
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X										
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X										
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X										
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X										
	CHECK ENGINE FAN AND WATER PUMP	X										
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X										
	CHECK PCV VALVE	X										
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X										
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X											
VACUUM INTERIOR AND CLEAN WINDOWS	X											
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">TIRES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> <div style="border: 1px solid black; padding: 5px; margin-top: 5px; text-align: center;">BRAKES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE			20,000 KILOMETERS									

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>25K</b>	Check Off	<b>AFFIX TO INVOICE</b>																						
	<b>ROAD TEST VEHICLE</b>	<b>X</b>																								
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>																									
<b>1</b>	CHANGE OIL AND FILTER	<b>X</b>		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2">SERVICE CENTRE NO.</td> </tr> <tr> <td colspan="2">COMPANY</td> </tr> <tr> <td style="width: 50%;">DATE</td> <td style="width: 50%;">KILOMETERS</td> </tr> <tr> <td style="text-align: center;">YYYY-MM-DD</td> <td style="text-align: center;">_____ km</td> </tr> <tr> <td colspan="2">SIGNATURES</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: center;">TIRES</th> </tr> <tr> <td>LF _____/32</td> <td>RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: center;">BRAKES</th> </tr> <tr> <td>LF _____/32</td> <td>RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	SERVICE CENTRE NO.		COMPANY		DATE	KILOMETERS	YYYY-MM-DD	_____ km	SIGNATURES		TIRES		LF _____/32	RF _____/32	LR _____/32	RR _____/32	BRAKES		LF _____/32	RF _____/32	LR _____/32	RR _____/32
	SERVICE CENTRE NO.																									
	COMPANY																									
	DATE	KILOMETERS																								
	YYYY-MM-DD	_____ km																								
	SIGNATURES																									
	TIRES																									
	LF _____/32	RF _____/32																								
	LR _____/32	RR _____/32																								
	BRAKES																									
	LF _____/32	RF _____/32																								
	LR _____/32	RR _____/32																								
	CHECK STEERING AND SUSPENSION	<b>X</b>																								
	CHECK CV BOOTS AND U-JOINTS	<b>X</b>																								
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	<b>X</b>																								
LUBE CHASSIS, SUSPENSION AND DRIVELINE	<b>X</b>																									
CHECK EXHAUST SYSTEM	<b>X</b>																									
CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	<b>X</b>																									
CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	<b>X</b>																									
CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	<b>X</b>																									
CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	<b>X</b>																									
CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	<b>X</b>																									
CHECK ENGINE FAN AND WATER PUMP	<b>X</b>																									
CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	<b>X</b>																									
CHECK PCV VALVE	<b>X</b>																									
CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	<b>X</b>																									
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	<b>X</b>																									
VACUUM INTERIOR AND CLEAN WINDOWS	<b>X</b>																									
<b>2</b>	REPLACE FUEL FILTER	<b>X</b>																								
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>																										
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>				<b>25,000 KILOMETERS</b>																						

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>30K</b>	Check Off	<b>AFFIX TO INVOICE</b>														
	<b>ROAD TEST VEHICLE</b>	<b>X</b>		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">     </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">TIRES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">BRAKES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	DATE	YYYY-MM-DD	KILOMETERS			_____ km	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
DATE	YYYY-MM-DD	KILOMETERS																
		_____ km																
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>																	
<b>1</b>	CHANGE OIL AND FILTER	<b>X</b>																
	CHECK STEERING AND SUSPENSION	<b>X</b>																
	CHECK CV BOOTS AND U-JOINTS	<b>X</b>																
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	<b>X</b>																
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	<b>X</b>																
	CHECK EXHAUST SYSTEM	<b>X</b>																
	CHECK ALL BRAKES /ADJUST. REPORT LINING THICKNESS IN 32"	<b>X</b>																
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	<b>X</b>																
	ROTATE FOUR TIRES · INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	<b>X</b>																
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	<b>X</b>																
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	<b>X</b>																
	CHECK ENGINE FAN AND WATER PUMP	<b>X</b>																
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	<b>X</b>																
	CHECK PCV VALVE	<b>X</b>																
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	<b>X</b>																
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	<b>X</b>																	
VACUUM INTERIOR AND CLEAN WINDOWS	<b>X</b>																	
<b>3</b>	INSPECT AND REPACK HUBS /ALL WHEEL BEARINGS (IF EQUIPPED)	<b>X</b>																
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>																		
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>30,000 KILOMETERS</b>															

# SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>35K</b>	Check Off	AFFIX TO INVOICE								
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">   </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km		
DATE	YYYY-MM-DD	KILOMETERS										
		_____ km										
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>											
<b>1</b>	CHANGE OIL AND FILTER	X										
	CHECK STEERING AND SUSPENSION	X										
	CHECK CV BOOTS AND U-JOINTS	X										
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X										
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X										
	CHECK EXHAUST SYSTEM	X										
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X										
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X										
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X										
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X										
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X										
	CHECK ENGINE FAN AND WATER PUMP	X										
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X										
	CHECK PCV VALVE	X										
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X										
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X											
VACUUM INTERIOR AND CLEAN WINDOWS	X											
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">TIRES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;">BRAKES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>35,000 KILOMETERS</b>									

# SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>40K</b>	Check Off	AFFIX TO INVOICE								
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">     </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km		
DATE	YYYY-MM-DD	KILOMETERS										
		_____ km										
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>											
1	CHANGE OIL AND FILTER	X										
	CHECK STEERING AND SUSPENSION	X										
	CHECK CV BOOTS AND U-JOINTS	X										
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X										
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X										
	CHECK EXHAUST SYSTEM	X										
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X										
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X										
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X										
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X										
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X										
	CHECK ENGINE FAN AND WATER PUMP	X										
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X										
	CHECK PCV VALVE	X										
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X										
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X											
VACUUM INTERIOR AND CLEAN WINDOWS	X											
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">TIRES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> <div style="border: 1px solid black; padding: 5px; margin-top: 5px; text-align: center;">BRAKES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE			40,000 KILOMETERS									

# SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>45K</b>	Check Off	AFFIX TO INVOICE														
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">     </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">TIRES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">BRAKES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	DATE	YYYY-MM-DD	KILOMETERS			_____ km	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
DATE	YYYY-MM-DD	KILOMETERS																
		_____ km																
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>																	
<b>1</b>	CHANGE OIL AND FILTER	X																
	CHECK STEERING AND SUSPENSION	X																
	CHECK CV BOOTS AND U-JOINTS	X																
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X																
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X																
	CHECK EXHAUST SYSTEM	X																
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X																
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X																
	ROTATE FOUR TIRES - INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X																
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X																
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X																
	CHECK ENGINE FAN AND WATER PUMP	X																
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X																
	CHECK PCV VALVE	X																
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X																
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X																	
VACUUM INTERIOR AND CLEAN WINDOWS	X																	
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>																		
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>45,000 KILOMETERS</b>															

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>50K</b>	Check Off																										
	<b>ROAD TEST VEHICLE</b>	<b>X</b>	<b>AFFIX TO INVOICE</b>																										
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>																												
<b>1</b>	CHANGE OIL AND FILTER	<b>X</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2">SERVICE CENTRE NO.</td> </tr> <tr> <td colspan="2">COMPANY</td> </tr> <tr> <td style="width: 50%;">DATE</td> <td style="width: 50%;">KILOMETERS</td> </tr> <tr> <td style="text-align: center;">YYYY-MM-DD</td> <td style="text-align: center;">_____ km</td> </tr> <tr> <td colspan="2">SIGNATURES</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <tr> <th colspan="4" style="text-align: center;">TIRES</th> </tr> <tr> <td style="width: 25%;">LF _____/32</td> <td style="width: 25%;">RF _____/32</td> <td style="width: 25%;">LR _____/32</td> <td style="width: 25%;">RR _____/32</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <tr> <th colspan="4" style="text-align: center;">BRAKES</th> </tr> <tr> <td style="width: 25%;">LF _____/32</td> <td style="width: 25%;">RF _____/32</td> <td style="width: 25%;">LR _____/32</td> <td style="width: 25%;">RR _____/32</td> </tr> </table>	SERVICE CENTRE NO.		COMPANY		DATE	KILOMETERS	YYYY-MM-DD	_____ km	SIGNATURES		TIRES				LF _____/32	RF _____/32	LR _____/32	RR _____/32	BRAKES				LF _____/32	RF _____/32	LR _____/32	RR _____/32
	SERVICE CENTRE NO.																												
	COMPANY																												
	DATE	KILOMETERS																											
	YYYY-MM-DD	_____ km																											
	SIGNATURES																												
	TIRES																												
	LF _____/32	RF _____/32		LR _____/32	RR _____/32																								
	BRAKES																												
	LF _____/32	RF _____/32		LR _____/32	RR _____/32																								
		CHECK STEERING AND SUSPENSION		<b>X</b>																									
		CHECK CV BOOTS AND U-JOINTS		<b>X</b>																									
		CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS		<b>X</b>																									
		LUBE CHASSIS, SUSPENSION AND DRIVELINE		<b>X</b>																									
		CHECK EXHAUST SYSTEM		<b>X</b>																									
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	<b>X</b>																											
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	<b>X</b>																											
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	<b>X</b>																											
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	<b>X</b>																											
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	<b>X</b>																											
	CHECK ENGINE FAN AND WATER PUMP	<b>X</b>																											
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	<b>X</b>																											
	CHECK PCV VALVE	<b>X</b>																											
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	<b>X</b>																											
	LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	<b>X</b>																											
	VACUUM INTERIOR AND CLEAN WINDOWS	<b>X</b>																											
<b>2</b>	REPLACE FUEL FILTER	<b>X</b>																											
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>																													
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>50,000 KILOMETERS</b>																										

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>55K</b>	Check Off	AFFIX TO INVOICE														
	<b>ROAD TEST VEHICLE</b>	<b>X</b>		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">     </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">TIRES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">BRAKES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	DATE	YYYY-MM-DD	KILOMETERS			_____ km	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
DATE	YYYY-MM-DD	KILOMETERS																
		_____ km																
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>																	
<b>1</b>	CHANGE OIL AND FILTER	<b>X</b>																
	CHECK STEERING AND SUSPENSION	<b>X</b>																
	CHECK CV BOOTS AND U-JOINTS	<b>X</b>																
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	<b>X</b>																
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	<b>X</b>																
	CHECK EXHAUST SYSTEM	<b>X</b>																
	CHECK ALL BRAKES /ADJUST. REPORT LINING THICKNESS IN 32"	<b>X</b>																
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	<b>X</b>																
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	<b>X</b>																
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	<b>X</b>																
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	<b>X</b>																
	CHECK ENGINE FAN AND WATER PUMP	<b>X</b>																
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	<b>X</b>																
	CHECK PCV VALVE	<b>X</b>																
CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	<b>X</b>																	
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	<b>X</b>																	
VACUUM INTERIOR AND CLEAN WINDOWS	<b>X</b>																	
<b>5</b>	SERVICE AUTOMATIC TRANSMISSION / PURGE FLUID	<b>X</b>																
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>																		
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>55,000 KILOMETERS</b>															



## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>60K</b>	Check Off	<b>AFFIX TO INVOICE</b>							
	<b>ROAD TEST VEHICLE</b>	<b>X</b>		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">   </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km	
DATE	YYYY-MM-DD	KILOMETERS									
		_____ km									
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>										
<b>1</b>	CHANGE OIL AND FILTER	<b>X</b>									
	CHECK STEERING AND SUSPENSION	<b>X</b>									
	CHECK CV BOOTS AND U-JOINTS	<b>X</b>									
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	<b>X</b>									
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	<b>X</b>									
	CHECK EXHAUST SYSTEM	<b>X</b>									
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	<b>X</b>									
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	<b>X</b>									
	ROTATE FOUR TIRES - INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	<b>X</b>									
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	<b>X</b>									
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	<b>X</b>									
	CHECK ENGINE FAN AND WATER PUMP	<b>X</b>									
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	<b>X</b>									
	CHECK PCV VALVE	<b>X</b>									
CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	<b>X</b>										
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	<b>X</b>										
VACUUM INTERIOR AND CLEAN WINDOWS	<b>X</b>										
<b>3</b>	INSPECT AND REPACK HUBS / ALL WHEEL BEARINGS (IF EQUIPPED)	<b>X</b>									
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>			<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center;">TIRES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center;">BRAKES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32										
LR _____/32	RR _____/32										
LF _____/32	RF _____/32										
LR _____/32	RR _____/32										
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>60,000 KILOMETERS</b>								

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

*SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS*

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>65K</b>	Check Off	AFFIX TO INVOICE														
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">     </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">TIRES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">BRAKES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	DATE	YYYY-MM-DD	KILOMETERS			_____ km	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
DATE	YYYY-MM-DD	KILOMETERS																
		_____ km																
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>																	
<b>1</b>	CHANGE OIL AND FILTER	X																
	CHECK STEERING AND SUSPENSION	X																
	CHECK CV BOOTS AND U-JOINTS	X																
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X																
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X																
	CHECK EXHAUST SYSTEM	X																
	CHECK ALL BRAKES /ADJUST. REPORT LINING THICKNESS IN 32"	X																
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X																
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X																
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X																
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X																
	CHECK ENGINE FAN AND WATER PUMP	X																
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X																
	CHECK PCV VALVE	X																
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X																
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X																	
VACUUM INTERIOR AND CLEAN WINDOWS	X																	
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>																		
SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE			65,000 KILOMETERS															

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>70K</b>	Check Off	AFFIX TO INVOICE														
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">   </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">TIRES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">BRAKES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	DATE	YYYY-MM-DD	KILOMETERS			_____ km	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
DATE	YYYY-MM-DD	KILOMETERS																
		_____ km																
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>																	
<b>1</b>	CHANGE OIL AND FILTER	X																
	CHECK STEERING AND SUSPENSION	X																
	CHECK CV BOOTS AND U-JOINTS	X																
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X																
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X																
	CHECK EXHAUST SYSTEM	X																
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X																
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X																
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X																
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X																
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X																
	CHECK ENGINE FAN AND WATER PUMP	X																
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X																
	CHECK PCV VALVE	X																
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X																
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X																	
VACUUM INTERIOR AND CLEAN WINDOWS	X																	
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>																		
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>70,000 KILOMETERS</b>															

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

*SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS*

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>75K</b>	Check Off	<b>AFFIX TO INVOICE</b>								
	<b>ROAD TEST VEHICLE</b>	<b>X</b>		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">     </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km		
DATE	YYYY-MM-DD	KILOMETERS										
		_____ km										
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>											
<b>1</b>	CHANGE OIL AND FILTER	<b>X</b>										
	CHECK STEERING AND SUSPENSION	<b>X</b>										
	CHECK CV BOOTS AND U-JOINTS	<b>X</b>										
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	<b>X</b>										
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	<b>X</b>										
	CHECK EXHAUST SYSTEM	<b>X</b>										
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	<b>X</b>										
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	<b>X</b>										
	ROTATE FOUR TIRES - INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	<b>X</b>										
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	<b>X</b>										
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	<b>X</b>										
	CHECK ENGINE FAN AND WATER PUMP	<b>X</b>										
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	<b>X</b>										
	CHECK PCV VALVE	<b>X</b>										
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	<b>X</b>										
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	<b>X</b>											
VACUUM INTERIOR AND CLEAN WINDOWS	<b>X</b>											
<b>2</b>	REPLACE FUEL FILTER	<b>X</b>										
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center;">TIRES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center;">BRAKES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>75,000 KILOMETERS</b>									

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

*SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS*

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>80K</b>	Check Off	AFFIX TO INVOICE								
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">     </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km		
DATE	YYYY-MM-DD	KILOMETERS										
		_____ km										
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>											
1	CHANGE OIL AND FILTER	X										
	CHECK STEERING AND SUSPENSION	X										
	CHECK CV BOOTS AND U-JOINTS	X										
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X										
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X										
	CHECK EXHAUST SYSTEM	X										
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X										
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X										
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X										
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X										
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X										
	CHECK ENGINE FAN AND WATER PUMP	X										
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X										
	CHECK PCV VALVE	X										
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X										
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X											
VACUUM INTERIOR AND CLEAN WINDOWS	X											
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">TIRES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> <div style="border: 1px solid black; padding: 5px; margin-top: 5px; text-align: center;">BRAKES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE			80,000 KILOMETERS									

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>85K</b>	Check Off	AFFIX TO INVOICE
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="display: flex; justify-content: space-between; border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <div style="text-align: center;">DATE</div> <div style="text-align: center;">YYYY-MM-DD</div> <div style="text-align: center;">KILOMETERS</div> </div> <div style="display: flex; justify-content: space-between; border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <div style="width: 60%;"></div> <div style="text-align: right; width: 30%;">_____km</div> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SIGNATURES</div> <hr/> <div style="text-align: center; border: 1px solid black; padding: 5px; margin-bottom: 5px;">TIRES</div> <div style="display: flex; justify-content: space-between; border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <div style="width: 45%;">LF _____/32</div> <div style="width: 45%;">RF _____/32</div> </div> <div style="display: flex; justify-content: space-between; border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <div style="width: 45%;">LR _____/32</div> <div style="width: 45%;">RR _____/32</div> </div> <hr/> <div style="text-align: center; border: 1px solid black; padding: 5px; margin-bottom: 5px;">BRAKES</div> <div style="display: flex; justify-content: space-between; border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <div style="width: 45%;">LF _____/32</div> <div style="width: 45%;">RF _____/32</div> </div> <div style="display: flex; justify-content: space-between; border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <div style="width: 45%;">LR _____/32</div> <div style="width: 45%;">RR _____/32</div> </div>
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>			
<b>1</b>	CHANGE OIL AND FILTER	X		
	CHECK STEERING AND SUSPENSION	X		
	CHECK CV BOOTS AND U-JOINTS	X		
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X		
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X		
	CHECK EXHAUST SYSTEM	X		
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X		
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X		
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X		
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X		
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X		
	CHECK ENGINE FAN AND WATER PUMP	X		
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X		
	CHECK PCV VALVE	X		
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X		
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X			
VACUUM INTERIOR AND CLEAN WINDOWS	X			
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				
SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE			85,000 KILOMETERS	

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>90K</b>	Check Off	<b>AFFIX TO INVOICE</b>								
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">   </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km		
DATE	YYYY-MM-DD	KILOMETERS										
		_____ km										
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>											
<b>1</b>	CHANGE OIL AND FILTER	X										
	CHECK STEERING AND SUSPENSION	X										
	CHECK CV BOOTS AND U-JOINTS	X										
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X										
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X										
	CHECK EXHAUST SYSTEM	X										
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X										
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X										
	ROTATE FOUR TIRES - INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X										
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X										
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X										
	CHECK ENGINE FAN AND WATER PUMP	X										
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X										
	CHECK PCV VALVE	X										
CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X											
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X											
VACUUM INTERIOR AND CLEAN WINDOWS	X											
<b>3</b>	INSPECT AND REPACK HUBS / ALL WHEEL BEARINGS (IF EQUIPPED)	X										
<b>4</b>	TUNE-UP - REPLACE PLUGS AND SCOPE TEST	X										
<b>6</b>	FLUSH AND REPLACE ENGINE COOLANT	X										
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center;">TIRES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center;">BRAKES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>90,000 KILOMETERS</b>									

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

*SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS*

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>95K</b>	Check Off	AFFIX TO INVOICE								
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">   </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km		
DATE	YYYY-MM-DD	KILOMETERS										
		_____ km										
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>											
1	CHANGE OIL AND FILTER	X										
	CHECK STEERING AND SUSPENSION	X										
	CHECK CV BOOTS AND U-JOINTS	X										
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X										
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X										
	CHECK EXHAUST SYSTEM	X										
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X										
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X										
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X										
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X										
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X										
	CHECK ENGINE FAN AND WATER PUMP	X										
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X										
	CHECK PCV VALVE	X										
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X										
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X											
VACUUM INTERIOR AND CLEAN WINDOWS	X											
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">TIRES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> <div style="border: 1px solid black; padding: 5px; margin-top: 5px; text-align: center;">BRAKES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE			95,000 KILOMETERS									



## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

*SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS*

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>100K</b>	Check Off																						
	<b>ROAD TEST VEHICLE</b>	X																							
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>																								
<b>1</b>	CHANGE OIL AND FILTER	X	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2">SERVICE CENTRE NO.</td> </tr> <tr> <td colspan="2">COMPANY</td> </tr> <tr> <td style="width: 50%;">DATE</td> <td style="width: 50%;">KILOMETERS</td> </tr> <tr> <td style="text-align: center;">YYYY-MM-DD</td> <td style="text-align: center;">_____km</td> </tr> <tr> <td colspan="2">SIGNATURES</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: center;">TIRES</th> </tr> <tr> <td>LF _____/32</td> <td>RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: center;">BRAKES</th> </tr> <tr> <td>LF _____/32</td> <td>RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	SERVICE CENTRE NO.		COMPANY		DATE	KILOMETERS	YYYY-MM-DD	_____km	SIGNATURES		TIRES		LF _____/32	RF _____/32	LR _____/32	RR _____/32	BRAKES		LF _____/32	RF _____/32	LR _____/32	RR _____/32
	SERVICE CENTRE NO.																								
	COMPANY																								
	DATE	KILOMETERS																							
	YYYY-MM-DD	_____km																							
	SIGNATURES																								
	TIRES																								
	LF _____/32	RF _____/32																							
	LR _____/32	RR _____/32																							
	BRAKES																								
	LF _____/32	RF _____/32																							
	LR _____/32	RR _____/32																							
	CHECK STEERING AND SUSPENSION	X																							
	CHECK CV BOOTS AND U-JOINTS	X																							
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X																							
LUBE CHASSIS, SUSPENSION AND DRIVELINE	X																								
CHECK EXHAUST SYSTEM	X																								
CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X																								
CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X																								
CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X																								
CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X																								
CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X																								
CHECK ENGINE FAN AND WATER PUMP	X																								
CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X																								
CHECK PCV VALVE	X																								
CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X																								
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X																								
VACUUM INTERIOR AND CLEAN WINDOWS	X																								
<b>2</b>	REPLACE FUEL FILTER	X																							
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>																									
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>100,000 KILOMETERS</b>																						

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

*SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS*

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>105K</b>	Check Off	AFFIX TO INVOICE						
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">   </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km
DATE	YYYY-MM-DD	KILOMETERS								
		_____ km								
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>									
<b>1</b>	CHANGE OIL AND FILTER	X								
	CHECK STEERING AND SUSPENSION	X								
	CHECK CV BOOTS AND U-JOINTS	X								
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X								
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X								
	CHECK EXHAUST SYSTEM	X								
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X								
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X								
	ROTATE FOUR TIRES - INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X								
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X								
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X								
	CHECK ENGINE FAN AND WATER PUMP	X								
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X								
	CHECK PCV VALVE	X								
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X								
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X									
VACUUM INTERIOR AND CLEAN WINDOWS	X									
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>										
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>105,000 KILOMETERS</b>							

TIRES			
LF _____/32	RF _____/32	LR _____/32	RR _____/32

BRAKES			
LF _____/32	RF _____/32	LR _____/32	RR _____/32

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>110K</b>	Check Off	AFFIX TO INVOICE								
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="display: flex; justify-content: space-between; border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <div style="text-align: center;">DATE</div> <div style="text-align: center;">YYYY-MM-DD</div> <div style="text-align: center;">KILOMETERS</div> </div> <div style="display: flex; justify-content: space-between; border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <div style="width: 70%;"></div> <div style="text-align: right;">_____km</div> </div> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SIGNATURES</div> <hr/> <div style="text-align: center; border: 1px solid black; padding: 5px; margin-bottom: 5px;">TIRES</div> <table style="width: 100%; border-collapse: collapse; margin-bottom: 5px;"> <tr> <td style="width: 50%; border: 1px solid black; padding: 2px;">LF _____/32</td> <td style="width: 50%; border: 1px solid black; padding: 2px;">RF _____/32</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">LR _____/32</td> <td style="border: 1px solid black; padding: 2px;">RR _____/32</td> </tr> </table> <div style="text-align: center; border: 1px solid black; padding: 5px; margin-bottom: 5px;">BRAKES</div> <table style="width: 100%; border-collapse: collapse; margin-bottom: 5px;"> <tr> <td style="width: 50%; border: 1px solid black; padding: 2px;">LF _____/32</td> <td style="width: 50%; border: 1px solid black; padding: 2px;">RF _____/32</td> </tr> <tr> <td style="border: 1px solid black; padding: 2px;">LR _____/32</td> <td style="border: 1px solid black; padding: 2px;">RR _____/32</td> </tr> </table>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>											
<b>1</b>	CHANGE OIL AND FILTER	X										
	CHECK STEERING AND SUSPENSION	X										
	CHECK CV BOOTS AND U-JOINTS	X										
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X										
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X										
	CHECK EXHAUST SYSTEM	X										
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X										
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X										
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X										
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X										
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X										
	CHECK ENGINE FAN AND WATER PUMP	X										
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X										
	CHECK PCV VALVE	X										
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X										
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X											
VACUUM INTERIOR AND CLEAN WINDOWS	X											
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>												
SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE			110,000 KILOMETERS									

# SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>115K</b>	Check Off	AFFIX TO INVOICE								
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">     </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km		
DATE	YYYY-MM-DD	KILOMETERS										
		_____ km										
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>											
<b>1</b>	CHANGE OIL AND FILTER	X										
	CHECK STEERING AND SUSPENSION	X										
	CHECK CV BOOTS AND U-JOINTS	X										
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X										
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X										
	CHECK EXHAUST SYSTEM	X										
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X										
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X										
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X										
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X										
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X										
	CHECK ENGINE FAN AND WATER PUMP	X										
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X										
	CHECK PCV VALVE	X										
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X										
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X											
VACUUM INTERIOR AND CLEAN WINDOWS	X											
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">TIRES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> <div style="border: 1px solid black; padding: 5px; margin-top: 5px; text-align: center;">BRAKES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>				<b>115,000 KILOMETERS</b>								

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>120K</b>	Check Off	AFFIX TO INVOICE								
	<b>ROAD TEST VEHICLE</b>	<b>X</b>		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">   </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km		
DATE	YYYY-MM-DD	KILOMETERS										
		_____ km										
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>											
<b>1</b>	CHANGE OIL AND FILTER	<b>X</b>										
	CHECK STEERING AND SUSPENSION	<b>X</b>										
	CHECK CV BOOTS AND U-JOINTS	<b>X</b>										
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	<b>X</b>										
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	<b>X</b>										
	CHECK EXHAUST SYSTEM	<b>X</b>										
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	<b>X</b>										
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	<b>X</b>										
	ROTATE FOUR TIRES - INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	<b>X</b>										
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	<b>X</b>										
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	<b>X</b>										
	CHECK ENGINE FAN AND WATER PUMP	<b>X</b>										
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	<b>X</b>										
	CHECK PCV VALVE	<b>X</b>										
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	<b>X</b>										
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	<b>X</b>											
VACUUM INTERIOR AND CLEAN WINDOWS	<b>X</b>											
<b>3</b>	INSPECT AND REPACK HUBS / ALL WHEEL BEARINGS (IF EQUIPPED)	<b>X</b>										
<b>5</b>	SERVICE AUTOMATIC TRANSMISSION	<b>X</b>										
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center; margin: 0;">TIRES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;">BRAKES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>120,000 KILOMETERS</b>									

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

*SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS*

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>125K</b>	AFFIX TO INVOICE																						
	<b>ROAD TEST VEHICLE</b>	<b>X</b>	Check Off																						
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>																								
<b>1</b>	CHANGE OIL AND FILTER	<b>X</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="2">SERVICE CENTRE NO.</td> </tr> <tr> <td colspan="2">COMPANY</td> </tr> <tr> <td style="width: 50%;">DATE</td> <td style="width: 50%;">KILOMETERS</td> </tr> <tr> <td style="text-align: center;">YYYY-MM-DD</td> <td style="text-align: center;">_____ km</td> </tr> <tr> <td colspan="2">SIGNATURES</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: center;">TIRES</th> </tr> <tr> <td>LF _____/32</td> <td>RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2" style="text-align: center;">BRAKES</th> </tr> <tr> <td>LF _____/32</td> <td>RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	SERVICE CENTRE NO.		COMPANY		DATE	KILOMETERS	YYYY-MM-DD	_____ km	SIGNATURES		TIRES		LF _____/32	RF _____/32	LR _____/32	RR _____/32	BRAKES		LF _____/32	RF _____/32	LR _____/32	RR _____/32
	SERVICE CENTRE NO.																								
	COMPANY																								
	DATE	KILOMETERS																							
	YYYY-MM-DD	_____ km																							
	SIGNATURES																								
	TIRES																								
	LF _____/32	RF _____/32																							
	LR _____/32	RR _____/32																							
	BRAKES																								
	LF _____/32	RF _____/32																							
	LR _____/32	RR _____/32																							
	CHECK STEERING AND SUSPENSION	<b>X</b>																							
	CHECK CV BOOTS AND U-JOINTS	<b>X</b>																							
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	<b>X</b>																							
LUBE CHASSIS, SUSPENSION AND DRIVELINE	<b>X</b>																								
CHECK EXHAUST SYSTEM	<b>X</b>																								
CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	<b>X</b>																								
CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	<b>X</b>																								
CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	<b>X</b>																								
CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	<b>X</b>																								
CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	<b>X</b>																								
CHECK ENGINE FAN AND WATER PUMP	<b>X</b>																								
CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	<b>X</b>																								
CHECK PCV VALVE	<b>X</b>																								
CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	<b>X</b>																								
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	<b>X</b>																								
VACUUM INTERIOR AND CLEAN WINDOWS	<b>X</b>																								
<b>2</b>	REPLACE FUEL FILTER	<b>X</b>																							
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>																									
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>125,000 KILOMETERS</b>																						

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

*SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS*

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>130K</b>	Check Off	AFFIX TO INVOICE								
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">     </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km		
DATE	YYYY-MM-DD	KILOMETERS										
		_____ km										
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>											
1	CHANGE OIL AND FILTER	X										
	CHECK STEERING AND SUSPENSION	X										
	CHECK CV BOOTS AND U-JOINTS	X										
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X										
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X										
	CHECK EXHAUST SYSTEM	X										
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X										
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X										
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X										
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X										
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X										
	CHECK ENGINE FAN AND WATER PUMP	X										
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X										
	CHECK PCV VALVE	X										
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X										
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X											
VACUUM INTERIOR AND CLEAN WINDOWS	X											
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">TIRES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> <div style="border: 1px solid black; padding: 5px; margin-top: 5px; text-align: center;">BRAKES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE			130,000 KILOMETERS									

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

*SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS*

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>135K</b>	Check Off	AFFIX TO INVOICE														
	<b>ROAD TEST VEHICLE</b>	X		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">   </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">TIRES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>  <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px; text-align: center;">BRAKES</div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table>	DATE	YYYY-MM-DD	KILOMETERS			_____ km	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
DATE	YYYY-MM-DD	KILOMETERS																
		_____ km																
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
LF _____/32	RF _____/32																	
LR _____/32	RR _____/32																	
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>																	
<b>1</b>	CHANGE OIL AND FILTER	X																
	CHECK STEERING AND SUSPENSION	X																
	CHECK CV BOOTS AND U-JOINTS	X																
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X																
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X																
	CHECK EXHAUST SYSTEM	X																
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X																
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X																
	ROTATE FOUR TIRES - INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X																
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X																
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X																
	CHECK ENGINE FAN AND WATER PUMP	X																
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X																
	CHECK PCV VALVE	X																
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X																
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X																	
VACUUM INTERIOR AND CLEAN WINDOWS	X																	
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>																		
SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE			135,000 KILOMETERS															



## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>140K</b>	Check Off	AFFIX TO INVOICE								
	<b>ROAD TEST VEHICLE</b>	<b>X</b>		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">     </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km		
DATE	YYYY-MM-DD	KILOMETERS										
		_____ km										
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>											
<b>1</b>	CHANGE OIL AND FILTER	<b>X</b>										
	CHECK STEERING AND SUSPENSION	<b>X</b>										
	CHECK CV BOOTS AND U-JOINTS	<b>X</b>										
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	<b>X</b>										
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	<b>X</b>										
	CHECK EXHAUST SYSTEM	<b>X</b>										
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	<b>X</b>										
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	<b>X</b>										
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	<b>X</b>										
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	<b>X</b>										
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	<b>X</b>										
	CHECK ENGINE FAN AND WATER PUMP	<b>X</b>										
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	<b>X</b>										
	CHECK PCV VALVE	<b>X</b>										
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	<b>X</b>										
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	<b>X</b>											
VACUUM INTERIOR AND CLEAN WINDOWS	<b>X</b>											
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center;">TIRES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center;">BRAKES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>140,000 KILOMETERS</b>									

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

*SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS*

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>145K</b>	Check Off	AFFIX TO INVOICE								
	<b>ROAD TEST VEHICLE</b>	<b>X</b>		<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%;">DATE</td> <td style="width: 40%; text-align: center;">YYYY-MM-DD</td> <td style="width: 30%;">KILOMETERS</td> </tr> <tr> <td></td> <td style="text-align: center;">   </td> <td style="text-align: right;">_____ km</td> </tr> </table> </div> <hr/> <div style="border: 1px solid black; padding: 5px;">SIGNATURES</div>	DATE	YYYY-MM-DD	KILOMETERS			_____ km		
DATE	YYYY-MM-DD	KILOMETERS										
		_____ km										
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>											
<b>1</b>	CHANGE OIL AND FILTER	<b>X</b>										
	CHECK STEERING AND SUSPENSION	<b>X</b>										
	CHECK CV BOOTS AND U-JOINTS	<b>X</b>										
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	<b>X</b>										
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	<b>X</b>										
	CHECK EXHAUST SYSTEM	<b>X</b>										
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	<b>X</b>										
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	<b>X</b>										
	CHECK TIRES & SPARE- INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	<b>X</b>										
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	<b>X</b>										
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	<b>X</b>										
	CHECK ENGINE FAN AND WATER PUMP	<b>X</b>										
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	<b>X</b>										
	CHECK PCV VALVE	<b>X</b>										
	CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	<b>X</b>										
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	<b>X</b>											
VACUUM INTERIOR AND CLEAN WINDOWS	<b>X</b>											
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				<div style="border: 1px solid black; padding: 5px; margin-bottom: 5px;"> <p style="text-align: center;">TIRES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div> <div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center;">BRAKES</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">LF _____/32</td> <td style="width: 50%;">RF _____/32</td> </tr> <tr> <td>LR _____/32</td> <td>RR _____/32</td> </tr> </table> </div>	LF _____/32	RF _____/32	LR _____/32	RR _____/32	LF _____/32	RF _____/32	LR _____/32	RR _____/32
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
LF _____/32	RF _____/32											
LR _____/32	RR _____/32											
<b>SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE</b>			<b>145,000 KILOMETERS</b>									

## SERVICE EVERY 5000 KILOMETERS OR EVERY 4 MONTHS, DEPENDING ON OPERATION CONDITIONS

SERVICE INTERVALS MAY BE MORE FREQUENT UNDER SEVERE CONDITIONS

GROUP	VEHICLE MAINTENANCE CHECKLIST	<b>150K</b>	Check Off	AFFIX TO INVOICE
	<b>ROAD TEST VEHICLE</b>	X		
	<b>SECTION 1 - COMPLETE AFTER ROAD TEST</b>			
<b>1</b>	CHANGE OIL AND FILTER	X		<div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">SERVICE CENTRE NO.</div> <hr/> <div style="border: 1px solid black; padding: 2px; margin-bottom: 5px;">COMPANY</div> <hr/> <div style="display: flex; justify-content: space-between;"> <div style="border: 1px solid black; padding: 2px;">DATE</div> <div style="border: 1px solid black; padding: 2px;">YYYY-MM-DD</div> <div style="border: 1px solid black; padding: 2px;">KILOMETERS</div> </div> <div style="display: flex; justify-content: flex-end; margin-right: 20px;"> <div style="border: 1px solid black; padding: 2px;">_____</div> <div style="border: 1px solid black; padding: 2px;">.km</div> </div> <hr/> <div style="border: 1px solid black; padding: 2px;">SIGNATURES</div>
	CHECK STEERING AND SUSPENSION	X		
	CHECK CV BOOTS AND U-JOINTS	X		
	CHECK TRANSMISSION AND DIFFERENTIAL OIL LEVELS AND VENTS	X		
	LUBE CHASSIS, SUSPENSION AND DRIVELINE	X		
	CHECK EXHAUST SYSTEM	X		
	CHECK ALL BRAKES / ADJUST. REPORT LINING THICKNESS IN 32"	X		
	CHECK ALL BRAKE LINES, HOSES, AND EMERGENCY BRAKE OPERATION	X		
	ROTATE FOUR TIRES - INFLATE TO SPECS, REPORT TREAD REMAINING IN 32"	X		
	CHECK ALL FLUID LEVELS. ANTIFREEZE TO -40° C	X		
	CHECK AIR FILTER - <b>REPLACE IF REQUIRED</b>	X		
	CHECK ENGINE FAN AND WATER PUMP	X		
	CHECK ALL BELTS, HOSES, BATTERY CABLES AND CONNECTIONS	X		
	CHECK PCV VALVE	X		
CHECK HORN, WIPERS AND ALL LIGHTS, <b>REPLACE AS REQUIRED</b>	X			
LUBE ALL DOOR LOCKS AND LATCHES - <i>INCLUDE TAILGATE</i>	X			
VACUUM INTERIOR AND CLEAN WINDOWS	X			
<b>2</b>	REPLACE FUEL FILTER	X		
<b>3</b>	INSPECT AND REPACK HUBS / ALL WHEEL BEARINGS (IF EQUIPPED)	X		
<p>***SHOP RATE CANNOT EXCEED CHILTON'S FLAT RATE TIME FOR APPLICABLE VEHICLE Suggested maximum tune-up time: 4cyl. - 1hr.; 6cyl. - 1.2 hrs.; 8cyl. - 1.5 hrs.</p> <p>***SHOP RATE WILL INCLUDE ANY SHOP SPECIALS BEING OFFERED (as per service contract)</p>				<div style="text-align: center; border: 1px solid black; padding: 2px; margin-bottom: 5px;">TIRES</div> <div style="display: flex; justify-content: space-between;"> <div style="border: 1px solid black; padding: 2px;">LF _____/32</div> <div style="border: 1px solid black; padding: 2px;">RF _____/32</div> </div> <hr/> <div style="display: flex; justify-content: space-between;"> <div style="border: 1px solid black; padding: 2px;">LR _____/32</div> <div style="border: 1px solid black; padding: 2px;">RR _____/32</div> </div>
				<div style="text-align: center; border: 1px solid black; padding: 2px; margin-bottom: 5px;">BRAKES</div> <div style="display: flex; justify-content: space-between;"> <div style="border: 1px solid black; padding: 2px;">LF _____/32</div> <div style="border: 1px solid black; padding: 2px;">RF _____/32</div> </div> <hr/> <div style="display: flex; justify-content: space-between;"> <div style="border: 1px solid black; padding: 2px;">LR _____/32</div> <div style="border: 1px solid black; padding: 2px;">RR _____/32</div> </div>
SERVICE CENTRE TO COMPLETE LOG BOOK WHEN SERVICING VEHICLE				150,000 KILOMETERS